

# Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
Date of first issue: 28.01.2016

---

## SECTION 1. IDENTIFICATION

Product identifier : Flunixin Liquid Formulation  
Other means of identification : FINADYNE TRANSDERMAL (A11281)

### Manufacturer or supplier's details

Company : MSD  
Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 3  
Serious eye damage : Category 1  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract, Kidney, Blood)  
Short-term (acute) aquatic hazard : Category 3  
Long-term (chronic) aquatic hazard : Category 3

### GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

Signal Word	:	Danger
Hazard Statements	:	H302 Harmful if swallowed. H318 Causes serious eye damage. H331 Toxic if inhaled. H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects.
Precautionary Statements	:	<p><b>Prevention:</b></p> P201 Obtain special instructions before use. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
		<p><b>Response:</b></p> P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention.
		<p><b>Storage:</b></p> P405 Store locked up.

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
L-Menthol	2216-51-5	Acute Tox. (Inhalation), 5 Skin Irrit., 2 Eye Irrit., 2B Aquatic Acute, 3	>= 10 -< 20
2-Pyrrolidone	616-45-5	Eye Irrit., 2B Repr., 1B	>= 10 -< 20
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-	42461-84-7	Acute Tox. (Oral), 3 Acute Tox. (Inhala-	>= 5 -< 10

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

(perfluoromethyl)anilino]nicotinate		tion), 2 Eye Dam., 1 STOT SE, 3 STOT RE, (Gastrointestinal tract, Kidney, Blood) , 1 Aquatic Acute, 2 Aquatic Chronic, 2	
-------------------------------------	--	---	--

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
Causes serious eye damage.  
Toxic if inhaled.  
May damage fertility. May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.

**Flunixin Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 15.12.2023
8.0	28.09.2024	437358-00023	Date of first issue: 28.01.2016

---

- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Nitrogen oxides (NOx)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
- 

**SECTION 7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
-

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

- Advice on safe handling** : Do not get on skin or clothing.  
 Do not breathe mist or vapors.  
 Do not swallow.  
 Do not get in eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage** : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.
- Materials to avoid** : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Skin				
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

## Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 15.12.2023
8.0	28.09.2024	437358-00023	Date of first issue: 28.01.2016

---

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapor type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	red
Odor	:	amine-like
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper	:	No data available

## Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 15.12.2023
8.0	28.09.2024	437358-00023	Date of first issue: 28.01.2016

---

flammability limit		
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Harmful if swallowed.

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

Toxic if inhaled.

**Product:**

Acute oral toxicity : Acute toxicity estimate: 638,55 mg/kg  
 Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,6012 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: Calculation method

**Components:****L-Menthol:**

Acute inhalation toxicity : LC50 (Rat): 5,289 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist  
 Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
 Method: OECD Test Guideline 402

**2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
 Method: OECD Test Guideline 401  
 Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
 Method: OECD Test Guideline 402  
 Assessment: The substance or mixture has no acute dermal toxicity

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg  
 LD50 (Mouse): 176 - 249 mg/kg  
 LD50 (Guinea pig): 488,3 mg/kg  
 LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0,52 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59,4 - 185,3 mg/kg  
 Application Route: Intraperitoneal  
 LD50 (Mouse): 164 - 363 mg/kg  
 Application Route: Intraperitoneal



## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
Date of first issue: 28.01.2016

---

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****L-Menthol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**2-Pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****L-Menthol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days  
Method : OECD Test Guideline 405

**2-Pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****L-Menthol:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

Result : negative

### 2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)  
 Routes of exposure : Skin contact  
 Species : Mouse  
 Method : OECD Test Guideline 429  
 Result : negative  
 Remarks : Based on data from similar materials

### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximization Test  
 Routes of exposure : Dermal  
 Species : Guinea pig  
 Assessment : Does not cause skin sensitization.  
 Result : negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
 Result: negative  
 Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection  
 Method: OECD Test Guideline 474  
 Result: negative  
 Remarks: Based on data from similar materials

#### 2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Method: OECD Test Guideline 476  
 Result: negative  
 Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
 Method: OECD Test Guideline 473  
 Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
 Species: Mouse  
 Application Route: Intraperitoneal injection

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

Method: OECD Test Guideline 474  
 Result: negative

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
 Result: negative

Test Type: in vitro test  
 Test system: mouse lymphoma cells  
 Result: positive

Test Type: Chromosomal aberration  
 Test system: Chinese hamster ovary cells  
 Result: positive

Test Type: in vitro test  
 Test system: Escherichia coli  
 Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
 Species: Mouse  
 Application Route: Oral  
 Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Components:****L-Menthol:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Method : OECD Test Guideline 453  
 Result : negative  
 Remarks : Based on data from similar materials

**2-Pyrrolidone:**

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 18 month(s)  
 Result : negative  
 Remarks : Based on data from similar materials

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rat  
 Application Route : oral (feed)  
 Exposure time : 104 w  
 LOAEL : 2 mg/kg body weight

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

Result : negative  
 Target Organs : Gastrointestinal tract  
 Remarks : Significant toxicity observed in testing

Species : Mouse  
 Application Route : oral (feed)  
 Exposure time : 97 w  
 NOAEL : 0,6 mg/kg body weight  
 Result : negative  
 Target Organs : Gastrointestinal tract  
 Remarks : Significant toxicity observed in testing

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### L-Menthol:

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### 2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

#### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Parent: LOAEL: 1 - 1,5 mg/kg body weight  
 Symptoms: No fetal abnormalities.  
 Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Maternal: LOAEL: 2 mg/kg body weight

## Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 15.12.2023
8.0	28.09.2024	437358-00023	Date of first issue: 28.01.2016

Embryo-fetal toxicity.: NOAEL: 2 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

Test Type: Embryo-fetal development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 3 mg/kg body weight  
Embryo-fetal toxicity.: NOAEL: 3 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

### STOT-single exposure

Not classified based on available information.

#### Components:

#### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

May cause damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

#### Components:

#### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

#### **L-Menthol:**

Species : Mouse  
NOAEL : 1.250 mg/kg  
Application Route : Ingestion  
Exposure time : 91 Days  
Method : OECD Test Guideline 408  
Remarks : Based on data from similar materials

#### **2-Pyrrolidone:**

Species : Rat  
NOAEL : 207 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Months  
Method : OECD Test Guideline 408

#### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rat  
NOAEL : 2 mg/kg

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

LOAEL	: < 4 mg/kg
Application Route	: Oral
Exposure time	: 6 w
Target Organs	: Gastrointestinal tract
Species	: Rat
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Gastrointestinal tract, Kidney
Species	: Monkey
NOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Gastrointestinal tract, Blood
Species	: Rabbit
LOAEL	: 80 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Symptoms	: Severe irritation
Species	: Dog
LOAEL	: 11 mg/kg
Application Route	: Oral
Exposure time	: 9 d
Target Organs	: Gastrointestinal tract
Symptoms	: Vomiting

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Inhalation	: Symptoms: respiratory tract irritation
Skin contact	: Symptoms: Skin irritation
Eye contact	: Symptoms: Severe irritation
Ingestion	: Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### L-Menthol:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 15,6 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
------------------	--

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 26,6 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 21,4 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3.  NOEC (Desmodesmus subspicatus (green algae)): 9,65 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3.
Toxicity to microorganisms	: EC50: 237 mg/l Exposure time: 96 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

**2-Pyrrolidone:**

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 4.600 - 10.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h  EC10 (Desmodesmus subspicatus (green algae)): 22,2 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50: > 1.000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

**1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l Exposure time: 96 h Method: FDA 4.11  LC50 (Oncorhynchus mykiss (rainbow trout)): 5,5 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 15 mg/l Exposure time: 48 h Method: FDA 4.08
Toxicity to algae/aquatic plants	: NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l Exposure time: 13 d Method: FDA 4.01  NOEC (Selenastrum capricornutum (green algae)): 96 mg/l Exposure time: 12 d

## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
 Date of first issue: 28.01.2016

||

### Persistence and degradability

#### Components:

##### **L-Menthol:**

|| Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 64 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301D

##### **2-Pyrrolidone:**

|| Biodegradability : Result: Readily biodegradable.  
 Remarks: Based on data from similar materials

##### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

|| Stability in water : Hydrolysis: 0 %(28 d)

### Bioaccumulative potential

#### Components:

##### **L-Menthol:**

|| Bioaccumulation : Species: Cyprinus carpio (Carp)  
 Bioconcentration factor (BCF): 0,5 - 15  
 Exposure time: 6 Weeks  
 Method: OECD Test Guideline 305  
 Remarks: Based on data from similar materials

|| Partition coefficient: n-octanol/water : log Pow: 3,15

##### **2-Pyrrolidone:**

|| Partition coefficient: n-octanol/water : log Pow: -0,71  
 Method: OECD Test Guideline 107

##### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

|| Partition coefficient: n-octanol/water : log Pow: 1,34

### Mobility in soil

#### Components:

##### **1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

|| Distribution among environmental compartments : log Koc: 1,92

### Other adverse effects

No data available



## Flunixin Liquid Formulation

Version 8.0      Revision Date: 28.09.2024      SDS Number: 437358-00023      Date of last issue: 15.12.2023  
Date of first issue: 28.01.2016

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### ANTT

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

---

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

### SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024  
Date format : dd.mm.yyyy

---

## Flunixin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 15.12.2023
8.0	28.09.2024	437358-00023	Date of first issue: 28.01.2016

---

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of other abbreviations

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8