

**Fluralaner (Cattle Pour-On) Formulation**

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
Date of first issue: 21.05.2017

---

**SECTION 1. IDENTIFICATION**

Product name : Fluralaner (Cattle Pour-On) Formulation  
Other means of identification : EXZOLT POUR-ON FOR CATTLE (92557)

**Manufacturer or supplier's details**

Company : MSD  
Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 3  
Serious eye damage/eye irritation : Category 2A  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - single exposure : Category 3  
Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :    

Signal Word : Danger

Hazard Statements : H226 Flammable liquid and vapor.  
H319 Causes serious eye irritation.

---

## Fluralaner (Cattle Pour-On) Formulation

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
 Date of first issue: 21.05.2017

H336 May cause drowsiness or dizziness.  
 H360FD May damage fertility. May damage the unborn child.  
 H410 Very toxic to aquatic life with long lasting effects.

### Precautionary Statements

**Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P261 Avoid breathing mist or vapors.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P391 Collect spillage.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-Pyrrolidone	616-45-5	>= 30 -< 50
Propan-2-ol	67-63-0	>= 30 -< 50
L-Menthol	2216-51-5	>= 10 -< 20
Fluralaner	864731-61-3	>= 5 -< 10

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May damage fertility. May damage the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment : In the event of fire, wear self-contained breathing apparatus.
-



## Fluralaner (Cattle Pour-On) Formulation

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
 Date of first issue: 21.05.2017

- Take precautionary measures against static discharges.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Flammable solids  
 Pyrophoric liquids  
 Pyrophoric solids  
 Self-heating substances and mixtures  
 Substances and mixtures which in contact with water emit flammable gases  
 Explosives  
 Gases  
 Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propan-2-ol	67-63-0	CMP	400 ppm	AR OEL
		CMP - CPT	500 ppm	AR OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine		2 mg/g creatinine	AR BEI
		Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

- Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

- |                          |   |  |
|--------------------------|---|--|
| Respiratory protection   | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.   |
| Filter type              | : | Combined particulates and organic vapor type   |
| Hand protection          |   |  |
| Material                 | : | Chemical-resistant gloves  |
| Remarks                  | : | Take note that the product is flammable, which may impact the selection of hand protection.  |
| Eye protection           | : | Wear safety glasses with side shields or goggles.<br>If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.<br>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.   |
| Skin and body protection | : | Work uniform or laboratory coat.   |
| Hygiene measures         | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- |   |   |                   |
|---|---|-------------------|
| Appearance                              | : | liquid            |
| Color                                   | : | blue green, clear |
| Odor                                    | : | mint-like         |
| Odor Threshold                          | : | No data available |
| pH                                      | : | No data available |
| Melting point/freezing point            | : | No data available |
| Initial boiling point and boiling range | : | No data available |

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

Flash point	:	25 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

**Fluralaner (Cattle Pour-On) Formulation**

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
Date of first issue: 21.05.2017

---

products

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****2-Pyrrolidone:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

**L-Menthol:**

Acute inhalation toxicity : LC50 (Rat): 5,289 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Method: OECD Test Guideline 402

**Fluralaner:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Remarks: No mortality observed at this dose.  
No significant adverse effects were reported





**Fluralaner (Cattle Pour-On) Formulation**

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
Date of first issue: 21.05.2017

---

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Propan-2-ol:**

Test Type : Buehler Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

**L-Menthol:**

Test Type : Local lymph node assay (LLNA)  
Routes of exposure : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative

**Fluralaner:**

Test Type : Maximization Test  
Routes of exposure : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

### Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

## Fluralaner (Cattle Pour-On) Formulation

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
 Date of first issue: 21.05.2017

---

### Carcinogenicity

Not classified based on available information.

### Components:

#### 2-Pyrrolidone:

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 18 month(s)  
 Result : negative  
 Remarks : Based on data from similar materials

#### Propan-2-ol:

Species : Rat  
 Application Route : inhalation (vapor)  
 Exposure time : 104 weeks  
 Method : OECD Test Guideline 451  
 Result : negative

#### L-Menthol:

Species : Mouse  
 Application Route : Ingestion  
 Exposure time : 103 weeks  
 Method : OECD Test Guideline 453  
 Result : negative  
 Remarks : Based on data from similar materials

#### Fluralaner:

Carcinogenicity - Assessment : No data available

### Reproductive toxicity

May damage fertility. May damage the unborn child.

### Components:

#### 2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive  
 Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### L-Menthol:

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Fluralaner:

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: LOAEL: 100 mg/kg body weight  
Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Test Type: One-generation reproduction toxicity study  
Species: Dog  
Application Route: Oral  
Fertility: NOAEL: 75 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.  
Remarks: No significant adverse effects were reported

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Skeletal malformations., Visceral malformations.  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Dermal  
Developmental Toxicity: NOAEL: 100 mg/kg body weight

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### STOT-single exposure

May cause drowsiness or dizziness.

### Components:

#### Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

### STOT-repeated exposure

Not classified based on available information.

### Repeated dose toxicity

### Components:

#### 2-Pyrrolidone:

Species : Rat  
 NOAEL : 207 mg/kg  
 Application Route : Ingestion  
 Exposure time : 3 Months  
 Method : OECD Test Guideline 408

#### Propan-2-ol:

Species : Rat  
 NOAEL : 12,5 mg/l  
 Application Route : inhalation (vapor)  
 Exposure time : 104 Weeks

#### L-Menthol:

Species : Mouse  
 NOAEL : 1.250 mg/kg  
 Application Route : Ingestion  
 Exposure time : 91 Days  
 Method : OECD Test Guideline 408  
 Remarks : Based on data from similar materials

#### Fluralaner:

Species : Dog  
 NOAEL : 1 mg/kg  
 Application Route : Oral  
 Exposure time : 52 Weeks  
 Target Organs : Liver  
 Remarks : No significant adverse effects were reported

Species : Juvenile dog  
 LOAEL : 56 - 280 mg/kg  
 Application Route : Oral  
 Exposure time : 24 Weeks

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

Symptoms	:	Diarrhea
Species	:	Rat
LOAEL	:	400 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver, thymus gland
Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Dermal
Exposure time	:	90 Days
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

### Aspiration toxicity

Not classified based on available information.

### Components:

#### Fluralaner:

Not applicable

### Experience with human exposure

### Components:

#### Fluralaner:

Skin contact	:	Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

### Components:

#### 2-Pyrrolidone:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 4.600 - 10.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h  EC10 (Desmodesmus subspicatus (green algae)): 22,2 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50: > 1.000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

**Fluralaner (Cattle Pour-On) Formulation**

Version 6.1      Revision Date: 01.12.2023      SDS Number: 1699464-00019      Date of last issue: 30.09.2023  
Date of first issue: 21.05.2017

---

**Propan-2-ol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
Exposure time: 24 h
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.050 mg/l  
Exposure time: 16 h

**L-Menthol:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 15,6 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26,6 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 21,4 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.
- NOEC (Desmodesmus subspicatus (green algae)): 9,65 mg/l  
Exposure time: 72 h  
Method: Directive 67/548/EEC, Annex V, C.3.
- Toxicity to microorganisms : EC50: 237 mg/l  
Exposure time: 96 h  
Test Type: Respiration inhibition of activated sludge  
Method: OECD Test Guideline 209

**Fluralaner:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,0488 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,015 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0,08 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility.
- Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0,049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 204



## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,0736 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1.000

### Persistence and degradability

#### Components:

##### **2-Pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### **Propan-2-ol:**

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

##### **L-Menthol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 64 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **2-Pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0,71  
Method: OECD Test Guideline 107

##### **Propan-2-ol:**

Partition coefficient: n-octanol/water : log Pow: 0,05

##### **L-Menthol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0,5 - 15  
Exposure time: 6 Weeks  
Method: OECD Test Guideline 305  
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,15

##### **Fluralaner:**

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 79,4  
Method: OECD Test Guideline 305

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

Partition coefficient: n-octanol/water : log Pow: 4,5

### Mobility in soil

#### Components:

##### Fluralaner:

Distribution among environmental compartments : log Koc: 4,1

### Other adverse effects

#### Components:

##### Fluralaner:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s.  
(Propan-2-ol)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo) : 366

**Fluralaner (Cattle Pour-On) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

---

aircraft)  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
(Propan-2-ol, Fluralaner)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry : Not applicable

Control of precursors and essential chemicals for the preparation of drugs : Propan-2-ol

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**

Revision Date : 01.12.2023  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Full text of other abbreviations**

## Fluralaner (Cattle Pour-On) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.1	01.12.2023	1699464-00019	Date of first issue: 21.05.2017

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
AR BEI	:	Argentina. Biological Exposure Indices
AR OEL	:	Argentina. Occupational Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AR OEL / CMP	:	TLV (Threshold Limit Value)
AR OEL / CMP - CPT	:	STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8