

Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Fluralaner (Cattle Pour-On) Formulation

Other means of identification : EXZOLT POUR-ON FOR CATTLE (92557)

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Flammable liquids : Category 3

Serious eye damage/eye irri-

tation

Category 2

Reproductive toxicity : Category 1B

Specific target organ toxicity - :

single exposure

Category 3

Long-term (chronic) aquatic

hazard

Category 1

GHS label elements

Hazard pictograms :







Signal word : Danger



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Hazard statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H360FD May damage fertility. May damage the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

nent.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and our lines of the emergency as-

Important symptoms and out- : Vapours may form explosive mixture with air.

sumed



Fluralaner (Cattle Pour-On) Formulation

Revision Date: SDS Number: Date of last issue: 2024/07/06 Version 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
2-Pyrrolidone	616-45-5	>= 30 - < 40	5-112
Propan-2-ol	67-63-0	34	2-207
L-Menthol	2216-51-5	>= 10 - < 20	3-2333
Fluralaner	864731-61-3	>= 3 - < 10	

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of contact, immediately flush skin with plenty of water. In case of skin contact

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

Causes serious eye irritation.

May cause drowsiness or dizziness.

May damage fertility. May damage the unborn child. Protection of first-aiders First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

tire.

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Fluorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid re

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Avoid breathing mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact

Hygiene measures

Oxidizing agents

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Oxidizing solids Oxidizing liquids

Packaging material : Unsuitable material: None known.



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Propan-2-ol	67-63-0	ACL	200 ppm	JP OEL ISHL
		OEL-C	400 ppm	JP OEL
			980 mg/m3	JSOH
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Fluralaner	864731-61-3	TWA	100 μg/m3 (OEB	Internal
			2)	
	Further information: Skin			
		Wipe limit	1000 μg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type Hand protection : Combined particulates and organic vapour type

and protootion

Material : Chemical-resistant gloves

Remarks : Take note that the product is flammable, which may impact

the selection of hand protection.



Fluralaner (Cattle Pour-On) Formulation

Revision Date: SDS Number: Date of last issue: 2024/07/06 Version 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate googles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection Work uniform or laboratory coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

Colour blue green, clear

Odour mint-like

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) Not applicable

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- :

per flammability limit

No data available

Lower explosion limit /

Lower flammability limit

No data available

25 °C Flash point

Decomposition temperature No data available

No data available pΗ

No data available **Evaporation rate**

No data available Auto-ignition temperature

Viscosity

Viscosity, kinematic No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable



Fluralaner (Cattle Pour-On) Formulation

SDS Number: Date of last issue: 2024/07/06 Version **Revision Date:** 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Vapour pressure No data available

Density and / or relative density

Relative density No data available

Density No data available

No data available Relative vapour density

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size Not applicable

10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Stable under normal conditions. Chemical stability Flammable liquid and vapour. Possibility of hazardous reac-

tions

Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Acute oral toxicity LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity LD50 (Rabbit): > 2,000 mg/kg



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

L-Menthol:

Acute inhalation toxicity : LC50 (Rat): 5.289 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Method: OECD Test Guideline 402

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No mortality observed at this dose. No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No significant adverse effects were reported

Skin corrosion/irritation

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

L-Menthol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Fluralaner:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

2-Pyrrolidone:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

L-Menthol:

Species : Rabbit

Result : Irritation to eyes, reversing within 7 days

Method : OECD Test Guideline 405

Fluralaner:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Remarks : Based on data from similar materials

Propan-2-ol:

Test Type : Buehler Test Exposure routes : Skin contact



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

L-Menthol:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Fluralaner:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

> cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-Pyrrolidone:

Species : Mouse
Application Route : Ingestion
Exposure time : 18 month(s)
Result : negative

Remarks : Based on data from similar materials

Propan-2-ol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 104 weeks



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Method : OECD Test Guideline 451

Result : negative

L-Menthol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks

Method : OECD Test Guideline 453

Result : negative

Remarks : Based on data from similar materials

Fluralaner:

Carcinogenicity - Assess-

ment

No data available

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

2-Pyrrolidone:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse

effects on development, based on animal experiments.

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

L-Menthol:

Effects on foetal develop- : Test Type: Embryo-foetal development



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

ment Species: Rat

Application Route: Ingestion

Result: negative

Fluralaner:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 50 mg/kg body weight General Toxicity F1: LOAEL: 100 mg/kg body weight Result: No effects on fertility, Postimplantation loss., Adverse

neonatal effects.

Test Type: One-generation reproduction toxicity study

Species: Dog

Application Route: Oral

Fertility: NOAEL: 75 mg/kg body weight

Result: No effects on fertility and early embryonic develop-

ment were detected.

Remarks: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No

teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Skeletal malformations, Visceral malformations

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit

Application Route: Dermal

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: Skeletal malformations

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-Pyrrolidone:

Species : Rat NOAEL : 207 mg/kg

Application Route : Ingestion Exposure time : 3 Months

Method : OECD Test Guideline 408

Propan-2-ol:

Species : Rat NOAEL : 12.5 mg/l

Application Route : inhalation (vapour)

Exposure time : 104 Weeks

L-Menthol:

Species : Mouse
NOAEL : 1,250 mg/kg
Application Route : Ingestion
Exposure time : 91 Days

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

Fluralaner:

Species: DogNOAEL: 1 mg/kgApplication Route: OralExposure time: 52 WeeksTarget Organs: Liver

Remarks : No significant adverse effects were reported

Species : Juvenile dog LOAEL : 56 - 280 mg/kg

Application Route : Oral
Exposure time : 24 Weeks
Symptoms : Diarrhoea

Species : Rat LOAEL : 400 mg/kg Application Route : Oral Exposure time : 90 Days

Target Organs : Liver, thymus gland

Species : Rat



Fluralaner (Cattle Pour-On) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

NOAEL 500 mg/kg Application Route Dermal Exposure time : 90 Davs **Target Organs** : Liver

Remarks : No significant adverse effects were reported

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner: Not applicable

Experience with human exposure

Components:

Fluralaner:

Skin contact Remarks: May irritate skin.

Eye contact Remarks: May cause eye irritation.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-Pyrrolidone:

LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l

Exposure time: 72 h

EC50: > 1,000 mg/lToxicity to microorganisms

Exposure time: 30 min

Method: OECD Test Guideline 209

Propan-2-ol:

Toxicity to fish LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h



Fluralaner (Cattle Pour-On) Formulation

SDS Number: Date of last issue: 2024/07/06 Version **Revision Date:** 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

EC50 (Pseudomonas putida): > 1,050 mg/l Toxicity to microorganisms

Exposure time: 16 h

L-Menthol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): 15.6 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 26.6 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 21.4 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

NOEC (Desmodesmus subspicatus (green algae)): 9.65 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V. C.3.

EC50: 237 mg/l Toxicity to microorganisms

Exposure time: 96 h

Test Type: Respiration inhibition of activated sludge

Method: OECD Test Guideline 209

Fluralaner:

LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.015 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): >=

0.08 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Zebrafish): >= 0.049 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 204

Remarks: No toxicity at the limit of solubility



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0736 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: 1,000

Persistence and degradability

Components:

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.

Remarks: Based on data from similar materials

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)

COD: 2,23 BOD/COD: 53 %

L-Menthol:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 64 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

2-Pyrrolidone:

Partition coefficient: n- : log Pow: -0.71

octanol/water Method: OECD Test Guideline 107

Propan-2-ol:

Partition coefficient: n-

octanol/water

log Pow: 0.05

L-Menthol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 0.5 - 15

Exposure time: 6 Weeks

Method: OECD Test Guideline 305

Remarks: Based on data from similar materials

Partition coefficient: n-

octanol/water

: log Pow: 3.15

Fluralaner:



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Bioaccumulation : Species: Zebrafish

Bioconcentration factor (BCF): 79.4 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4.5

Mobility in soil

Components:

Fluralaner:

Distribution among environ-

mental compartments

log Koc: 4.1

Hazardous to the ozone layer

Not applicable

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Propan-2-ol)

Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 1993



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Proper shipping name : Flammable liquid, n.o.s.

(Propan-2-ol)

Class : 3 Packing group : III

Labels : Flammable Liquids

Packing instruction (cargo : 366

aircraft)

Packing instruction (passen: 355

ger aircraft)

IMDG-Code

UN number : UN 1993

Proper shipping name : FLAMMABLE LIQUID, N.O.S.

(Propan-2-ol, Fluralaner)

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 128

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Group 4, Type 2 petroleums, Water insoluble liquid, (1000 litre), Hazardous rank III

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Isopropyl alcohol	102

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propyl alcohol	34	-
L-menthol	>=10 - <20	From April 1st, 2026

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Propyl alcohol	-
L-menthol	From April 1st, 2026

Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

Explosive Control Law

Not applicable

Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to

compile the Safety Data Sheet eCh

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

7, 1

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
JP OEL ISHL : Japan. Administrative Control Levels

JP OEL JSOH : Japan. The Japan Society for Occupational Health. Recom-

mendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average



Fluralaner (Cattle Pour-On) Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/07/06 11.1 2024/09/28 1688451-00023 Date of first issue: 2017/05/21

ACGIH / STEL : Short-term exposure limit
JP OEL ISHL / ACL : Administrative Control level

JP OEL JSOH / OEL-C : Occupational Exposure Limit-Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN