

Version 2.15	Revision Date: 23.07.2024		S Number: 4888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016		
Section	1: Identification					
Proc	duct identifier	:	Fluralaner (with	Vitamin E) Formulation		
	Other means of identifica- tion		EXZOLT (A011389) EXZOLT FLURALANER ORAL SOLUTION FOR CHICKEN (85688)			
Rec	ommended use of the c	hem	ical and restrict	ions on use		
	ommended use trictions on use	:	Veterinary prod Not applicable	uct		
Man	ufacturer or supplier's	deta	ils			
Corr	npany	:	MSD			
Add	ress	:	50 Tuas West D Singapore - Sir	Drive ngapore 638408		
Tele	phone	:	+1-908-740-400	00		
Eme	ergency telephone numbe	er :	65 6697 2111 (2	24/7/365)		
E-m	ail address	:	EHSDATASTE	WARD@msd.com		
Section 2	2: Hazard identification					
Clas	ssification of the substa	ince	or mixture			
	g-term (chronic) aquatic	:	Category 1			
GHS	S Label elements, includ	ding	precautionary s	atements		
Haz	ard pictograms	:	¥2			
Sign	nal word	:	Warning			
Haz	ard statements	:	H410 Very toxic	to aquatic life with long lasting effects.		
Proc	cautionary statements					

Precautionary statements : Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.



Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2024
2.15	23.07.2024	914888-00021	Date of first issue: 05.10.2016

## Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fluralaner	864731-61-3	>= 1 -< 2.5

## Section 4: First-aid measures

rst-aid measures
<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
: If inhaled, remove to fresh air. Get medical attention.
<ul> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Remove contaminated clothing and shoes.</li> <li>Get medical attention.</li> <li>Wash clothing before reuse.</li> <li>Thoroughly clean shoes before reuse.</li> </ul>
<ul> <li>Flush eyes with water as a precaution.</li> <li>Get medical attention if irritation develops and persists.</li> </ul>
: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
and effects, both acute and delayed
<ul> <li>None known.</li> <li>First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</li> </ul>
e medical attention and special treatment needed
: Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media		
Suitable extinguishing modia	Water enrov	



Version 2.15	Revision Date: 23.07.2024	SDS Number: 914888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016			
media	itable extinguishing a ial hazards arising fron	Alcohol-resist Carbon dioxic Dry chemical : None known. n <b>the substance c</b>	le (CO2)			
		<ul> <li>Exposure to combustion products may be a hazard to health.</li> <li>Carbon oxides Chlorine compounds Fluorine compounds</li> </ul>				
Spec	ial protective actions for	or fire-fighters				
for fire	al protective equipment efighters fic extinguishing meth-	Use personal : Use extinguis cumstances a Use water spi	f fire, wear self-contained breathing apparatus. protective equipment. hing measures that are appropriate to local cir- and the surrounding environment. ray to cool unopened containers. amaged containers from fire area if it is safe to do a.			
Section 6	Accidental release me	easures				
	precautions, protective nal precautions	: Use personal Follow safe ha	emergency procedures protective equipment. andling advice (see section 7) and personal pro- nent recommendations (see section 8).			
Environmental precautions Environmental precautions		Prevent furthe Prevent sprea barriers). Retain and dis	to the environment. er leakage or spillage if safe to do so. ading over a wide area (e.g. by containment or oil spose of contaminated wash water. ies should be advised if significant spillages ntained.			
	and materials for conta ods for cleaning up	: Soak up with For large spill ment to keep be pumped, s Clean up rem bent. Local or natio posal of this n employed in t mine which re Sections 13 a	<b>ing up</b> inert absorbent material. s, provide dyking or other appropriate contain- material from spreading. If dyked material can tore recovered material in appropriate container. aining materials from spill with suitable absor- nal regulations may apply to releases and dis- naterial, as well as those materials and items he cleanup of releases. You will need to deter- egulations are applicable. nd 15 of this SDS provide information regarding or national requirements.			



Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2024
2.15	23.07.2024	914888-00021	Date of first issue: 05.10.2016

## Section 7: Handling and storage

Precautions for safe handling						
Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.				
Local/Total ventilation Advice on safe handling	:	Use only with adequate ventilation. Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as- sessment Take care to prevent spills, waste and minimize release to the environment.				
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.				
Conditions for safe storage,	inc	luding any incompatibilities				
Conditions for safe storage	:	Keep in properly labelled containers. Store in accordance with the particular national regulations.				
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents				

## Section 8: Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Fluralaner	864731-61-3	TWA	100 µg/m3 (OEB 2)	Internal
	Further informa	ation: Skin		
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-



Version 2.15	Revision Date: 23.07.2024	SDS Number: 914888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
			an actional
		design and op protect produ	operations). In controls should be implemented by facility berated in accordance with GMP principles to cts, workers, and the environment. berations do not require special containment.
Indiv	vidual protection mea	sures, such as pers	sonal protective equipment (PPE)
Eye/f	face protection	If the work en mists or aero Wear a faces	plasses with side shields or goggles. vironment or activity involves dusty conditions, sols, wear the appropriate goggles. hield or other full face protection if there is a lirect contact to the face with dusts, mists, or
Skin	protection		or laboratory coat.
Resp	piratory protection	sure assessm	cal exhaust ventilation is not available or expo- nent demonstrates exposures outside the rec- uidelines, use respiratory protection.
	lter type	: Combined pa	rticulates and organic vapour type
	protection		
M	aterial	: Chemical-res	istant gloves

## Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	103 °C
Flash point Evaporation rate	:	103 °C No data available
	-	
Evaporation rate	:	No data available
Evaporation rate Flammability (solid, gas)	:	No data available Not applicable



Versic 2.15	on	Revision Date: 23.07.2024		S Number: 888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
fl	lamma	bility limit			
V	Vapour pressure		:	No data available	9
F	Relative	e vapour density	:	No data available	9
F	Relative	e density	:	No data available	9
C	Density		:	1,045 kg/m³ (25 °	°C)
S	Solubili Wat	ty(ies) er solubility	:	soluble	
		n coefficient: n-	:	Not applicable	
	octanol Auto-ig	vwater nition temperature	:	No data available	9
C	Decom	position temperature	:	No data available	9
V	/iscosi/ Visc	ty osity, dynamic	:	0.145 Pas ( 25 °C	C)
	Visc	osity, kinematic	:	139 mm2/s ( 25 °	°C)
E	Explosi	ve properties	:	Not explosive	
C	Dxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
Ν	Nolecu	lar weight	:	Not applicable	
	Particle Particle	characteristics size	:	Not applicable	

## Section 10: Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

## Section 11: Toxicological information

Information on likely routes of exposure	:	Inhalation Skin contact
exposure		Ingestion
		Eye contact



Version	Revision Date:		DS Number:	Date of last issue: 22.03.2024
2.15	23.07.2024	91	4888-00021	Date of first issue: 05.10.2016
	<b>e toxicity</b> lassified based on ava	ilabla	information	
	ponents:	liable		
	laner:			
	e oral toxicity	:		2,000 mg/kg nortality observed at this dose. ndverse effects were reported
Acute	e dermal toxicity	:		2,000 mg/kg ignificant adverse effects were reported
	corrosion/irritation lassified based on ava	ilable	information.	
Com	ponents:			
Flura	laner:			
Spec Resu		:	Rabbit No skin irritatio	n
	ous eye damage/eye i lassified based on ava			
Com	ponents:			
Flura	laner:			
Spec Resu		:	Rabbit Mild eye irritatio	on
			, , , , , , , , , , , , , , , , , , ,	
Resp	iratory or skin sensit	tisatio	on	
	<b>sensitisation</b> lassified based on ava	ilable	information.	
-	iratory sensitisation lassified based on ava	ilable	information.	
Com	ponents:			
	laner:			
Test Expo	Type sure routes	:	Maximisation T Dermal	est

# Exposure routes:DermalSpecies:Guinea pigResult:Not a skin sensitizer.

## Germ cell mutagenicity

Not classified based on available information.



/ersion 2.15	Revision Date: 23.07.2024		lumber: 8-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
<u>Com</u>	ponents:			
	l <b>aner:</b> toxicity in vitro		st Type: Ba sult: negativ	cterial reverse mutation assay (AMES) /e
			st Type: Mo sult: negativ	use Lymphoma /e
			st Type: Ch sult: negativ	romosomal aberration /e
Geno	otoxicity in vivo	Sp Ce Ap	st Type: Mic ecies: Mous Il type: Bond plication Ro sult: negativ	e marrow oute: Oral
Not c	<b>inogenicity</b> lassified based on avai	lable info	rmation.	
	ponents: Ilaner:			
Carci ment	nogenicity - Assess-	: No	data availa	ble
•	oductive toxicity lassified based on avai	lable info	rmation.	
	ponents:			
	l <b>laner:</b> ts on fertility	Sp Ap Ge Re	ecies: Rat plication Ro eneral Toxici eneral Toxici	ity - Parent: NOAEL: 50 mg/kg body weight ity F1: LOAEL: 100 mg/kg body weight acts on fertility, Postimplantation loss., Adverse
		Sp Ap Fe Re me	ecies: Dog plication Ro rtility: NOAE sult: No effe ent were det	EL: 75 mg/kg body weight ects on fertility and early embryonic develop-
Effect ment	ts on foetal develop-	Sp	st Type: De ecies: Rat plication Ro	



Version 2.15	Revision Date: 23.07.2024	-	S Number: 4888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
			Result: Embryoto	oxicity: NOAEL: 100 mg/kg body weight xic effects and adverse effects on the off- cted only at high maternally toxic doses, No s
			Result: Skeletal r	
			Test Type: Devel Species: Rabbit Application Route Developmental T Result: Skeletal r	e: Dermal oxicity: NOAEL: 100 mg/kg body weight
Repro sessr	oductive toxicity - As- nent	:	Suspected of dar	naging the unborn child.
	F - single exposure lassified based on avail	able	information.	
	F - repeated exposure lassified based on avail	able	information.	
Repe	ated dose toxicity			
Com	ponents:			
	laner:		_	
Spec NOAI		:	Dog 1 mg/kg	
Appli	cation Route	:	Oral	
	sure time	:	52 Weeks	
Rema	et Organs arks	:	Liver No significant adv	verse effects were reported
Expo		:	Juvenile dog 56 - 280 mg/kg Oral 24 Weeks Diarrhoea	
		•		
Spec LOAE		:	Rat 400 mg/kg	
	cation Route	÷	Oral	
Expo	sure time et Organs	:	90 Days Liver, thymus gla	nd
Spec	20		Rat	
NOA		÷	500 mg/kg	
	cation Route	:	Dermal	
			9 / 14	



ersion 15	Revision Date: 23.07.2024		0S Number: 4888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
	sure time et Organs erks	:	90 Days Liver No significant	adverse effects were reported
-	ation toxicity			
	assified based on availa	able	information.	
Flura	oonents: laner: pplicable			
Expe	rience with human exp	osi	ire	
<u>Comp</u>	oonents:			
Skin d	laner: contact ontact	:	Remarks: May Remarks: May	r irritate skin. r cause eye irritation.
ction 12	2: Ecological informati	on		
Toxic	ity			
	oonents:			
	laner:			
	ity to fish	:	Exposure time Method: OEC	ynchus mykiss (rainbow trout)): > 0.0488 mg/ : 96 h D Test Guideline 203 coxicity at the limit of solubility
	ity to daphnia and other ic invertebrates	:	Exposure time Method: OEC	a magna (Water flea)): > 0.015 mg/l :: 48 h D Test Guideline 202 :oxicity at the limit of solubility
Toxic plants	ity to algae/aquatic	:	0.08 mg/l Exposure time Method: OEC	okirchneriella subcapitata (green algae)): >= :: 72 h D Test Guideline 201 :oxicity at the limit of solubility
Toxic icity)	ity to fish (Chronic tox-	:	Exposure time Method: OEC	ish): >= 0.049 mg/l :: 21 d D Test Guideline 204 coxicity at the limit of solubility
				oniony at the mint of solubility



Version 2.15	Revision Date: 23.07.2024		DS Number: 4888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
M-Fa toxici	ctor (Chronic aquatic ty)	:	1,000	
	<b>stence and degradabi</b> ata available	lity		
Bioa	ccumulative potential			
Com	ponents:			
	laner: ccumulation	:		afish on factor (BCF): 79.4 ) Test Guideline 305
	ion coefficient: n- ol/water	:	log Pow: 4.5	
Mobi	lity in soil			
Com	ponents:			
Distri	laner: bution among environ- al compartments	:	log Koc: 4.1	
Othe	r adverse effects			
Com	ponents:			
Resu	<b>laner:</b> Its of PBT and vPvB ssment	:	Substance is n	ot persistent, bioaccumulative, and toxic (PBT
ection 1	3: Disposal considerat	tion	S	
-	osal methods e from residues	:		e of waste into sewer. ccordance with local regulations.
Conta	aminated packaging	:	Empty containers should be taken to an approved waste dling site for recycling or disposal. If not otherwise specified: Dispose of as unused produc	
ection 1	4: Transport information	on		
Interi	national Regulations			
	<b>TDG</b> umber roper shipping name	:	UN 3082 ENVIRONMEN N.O.S. (Euralaper)	ITALLY HAZARDOUS SUBSTANCE, LIQUID,



Version 2.15	Revision Date: 23.07.2024		98 Number: 4888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
Labels		:	9	
Enviror	nmental hazards	:	yes	
IATA-D	OGR			
UN/ID	No.	:	UN 3082	
UN pro	per shipping name	:	Environmentally h (Fluralaner)	nazardous substance, liquid, n.o.s.
	ort hazard class(es)	:	9	
	g group	:		
Labels		:	Miscellaneous	
aircraft		:	964	
Packing ger airc	g instruction (passen- craft)	:	964	
Enviror	nmentally hazardous	:	yes	
IMDG-	Code			
UN nur	nber	:	UN 3082	
Proper	shipping name	:	ENVIRONMENTA N.O.S. (Fluralaner)	ALLY HAZARDOUS SUBSTANCE, LIQUID,
Transp	ort hazard class(es)	:	9	
Packin	g group	:	III	
Labels		:	9	
EmS C		:	F-A, S-F	
Marine	pollutant	:	yes	
Transp	ort in bulk according	g to	IMO instruments	
Not app	plicable for product as	sup	plied.	
Specia	I precautions for use	r		

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Section 15: Regulatory information

## Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.
Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazard-ous Substances) Regulations
Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

## The components of this product are reported in the following inventories:

AICS : not determined



Version 2.15	Revision Date: 23.07.2024		DS Number: 4888-00021	Date of last issue: 22.03.2024 Date of first issue: 05.10.2016
DSL		:	not determined	
IECS	С	:	not determined	
Section 1	6: Other information			
Revis	sion Date	:	23.07.2024	
Sour	<b>ner information</b> ces of key data used to bile the Safety Data t	:		data, data from raw material SDSs, OECD arch results and European Chemicals Agen- ropa.eu/
Date	format	:	dd.mm.yyyy	

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be



Version	Revision Date:	SDS Number:	Date of last issue: 22.03.2024
2.15	23.07.2024	914888-00021	Date of first issue: 05.10.2016

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN