


Vers 7.0	sion	Revision Date: 06.07.2024		8 Number: 056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
SEC	CTION 1 Product	: IDENTIFICATION t name	:	Fluralaner Solid F	Formulation
	Other n	neans of identification	:	FOR LARGE DO BRAVECTO 112 FOR VERY SMA BRAVECTO 1400 FOR VERY LARG BRAVECTO 1-M TABLETS FOR S BRAVECTO 1-M TABLETS FOR L BRAVECTO 1-M TABLETS FOR L BRAVECTO 1-M TABLETS FOR V BRAVECTO 1-M TABLETS FOR V BRAVECTO 250 FOR SMALL DO	0 MG FLURALANER CHEWABLE TABLETS GS (68870) .5 MG FLURALANER CHEWABLE TABLETS LL DOGS (68867) 0 MG FLURALANER CHEWABLE TABLETS GE DOGS (68873) ONTH 100 MG FLURALANER CHEWABLE SMALL DOGS (87862) ONTH 200 MG FLURALANER CHEWABLE MEDIUM DOGS (87861) ONTH 400 MG FLURALANER CHEWABLE (ARGE DOGS (87860) ONTH 45 MG FLURALANER CHEWABLE (ERY SMALL DOGS (87863) ONTH 560 MG FLURALANER CHEWABLE (ERY LARGE DOGS (87859) MG FLURALANER CHEWABLE TABLETS GS (68872) MG FLURALANER CHEWABLE TABLETS
	Manufa Compa	acturer or supplier's d ny	letai :		Pty Limited (trading as MSD Animal Health)
	Addres		:	91-105 Harpin St Bendigo 3550, V	reet
	Telepho	one	:	1 800 033 461	
	Emerge	ency telephone number	· :	Poisons Informat	ion Centre: Phone 13 11 26
	E-mail a	address	:	EHSDATASTEW	ARD@msd.com
	Recom	mended use of the ch	nemi	cal and restrictio	ons on use
		mended use tions on use	:	Veterinary produce Not applicable	ct

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Reproductive toxicity	: Category 2

GHS label elements





The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 2 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 2 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 2 %

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Substance / Mixture :

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 10 -< 25
Glycerine	56-81-5	>= 5 -<= 10
Sucrose	57-50-1	>= 5 -<= 10
Fluralaner	864731-61-3	>= 5 -< 20
Sodium n-dodecyl sulfate	151-21-3	>= 1 -<= 5

SECTION 4. FIRST AID MEASURES



Version 7.0	Revision Date: 06.07.2024		DS Number: 1056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015			
Gene	eral advice	:	vice immediately.	cident or if you feel unwell, seek medical ad- persist or in all cases of doubt seek medical			
lf inha	aled	:	If inhaled, remove Get medical atter				
In cas	In case of skin contact		 In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. 				
In cas	se of eye contact	:	Flush eyes with v	vater as a precaution. ntion if irritation develops and persists.			
lf swa	allowed	:	If swallowed, DO Get medical atter	NOT induce vomiting.			
and e	Most important symptoms and effects, both acute and delayed			naging the unborn child.			
	ction of first-aiders	:	and use the reco	ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8).			
Notes	s to physician	:		ically and supportively.			
SECTION	5. FIREFIGHTING MEA	\ SU	RES				
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide ((Dry chemical				
Unsu media	itable extinguishing a	:	None known.				
Spec	ific hazards during fire-	:	Exposure to com	bustion products may be a hazard to health.			

ds during fire- : Exposure to combustion products may I	be a hazard to health.
---	------------------------

fighting	•	
Hazardous combustion prod- ucts	:	Carbon oxides Chlorine compounds Fluorine compounds Sulphur oxides Metal oxides Sodium oxides
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters Hazchem Code	: :	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. 2Z

SECTION 6. ACCIDENTAL RELEASE MEASURES



Version 7.0	Revision Date: 06.07.2024	-	DS Number: 1056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
tive e gency	onal precautions, protec- quipment and emer- y procedures onmental precautions	:	Follow safe hand tective equipmen Avoid release to t Prevent further le Retain and dispos	akage or spillage if safe to do so. se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	tainer for disposa Local or national posal of this mate employed in the of mine which regula Sections 13 and	uum up spillage and collect in suitable con- l. regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.
ECTION	7. HANDLING AND ST	OR	AGE	
Local	nical measures /Total ventilation e on safe handling	::	CONTROLS/PEF Use only with add Do not get on skii Avoid breathing v Do not swallow. Avoid contact with Handle in accord practice, based o sessment Take care to prev	apours.
			environment.	

Hygiene measures

Hygiene measures		If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labelled containers. Store locked up.
Materials to avoid	:	Store in accordance with the particular national regulations. Do not store with the following product types: Strong oxidizing agents



Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
7.0	06.07.2024	401056-00027	Date of first issue: 10.12.2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

	• •			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Glycerine	56-81-5	TWA (Mist)	10 mg/m3	AU OEL
Sucrose	57-50-1	TWA	10 mg/m3	AU OEL
		TWA	10 mg/m3	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m3 (OEB 2)	Internal
	Further inform	ation: Skin		
		Wipe limit	1000 µg/100 cm ²	Internal

Engineering measures	:	Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Personal protective equipme	ent	
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapour type
Hand protection		
Material	:	Chemical-resistant gloves
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	tablet, pellets
Colour	:	light brown
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available





Vers 7.0	sion	Revision Date: 06.07.2024		S Number: 056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
	Initial b	oiling point and boiling		No data available	
	range	binng point and boining	•		
	Flash p	oint	:	Not applicable	
	Evapora	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not classified as	a flammability hazard
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available	
	Relative	e vapour density	:	No data available	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Solubilit Wate	ty(ies) er solubility	:	No data available	
	Partitior octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosit Visc	ty osity, kinematic	:	No data available	
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Particle Particle	characteristics size	:	No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.



/ersion ′.0	Revision Date: 06.07.2024		OS Number: 1056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
Incom	itions to avoid npatible materials rdous decomposition licts	:	None known. Oxidizing age No hazardous	nts decomposition products are known.
SECTION	11. TOXICOLOGICAL	. INF	ORMATION	
Expo	sure routes	:	Skin contact Ingestion Eye contact	
	e toxicity lassified based on avai	lable	information.	
Produ Acute	uct: e oral toxicity	:	Acute toxicity e Method: Calcu	stimate: > 2,000 mg/kg ation method
Com	oonents:			
Starc Acute	h: e oral toxicity	:	LD50 (Rat): >	5,000 mg/kg
Acute	e dermal toxicity	:	LD50 (Rabbit):	> 2,000 mg/kg
Glyce				
Acute	oral toxicity	÷	LD50 (Rat): > \$	
Acute	e dermal toxicity	:	LD50 (Guinea	oig): > 5,000 mg/kg
Sucro Acute	ose: e oral toxicity	:	LD50 (Rat): 29	,700 mg/kg
II Eluro	laner:			
	e oral toxicity	:		2,000 mg/kg hortality observed at this dose. Idverse effects were reported
Acute	e dermal toxicity	:	LD50 (Rat): >2 Remarks: No s	2,000 mg/kg ignificant adverse effects were reported
Sodiu	um n-dodecyl sulfate:			
Acute	e oral toxicity	:	LD50 (Rat): 1,2 Method: OECD	200 mg/kg 9 Test Guideline 401
Acute	e dermal toxicity	:		2,000 mg/kg Test Guideline 402 ed on data from similar materials



VersionRevision Date:SDS Number:Date of last issue: 06.04.20247.006.07.2024401056-00027Date of first issue: 10.12.2015	
--	--

II

Skin corrosion/irritation Not classified based on available information.						
Components:						
Glycerine: Species Result		Rabbit No skin irritation				
Fluralaner: Species Result		Rabbit No skin irritation				
Sodium n-dodecyl sulfate: Species Result	:	Rabbit Skin irritation				
Serious eye damage/eye irri Not classified based on availa <u>Components:</u>						
Starch: Species Result	:	Rabbit No eye irritation				
Glycerine: Species Result	:	Rabbit No eye irritation				
Fluralaner: Species Result	:	Rabbit Mild eye irritation				
Sodium n-dodecyl sulfate: Species Result Method	:	Rabbit Irreversible effects on the eye OECD Test Guideline 405				
Respiratory or skin sensitis	atic	on				
Skin sensitisation Not classified based on available information.						

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.



Version 7.0	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
Starc Test	Type sure routes ies	: Maximisation : Skin contact : Guinea pig : negative	Test
Test	sure routes es	: Maximisation : Dermal : Guinea pig : Not a skin ser	
Test Expos Speci Resul Rema	sure routes les lt arks	: Maximisation : Skin contact : Guinea pig : negative	Test a from similar materials
Germ Not cl	nic toxicity a cell mutagenicity lassified based on ava ponents:	ilable information.	
Starc Geno	h: toxicity in vitro	: Test Type: Ba Result: negati	cterial reverse mutation assay (AMES) ve
Glyce Geno	erine: toxicity in vitro	Result: negati Test Type: Ba	cterial reverse mutation assay (AMES)
		Result: negati Test Type: Ch Result: negati	romosome aberration test in vitro
			IA damage and repair, unscheduled DNA syn- malian cells (in vitro) ve
Sucro Geno	ose: toxicity in vitro	: Test Type: In Result: negati	vitro mammalian cell gene mutation test ve



sion	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
 Flural			
	toxicity in vitro	: Test Type: Bac Result: negativ	terial reverse mutation assay (AMES) e
		Test Type: Mou Result: negativ	
		Test Type: Chr Result: negativ	omosomal aberration e
Genot	toxicity in vivo	: Test Type: Mic Species: Mous Cell type: Bone Application Rou Result: negativ	e e marrow ute: Oral
Sodiu	ım n-dodecyl sulfate	:	
Genot	toxicity in vitro		terial reverse mutation assay (AMES)) Test Guideline 471 e
		Test Type: In v Result: negativ	itro mammalian cell gene mutation test e
Genot	toxicity in vivo	: Test Type: Roo Species: Mous Application Roo Result: negativ	ute: Ingestion
	nogenicity assified based on ava	ilable information.	
<u>Comp</u>	oonents:		
Glyce	rine:		
Speci		: Rat	
	ation Route	: Ingestion : 2 Years	
Resul		: negative	
Flura	aner:		
Carcir ment	nogenicity - Assess-	: No data availal	ble
-	ım n-dodecyl sulfate	:	
Speci		: Rat	
	ation Route sure time	: Ingestion : 2 Years	



rsion)	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
Metho Resu Rema	lt	: OECD Test G : negative : Based on dat	Guideline 453 a from similar materials
Susp	oductive toxicity ected of damaging the ponents:	unborn child.	
Glyce	erine:		
	ts on fertility	Species: Rat	wo-generation reproduction toxicity study oute: Ingestion ive
Effect ment	ts on foetal develop-	Species: Rat	mbryo-foetal development oute: Ingestion ive
Flura	laner:		
Effect	ts on fertility	Species: Rat Application R General Toxic General Toxic	city - Parent: NOAEL: 50 mg/kg body weight city F1: LOAEL: 100 mg/kg body weight fects on fertility, Postimplantation loss., Advers
		Species: Dog Application R Fertility: NOA Result: No eff ment were de	oute: Oral EL: 75 mg/kg body weight fects on fertility and early embryonic develop-
Effect ment	ts on foetal develop-	Result: Embr	oute: Oral al Toxicity: NOAEL: 100 mg/kg body weight yotoxic effects and adverse effects on the off- letected only at high maternally toxic doses, No
		Result: Skele	bit



ersion 0	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
			vit
Repro	oductive toxicity - As-	: Suspected of o	damaging the unborn child.
sessn	nent		
	um n-dodecyl sulfate:		
Effect	s on fertility	Species: Rat Application Ro Method: OECI Result: negativ	D Test Guideline 416
Effect ment	s on foetal develop-	Species: Rat	bryo-foetal development
		Result: negativ	
Not cl	- single exposure lassified based on avail	Result: negativ Remarks: Bas	/e
Not cl STOT	• •	Result: negativ Remarks: Bas able information.	/e
Not cl STOT Not cl	assified based on avail	Result: negativ Remarks: Bas able information.	/e
Not cl STOT Not cl Repe <u>Produ</u> Speci LOAE Applic	lassified based on avail - repeated exposure lassified based on avail ated dose toxicity uct: es EL cation Route sure time toms	Result: negativ Remarks: Bas lable information. lable information. : Dog : 25 mg/kg : Oral : 168 d : Vomiting	/e
Not cl STOT Not cl Repe <u>Produ</u> Speci LOAE Applic Expos Symp Rema	lassified based on avail - repeated exposure lassified based on avail ated dose toxicity uct: es EL cation Route sure time toms	Result: negativ Remarks: Bas lable information. lable information. : Dog : 25 mg/kg : Oral : 168 d : Vomiting	ed on data from similar materials
Not cl STOT Not cl Repe <u>Produ</u> Speci LOAE Applic Expos Symp Rema	lassified based on avail - repeated exposure lassified based on avail ated dose toxicity uct: es EL cation Route sure time toms arks ponents:	Result: negativ Remarks: Bas lable information. lable information. : Dog : 25 mg/kg : Oral : 168 d : Vomiting	ed on data from similar materials
Not cl STOT Not cl Repe Produ Speci LOAE Applic Expos Symp Rema Starc Speci NOAE Applic	lassified based on avail - repeated exposure lassified based on avail ated dose toxicity uct: es L cation Route sure time toms arks Donents: h: es L cation Route sure time toms conents: h: es L cation Route sure time	Result: negativ Remarks: Bas lable information. lable information. : Dog : 25 mg/kg : Oral : 168 d : Vomiting	ed on data from similar materials adverse effects were reported
Not cl STOT Not cl Repe Produ Speci LOAE Applic Expos Symp Rema Starc Speci NOAE Applic Expos	lassified based on avail - repeated exposure lassified based on avail ated dose toxicity uct: es L cation Route sure time toms arks Donents: h: es L cation Route sure time bd	Result: negativ Remarks: Bas lable information. lable information. : Dog : 25 mg/kg : Oral : 168 d : Vomiting : No significant : No significant : >= 2,000 mg/k : Skin contact : 28 Days	ed on data from similar materials adverse effects were reported



Version 7.0	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
NOAE LOAE Applic Expos	EL cation Route sure time	: 0.167 mg/l : 0.622 mg/l : inhalation (c : 13 Weeks : Rat	lust/mist/fume)
NOAE Applic		: 8,000 - 10,0 : Ingestion : 2 yr	00 mg/kg
		: Rabbit : 5,040 mg/kg : Skin contac : 45 Weeks	
Speci NOAE Applic Expos	EL cation Route sure time et Organs	: Dog : 1 mg/kg : Oral : 52 Weeks : Liver : No significa	nt adverse effects were reported
Speci LOAE Applic Expos Symp	EL cation Route sure time	: Juvenile dog : 56 - 280 mg : Oral : 24 Weeks : Diarrhoea	
Expos		: Rat : 400 mg/kg : Oral : 90 Days : Liver, thymu	ıs gland
Expos	EL cation Route sure time et Organs	: Rat : 500 mg/kg : Dermal : 90 Days : Liver : No significa	nt adverse effects were reported
Speci NOAE Applic	EL cation Route sure time	: Rat : 488 mg/kg : Ingestion : 90 Days : Based on da	ata from similar materials



Fluralaner Solid Formulation

Version 7.0	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
Aspii	ration toxicity		
Not c	lassified based on ava	ailable information.	
Com	ponents:		
	laner:		
Not a	pplicable		
Expe	rience with human e	exposure	
Com	ponents:		
Flura	laner:		
Skin	contact	: Remarks: May	irritate skin.
Eye c	contact		cause eye irritation.
SECTION	12. ECOLOGICAL IN	FORMATION	
Ecote	oxicity		

Ecotoxicity

Components:

Glycerine:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h Method: DIN 38 412 Part 8
Fluralaner:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic tox-	:	NOEC (Zebrafish): >= 0.049 mg/l

SAFETY DATA SHEET



ersion .0	Revision Date: 06.07.2024		0S Number: 1056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
icity)			Exposure time: 2' Method: OECD T Remarks: No toxi	
	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Daphnia r Exposure time: 2 ⁻ Method: OECD T	
Sodiu	Im n-dodecyl sulfate:			
	ty to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 29 mg/l 5 h
	ty to daphnia and other ic invertebrates	:	EC50 (Ceriodaph Exposure time: 48	nia dubia (water flea)): 5.55 mg/l 3 h
	Toxicity to algae/aquatic plants		ErC50 (Desmodesmus subspicatus (green algae)): Exposure time: 72 h	
			NOEC (Desmode Exposure time: 72	smus subspicatus (green algae)): 30 mg/l 2 h
Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l Exposure time: 42 d	
aquat	ty to daphnia and other ic invertebrates (Chron-	:	NOEC (Ceriodapl Exposure time: 7	nnia dubia (water flea)): 0.88 mg/l d
ic toxi Toxici	city) ty to microorganisms	:	EC50: 135 mg/l Exposure time: 3	h
Persi	stence and degradabili	ity		
Comp	oonents:			
Glyce	erine:			
Biode	gradability	:	Result: Readily biodegradable. Biodegradation: 92 % Exposure time: 30 d Method: OECD Test Guideline 301D	
Sodiu	Im n-dodecyl sulfate:			
Biode	gradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28 Method: OECD T	95 %



/ersion ′.0	Revision Date: 06.07.2024		DS Number: 1056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
Bioac	cumulative potential			
Comp	oonents:			
Glyce	erine:			
	on coefficient: n- ol/water	:	log Pow: -1.75	
Sucro	ose:			
	on coefficient: n- ol/water	:	Pow: < 1	
Flura	laner:			
Bioac	cumulation	:		sh factor (BCF): 79.4 Fest Guideline 305
	on coefficient: n- ol/water	:	log Pow: 4.5	
Sodiu	Im n-dodecyl sulfate:			
	on coefficient: n- ol/water	:	log Pow: 0.83	
Mobil	ity in soil			
Comp	oonents:			
Flura	laner:			
	oution among environ- al compartments	:	log Koc: 4.1	
Other	adverse effects			
<u>Comp</u>	oonents:			
Flura	laner:			
Resul asses	ts of PBT and vPvB sment	:	Substance is not	persistent, bioaccumulative, and toxic (PBT)

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG



Version 7.0	Revision Date: 06.07.2024		DS Number: 1056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015
UN n	umber	:	UN 3077	
	er shipping name	:		ALLY HAZARDOUS SUBSTANCE, SOLID,
Class	6	:	(Fiulaianer) 9	
	ing group	:	III	
Labe		:	9	
Envir	onmentally hazardous	:	yes	
ΙΑΤΑ	-DGR			
	D No.	:	UN 3077	
	er shipping name	:	(Fluralaner)	hazardous substance, solid, n.o.s.
Class	-	:	9	
Pack Labe	ing group	÷	III Miscellaneous	
	ing instruction (cargo	:	956	
Pack	ing instruction (passen-	:	956	
Ĕnvir	onmentally hazardous	:	yes	
IMDO	G-Code			
	number	:	UN 3077	
Prop	er shipping name	:	ENVIRONMENT N.O.S. (Fluralaner)	ALLY HAZARDOUS SUBSTANCE, SOLID,
Class	S	:	9	
	ing group	:	III	
Labe		:	9	
	Code	:	F-A, S-F	
Marir	ne pollutant	:	yes	
Tran	sport in bulk according	g to	Annex II of MARF	POL 73/78 and the IBC Code
Not a	applicable for product as	sup	plied.	
Natio	onal Regulations			
ADG	umber		LINI 3077	

UN number Proper shipping name	:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner)
Class Packing group Labels Hazchem Code Environmentally hazardous	:	9 III 9 2Z yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version 7.0	Revision Date: 06.07.2024	SDS Number: 401056-00027	Date of last issue: 06.04.2024 Date of first issue: 10.12.2015			
SECTION	15. REGULATORY II	NFORMATION				
Safet ture	y, health and enviror	nmental regulations/	legislation specific for the substance or mix-			
	apeutic Goods (Poison lard) Instrument	s : Schedule 5				
Prohil	bition/Licensing Requi	rements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcino- gens referred to in Schedule 10 of the model WHS Act and Regula- tions.			
The components of this product are reported in the following inventories:						
AICS		: not determined	1			
DSL		: not determined	1			

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Revision Date	:	06.07.2024
Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data		eChem Portal search results and European Chemicals Agen-
Sheet		cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy			
Full text of other abbreviations					
ACGIH AU OEL		USA. ACGIH Threshold Limit Values (TLV) Australia. Workplace Exposure Standards for Airborne Con- taminants.			
ACGIH / TWA AU OEL / TWA		8-hour, time-weighted average Exposure standard - time weighted average			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
7.0	06.07.2024	401056-00027	Date of first issue: 10.12.2015

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN