

Version 12.0	Revision Date: 28.09.2024	-	S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
SECTIO	N 1. IDENTIFICATION			
Pro	duct identifier	:	Fluralaner / Dieth	nyltoluamide Liquid Formulation
Oth	Other means of identification		BRAVECTO SPOT-ON (A011261) BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTIO FOR LARGE DOGS (82794) BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTIO FOR SMALL CATS (82807) BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTIO FOR VERY SMALL DOGS (82798) BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTIO FOR VERY LARGE DOGS (82795) BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTIO FOR MEDIUM CATS (82806) BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTIO FOR SMALL DOGS (82797) BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTIO FOR LARGE CATS (82804) BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTIO FOR LARGE CATS (82804)	
	nufacturer or supplier's o			
Cor	npany	:	MSD	
Add	Iress	:	Rua Coronel Ber Cruzeiro - Sao P	nto Soares, 530 aulo - Brazil CEP 12730-340
Tele	ephone	:	908-740-4000	
Em	ergency telephone	:	1-908-423-6000	
E-m	nail address	:	EHSDATASTEW	/ARD@msd.com
Rec	commended use of the c	hem	ical and restriction	ons on use
	commended use strictions on use	:	Veterinary produ Not applicable	ct

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids	: Category 2
Acute toxicity (Inhalation)	: Category 5
Reproductive toxicity	: Category 1B
Aspiration hazard	: Category 2



Version 12.0	Revision Date: 28.09.2024		S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
Long- hazar	term (chronic) aquatic d	:	Category 1	
	label elements in acco rd pictograms	ordar :	nce with ABNT	NBR 14725 Standard
Signa	l Word	:	Danger	
Haza	rd Statements	:	H305 May be I H333 May be I H360D May da	ammable liquid and vapor. harmful if swallowed and enters airways. harmful if inhaled. amage the unborn child. ic to aquatic life with long lasting effects.
Preca	utionary Statements	:	P210 Keep aw and other ignit P233 Keep co P273 Avoid rel	pecial instructions before use. ay from heat, hot surfaces, sparks, open flames ion sources. No smoking. ntainer tightly closed. ease to the environment. otective gloves/ protective clothing/ eye protec- ection.
			CENTER/ doc P303 + P361 + Iy all contamin P304 + P312 I you feel unwel P308 + P313 I attention.	- P353 IF ON SKIN (or hair): Take off immediate- ated clothing. Rinse skin with water. F INHALED: Call a POISON CENTER/ doctor if I. F exposed or concerned: Get medical advice/ induce vomiting.
			Storage: P405 Store loc	

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	: Mixture		
Components			
Chemical name	CAS-No.	Classification	Concentration (% w/w)



ersion 2.0	Revision Date: 28.09.2024	SDS Number: 412174-00027	Date of last issue: Date of first issue:	
N,N-D	Dimethylacetamide	127-19-5	Flam. Liq., 4 Acute Tox. (Oral), 5 Acute Tox. (Inhala- tion), 4 Acute Tox. (Dermal), 4 Eye Irrit., 2A Repr., 1B	>= 30 -< 50
Flural	aner	864731-61-3	Repr., 2 Aquatic Chronic, 1	>= 25 -< 30
	oxy-1,2-ethanediyl), α- hydro-2-furanyl)methyl]- łroxy-	31692-85-0	Eye Irrit., 2A	>= 10 -< 20
	Diethyl-m-toluamide	134-62-3	Acute Tox. (Oral), 4 Acute Tox. (Inhala- tion), 5 Acute Tox. (Dermal), 5 Eye Irrit., 2A Aquatic Acute, 3	>= 10 -< 20
Aceto	ne	67-64-1	Flam. Liq., 2 Eye Irrit., 2A STOT SE, 3 Asp. Tox., 2	>= 10 -< 20

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed Protection of first-aiders	:	May be harmful if swallowed and enters airways. May be harmful if inhaled. May damage the unborn child. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment



Ver: 12.0		Revision Date: 28.09.2024		9S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	
	Notes to physician		:	when the potential for exposure exists (see section 8). Treat symptomatically and supportively.		
SEC	CTION 5.	FIRE-FIGHTING ME	ASU	IRES		
	Suitable	e extinguishing media	:	Water spray Alcohol-resistant f Carbon dioxide (C Dry chemical		
	Unsuita media	ble extinguishing	:	High volume wate	r jet	
	Specific fighting	hazards during fire	:	fire. Flash back possib Vapors may form	l water stream as it may scatter and spread le over considerable distance. explosive mixtures with air. bustion products may be a hazard to health.	
	Hazardo ucts	ous combustion prod-	:	Carbon oxides Chlorine compour Fluorine compour Nitrogen oxides (N	ds	
	Specific ods	extinguishing meth-	:	cumstances and t Use water spray t	measures that are appropriate to local cir- he surrounding environment. o cool unopened containers. ged containers from fire area if it is safe to do	
	Special for fire-f	The second	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material.



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
12.0		412174-00027	Date of first issue: 15.01.2016
		jet. For large spills, containment to can be pumped container. Clean up remai absorbent. Local or nationa disposal of this employed in the determine whic Sections 13 an	ck down) gases/vapors/mists with a water spray provide diking or other appropriate keep material from spreading. If diked material d, store recovered material in appropriate ining materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip-
Advice on safe handling	:	ment. Do not get on skin or clothing. Do not breathe vapors or spray mist. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the
Conditions for safe storage	:	use of administrative controls. Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
12.0		412174-00027	Date of first issue: 15.01.2016
Materi	als to avoid	Strong oxidizing Self-reactive sub Organic peroxide Flammable solide Pyrophoric liquid Pyrophoric solide Self-heating subs Substances and flammable gases Explosives Gases	stances and mixtures es s s s stances and mixtures mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

ingreatents with workplace control parameters							
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis			
N,N-Dimethylacetamide	127-19-5	LT	8 ppm 28 mg/m³	BR OEL			
		Further information: Absorption through the skin, Degree of harn fulness: maximum					
		TWA	10 ppm	ACGIH			
Fluralaner	864731-61-3	TWA	100 µg/m3 (OEB 2)	Internal			
	Further inform	Further information: Skin					
		Wipe limit	1000 µg/100 cm ²	Internal			
Acetone	67-64-1	LT	780 ppm 1.870 mg/m³	BR OEL			
	Further inform	Further information: Degree of harmfulness: minimum					
		TWA	250 ppm	ACGIH			
		STEL	500 ppm	ACGIH			

Ingredients with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N,N-Dimethylacetamide	127-19-5	N- methylaceta mide	Urine	End of workday at end of work- week	30 mg/g creatinine	BR BEI
		N- Methylaceta mide	Urine	End of shift at end of work- week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	End of	25 mg/l	BR BEI



/ersion I2.0	Revision Date: 28.09.2024	SDS Number: 412174-00027		Date of last issue: 06.07.2024 Date of first issue: 15.01.2016					
			Acetone	Urine	workday End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI		
Engir	neering measures	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.							
			Use explosion-proof electrical, ventilating and lighting equipment.						
	onal protective equipme	ent							
Fil	iratory protection ter type protection	:	 If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Self-contained breathing apparatus 						
	aterial	:	Chemical-resista	nt gloves					
Re	emarks	:	Take note that the	e product is		which may i	mpact		
Eye p	protection	:	 the selection of hand protection. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or 						
Skin a	and body protection	:	aerosols. Work uniform or I	laboratory coat.					
ECTION	9. PHYSICAL AND CHE	EMIC	CAL PROPERTIE	S					
Physi	cal state	:	liquid						
Color		:	yellow						
Odor		:	No data availabl	e					
Odor	Threshold	:	No data availabl	e					
рН		:	No data availabl	e					
Meltir	ng point/freezing point	:	No data availabl	e					
Initial range	boiling point and boiling	:	103 °C						



Vers 12.0		Revision Date: 28.09.2024		S Number: 174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
	Flash p	oint	:	7 °C	
	Evapora	ation rate	:	No data available	9
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	Not applicable	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	•
	Vapor p	pressure	:	67 hPa (20 °C)	
	Relative	e vapor density	:	No data available)
	Relative	e density	:	No data available)
	Density	,	:	1,059 g/cm ³	
	Solubili Wat	ty(ies) er solubility	:	No data available	
	Partition octanol	n coefficient: n-	:	Not applicable	
		ition temperature	:	No data available)
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty osity, kinematic	:	No data available)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance of	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	
	Particle Particle	characteristics size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Highly flammable liquid and vapor.
tions		Vapors may form explosive mixture with air.
		Can react with strong oxidizing agents.



Versio 12.0	on	Revision Date: 28.09.2024		S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016				
lr H	Conditions to avoid Incompatible materials Hazardous decomposition products			 Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known. 					
SECT	ION 11	. TOXICOLOGICAL I	NFC	ORMATION					
	nformat exposur	tion on likely routes of e	:	Inhalation Skin contact Ingestion Eye contact					
A	cute to	oxicity							
Ν	lay be	harmful if inhaled.							
	Product								
A	cute o	ral toxicity	:	LD50 (Rat): > 2.00 Remarks: No mor	00 mg/kg tality observed at this dose.				
A	cute in	halation toxicity	:	Acute toxicity estir Exposure time: 4 I Test atmosphere: Method: Calculatio	n dust/mist				
A	cute de	ermal toxicity	:	LD50 (Rat): > 2.00 Symptoms: Erythe					
<u>C</u>	ompo	nents:							
Ν	I,N-Din	nethylacetamide:							
A	cute o	ral toxicity	:	LD50 (Rat): 4.800	mg/kg				
А	cute in	halation toxicity	:	LC50 (Rat): 2,2 m Exposure time: 4 I Test atmosphere:	n				
A	cute de	ermal toxicity	:	Acute toxicity estin Method: Expert jud Remarks: Based o					
F	luralar	ner:							
A	cute o	ral toxicity	:		00 mg/kg tality observed at this dose. erse effects were reported				
A	cute de	ermal toxicity	:	LD50 (Rat): > 2.00 Remarks: No sign	00 mg/kg ificant adverse effects were reported				
Р	oly(ox	xy-1,2-ethanediyl), α-[(tet	rahydro-2-furanyl)methyl]-ω-hydroxy-:				
A	cute o	ral toxicity	:	LD50 (Rat, female Method: OECD Te					



Version 12.0	Revision Date: 28.09.2024		OS Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
			Remarks: Bas	ed on data from similar materials		
	Diethyl-m-toluamide:					
	e oral toxicity		LD50 (Rat): 1.	892 mg/kg		
Acute	Acute inhalation toxicity		LC50 (Rat): 5,95 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acute	Acute dermal toxicity		LD50 (Rat): 5.	000 mg/kg		
Acet	one:					
Acute	e oral toxicity	:	LD50 (Rat): 5.	800 mg/kg		
Acute	e inhalation toxicity	:	: LC50 (Rat): 76 mg/l Exposure time: 4 h Test atmosphere: vapor			
Acute	e dermal toxicity	:	LD50 (Rabbit)	: 7.426 mg/kg		
Prod Spec Resu	ies	: :	Rabbit No skin irritatio	on		
Com	ponents:					
N,N-[Dimethylacetamide:					
Spec Resu		:	Rabbit No skin irritati	on		
Flura	llaner:					
Spec Resu		:	Rabbit No skin irritatio	on		
		α-[(te	-	anyl)methyl]-ω-hydroxy-:		
Spec Meth		:	reconstructed OECD Test G	human epidermis (RhE) uideline 439		
Rema		:		a from similar materials		
Resu	lt	:	No skin irritati	on		
N,N-[Diethyl-m-toluamide:					
Spec Resu		:	Rabbit No skin irritatio	on		



ersion 2.0	Revision Date: 28.09.2024		Number: 174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
Aceto	one:					
Asses	ssment	:	Repeated expo	osure may cause skin dryness or cracking		
Serio	us eye damage/eye	irritatio	n			
Not cl	lassified based on ava	ailable ir	formation.			
Produ	uct:					
Speci	ies	: 1	Rabbit			
Resul	lt	: 1	: Mild eye irritation			
<u>Comp</u>	oonents:					
N,N-E	Dimethylacetamide:					
Speci			Rabbit			
Resu	lt	:	rritation to eye	es, reversing within 21 days		
Flura	laner:					
Speci			: Rabbit			
Resu	lt	: Mild eye irritation				
Poly(oxy-1,2-ethanediyl),	α-[(tetra	ahydro-2-fura	nyl)methyl]-ω-hydroxy-:		
Speci			Fissue Culture			
Metho			DECD Test Gu			
Rema	arks	: 1	Based on data	from similar materials		
Speci			Bovine cornea			
Metho			DECD Test Gu			
Rema	arks	: 1	Based on data	from similar materials		
Resu	lt	: 1	rritation to eye	es, reversing within 21 days		
N,N-E	Diethyl-m-toluamide:					
Speci	es	: 1	Rabbit			
Resu				es, reversing within 21 days		
Rema	arks	: 1	Based on natio	onal or regional regulation.		
Aceto	one:					
Speci			Rabbit			
Resu			rritation to eye	es, reversing within 21 days		
Metho	Ja	: (JECD Test G			
Resp	iratory or skin sensi	tization				
Skin	sensitization					
	lassified based on ava	ailahlo ir	formation			

Respiratory sensitization

Not classified based on available information.



Version 12.0	Revision Date: 28.09.2024	-	DS Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
Produ Test T Routes		:	Maximization Tes Dermal	st		
Specie	Species Result		Guinea pig Not a skin sensitizer.			
<u>Comp</u>	onents:					
N,N-D	imethylacetamide:					
	s of exposure	:	Skin contact			
Specie Result		:	Guinea pig negative			
Flural	aner:					
Test T	уре	:	Maximization Tes	st		
Route	s of exposure	:	Dermal			
Specie Result		:	Guinea pig Not a skin sensiti			
Result	L	·	NULA SKITI SETSILI.	201.		
Poly(c	oxy-1,2-ethanediyl), α	-[(te	trahydro-2-furany	l)methyl]-ω-hydroxy-:		
Test T		:	KeratinoSens ass			
Metho Result		:	OECD Test Guide	eline 442D		
Result		:	negative Based on data fro	om similar materials		
		•				
Test T		:		eactivity Assay (DPRA)		
Metho Result		:	OECD Test Guide	eline 442C		
Rema		:	•	om similar materials		
Test T	уре	:	Dendritic cell acti			
Metho		:	OECD Test Guide	eline 442E		
Result Rema		:	negative Based on data fro	om similar materials		
Aceto	ne:					
Test T	vpe	:	Maximization Tes	st		
Route	s of exposure	:	Skin contact			
Specie		:	Guinea pig			
Result	t	:	negative			
	cell mutagenicity		in former of in a			
	assified based on avail onents:	able	mormation.			
	imethylacetamide:		Toot Type: Pasta			
Genot	oxicity in vitro	•	Result: negative	rial reverse mutation assay (AMES)		



rsion .0	Revision Date: 28.09.2024	SDS Number: 412174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
Genotoxicity in vivo		Species: Rat Application F Method: OE	est Type: Rodent dominant lethal test (germ cell) (in vivo) becies: Rat oplication Route: Inhalation ethod: OECD Test Guideline 478 esult: negative		
Flura	laner:				
Genotoxicity in vitro		: Test Type: B Result: nega	Bacterial reverse mutation assay (AMES) tive		
		Test Type: M Result: nega	louse Lymphoma itive		
		Test Type: C Result: nega	Chromosomal aberration		
Geno	toxicity in vivo	: Test Type: M Species: Mo Cell type: Bo Application F Result: nega	one marrow Route: Oral		
II Poly(oxy-1,2-ethanediyl),	α-[(tetrahydro-2-fu	ranyl)methyl]-ω-hydroxy-:		
Geno	toxicity in vitro	Method: OE Result: nega	Bacterial reverse mutation assay (AMES) CD Test Guideline 471 Itive ased on data from similar materials		
N,N-D	Diethyl-m-toluamide:				
Geno	toxicity in vitro	: Test Type: B Result: nega	Bacterial reverse mutation assay (AMES)		
Aceto	one:				
	one: toxicity in vitro	: Test Type: Ir Result: nega	n vitro mammalian cell gene mutation test tive		
		Result: nega	itive Bacterial reverse mutation assay (AMES)		
		Result: nega Test Type: B Result: nega	ative Bacterial reverse mutation assay (AMES) ative Chromosome aberration test in vitro		

Carcinogenicity

Not classified based on available information.



ersion 2.0	Revision Date: 28.09.2024		DS Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
<u>Comp</u>	oonents:			
N,N-C	Dimethylacetamide:			
Speci		:	Rat	
	cation Route	:	inhalation (vapor)	
	sure time	:	18 month(s)	
Resul	t	:	negative	
Flura	laner:			
Carcir ment	nogenicity - Assess-	:	No data available	
N,N-C)iethyl-m-toluamide:			
Speci		:	Rat	
	cation Route	:	Ingestion	
	sure time	:	104 weeks	
Resul	t	:	negative	
Aceto	one:			
Speci	es	:	Mouse	
	cation Route	:	Skin contact	
	sure time	:	424 days	
Resul	t	:	negative	
Repro	oductive toxicity			
May c	lamage the unborn child	ł.		
Comp	oonents:			
N,N-C	Dimethylacetamide:			
	s on fertility	:	Test Type: One-a	eneration reproduction toxicity study
	· · ,		Species: Rat	
			Application Route	: Inhalation
			Result: negative	
Effect	s on fetal development	:		ro-fetal development
			Species: Rat	
			Application Route	: Inhalation
			Result: positive	
Repro	oductive toxicity - As-	:	Clear evidence of	adverse effects on development, based on
sessn	nent		animal experimer	its.
Flura	laner:			
Effect	s on fertility	:	Test Type: Two-g	eneration study
	,		Species: Rat	,
			Application Route	
				Parent: NOAEL: 50 mg/kg body weight
				-1: LOAEL: 100 mg/kg body weight
11			Result: NO effects	on fertility., Postimplantation loss., Adverse



Version 12.0	Revision Date: 28.09.2024	SDS Number: 412174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
11		neonatal effect	cts.
		Species: Dog Application Re Fertility: NOA Result: No eff ment were de	EL: 75 mg/kg body weight ects on fertility and early embryonic develop-
Effec	Effects on fetal development	Result: Embry	oute: Oral al Toxicity: NOAEL: 100 mg/kg body weight votoxic effects and adverse effects on the off- etected only at high maternally toxic doses, No
		Result: Skelet	bit
			bit
Repr sessi	oductive toxicity - As- ment	: Suspected of	damaging the unborn child.
N,N-I	Diethyl-m-toluamide:		
Effec	ts on fetal development	Species: Rat	oute: Ingestion
Acet	one:		
	ts on fertility	Species: Rat	ne-generation reproduction toxicity study oute: Ingestion ive
Effec	ts on fetal development	Species: Rat	nbryo-fetal development oute: inhalation (vapor) ive



Version 12.0	Revision Date: 28.09.2024		0S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016					
	STOT-single exposure Not classified based on available information.								
<u>Comp</u>	Components:								
Aceto	one:								
Asses	ssment	:	May cause drows	iness or dizziness.					
Not cl	STOT-repeated exposure Not classified based on available information.								
Repe	ated dose toxicity								
<u>Comp</u>	ponents:								
	Dimethylacetamide:								
	EL	:	Rat 90 mg/m ³ 360 mg/m ³ inhalation (vapor) 24 Months						
Flura	laner:								
Expos	EL cation Route sure time et Organs		Dog 1 mg/kg Oral 52 Weeks Liver No significant adv	erse effects were reported					
	EL cation Route sure time		Juvenile dog 56 - 280 mg/kg Oral 24 Weeks Diarrhea						
Expos		:	Rat 400 mg/kg Oral 90 Days Liver, thymus glar	nd					
Expos	EL cation Route sure time et Organs		Rat 500 mg/kg Dermal 90 Days Liver No significant adv	erse effects were reported					
Aceto Speci NOAE	es	:	Rat 900 mg/kg						



Version 12.0	Revision Date: 28.09.2024	-	DS Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
LOAEL Application Route Exposure time		:	1.700 mg/kg Ingestion 90 Days	
Species NOAEL Application Route Exposure time		:	Rat 45 mg/l inhalation (vapor) 8 Weeks	

Aspiration toxicity

May be harmful if swallowed and enters airways.

Components:

Fluralaner:

Not applicable

Acetone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Product:

Skin contact	:	Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.

Components:

Fluralaner:

Skin contact Eye contact	:	Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N,N-Dimethylacetamide:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h



ersion 2.0	Revision Date: 28.09.2024		9S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
Toxici	ty to microorganisms	:	EC10: > 1.995 mg Exposure time: 30	
Flura	laner:			
Toxicity to fish		:	Exposure time: 96 Method: OECD Te	
Toxici aquat	ty to daphnia and other ic invertebrates	:	Exposure time: 48 Method: OECD Te	
Toxici plants	ty to algae/aquatic	:	0,08 mg/l Exposure time: 72 Method: OECD Te	
Toxici icity)	ty to fish (Chronic tox-	:	NOEC (Zebrafish) Exposure time: 21 Method: OECD Te Remarks: No toxid	d
	ty to daphnia and other ic invertebrates (Chron- city)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1.000	
	oxy-1,2-ethanediyl), α-			
	ty to daphnia and other ic invertebrates	:	Exposure time: 48 Method: OECD Te	
Toxici plants	ty to algae/aquatic	:	mg/l Exposure time: 72 Method: OECD Te	
			mg/l Exposure time: 72 Method: OECD Te	

N,N-Diethyl-m-toluamide:



Version 12.0	Revision Date: 28.09.2024		9S Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
Toxi	Toxicity to fish		LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 75 mg/l 8 h
	Toxicity to algae/aquatic plants		Exposure time: 7	rum capricornutum (green algae)): 41 mg/l 2 h rest Guideline 201
			Exposure time: 7	rum capricornutum (green algae)): 7,6 mg/l 2 h rest Guideline 201
	city to daphnia and other atic invertebrates (Chron- xicity)	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 3,7 mg/l 1 d
Acet	tone:			
Toxi	city to fish	:	LC50 (Oncorhyne Exposure time: 9	chus mykiss (rainbow trout)): 5.540 mg/l 6 h
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia p Exposure time: 4	ulex (Water flea)): 8.800 mg/l 8 h
Toxi plant	city to algae/aquatic ts	:	NOEC (Pseudok mg/l Exposure time: 9	rchneriella subcapitata (green algae)): 7.000 6 h
aqua	city to daphnia and other atic invertebrates (Chron- xicity)	:	Exposure time: 2	magna (Water flea)): >= 79 mg/l 1 d est Guideline 211
Toxi	city to microorganisms	:	EC50: 61.150 mg Exposure time: 3 Method: ISO 819	0 min
Pers	sistence and degradabili	ty		
<u>Com</u>	ponents:			
N.N-	Dimethylacetamide:			
	egradability	:	Result: Not readi Biodegradation: Exposure time: 2 Remarks: The 10	70 %

Poly(oxy-1,2-ethanediyl), α -[(tetrahydro-2-furanyl)methyl]- ω -hydroxy-:

Biodegradability	: Result: Not readily biodegradable. Method: OECD Test Guideline 301F Remarks: Based on data from similar materials



Version 12.0	Revision Date: 28.09.2024		DS Number: 2174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
	N,N-Diethyl-m-toluamide: Biodegradability		Result: Readily bi Biodegradation: 4 Exposure time: 28 Method: OECD T	33,8 %
Acet	one:			
Biode	Biodegradability		Result: Readily bi Biodegradation: 9 Exposure time: 28	91 %
Bioa	ccumulative potential			
Com	ponents:			
Flura	alaner:			
Bioad	ccumulation	:	Species: Zebrafis Bioconcentration Method: OECD T	factor (BCF): 79,4
	tion coefficient: n- nol/water	:	log Pow: 4,5	
Poly	(oxy-1,2-ethanediyl), α-	[(te	trahydro-2-furany	l)methyl]-ω-hydroxy-:
	tion coefficient: n- nol/water	:	log Pow: < 4 Remarks: Calcula	ition
N,N-I	Diethyl-m-toluamide:			
Partit	tion coefficient: n- nol/water	:	log Pow: 2,02	
Acet	one:			
	tion coefficient: n- nol/water	:	log Pow: -0,27	0,23
Mobi	lity in soil			
Com	ponents:			
Flura	alaner:			
	bution among environ- al compartments	:	log Koc: 4,1	
Othe	r adverse effects			
Com	ponents:			
Resu	llaner: Ilts of PBT and vPvB ssment	:	Substance is not	persistent, bioaccumulative, and toxic (PBT).



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
12.0	28.09.2024	412174-00027	Date of first issue: 15.01.2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group Labels Environmentally hazardous		UN 1090 ACETONE SOLUTION 3 II 3 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	Flammable Liquids 364
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	:	UN 1090 ACETONE SOLUTION (Fluralaner) 3 II 3 F-E, S-D yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT UN number

: UN 1090



Version 12.0	Revision Date: 28.09.2024	SDS Number: 412174-00027	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
Proper shipping name Class Packing group Labels Hazard Identification Number		: ACETONE, SOL : 3 : II : 3 r : 33	UTION		
Spec	ial precautions for use	er			
based Sheet	The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.				
SECTION	15. REGULATORY IN	FORMATION			
Safet mixtu		mental regulations/le	gislation specific for the substance or		
Natio (LINA	nal List of Carcinogenic CH)	Agents for Humans -	: Not applicable		
	Brazil. List of chemicals controlled by the Federal : Not applicable Police				
The i	The ingredients of this product are reported in the following inventories:				
AICS	-	: not determined	-		
DSL		: not determined			

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

IECSC

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

: not determined

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text o	f other a	bbreviations
-------------	-----------	--------------

ACGIH ACGIH BEI BR BEI BR OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents Brazil. NR 15 - Unhealthy activities and operations
ACGIH / TWA	:	8-hour, time-weighted average



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
12.0		412174-00027	Date of first issue: 15.01.2016

ACGIH / STEL	: Short-term exposure limit
BR OEL / LT	: Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8