

Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	Fluralaner / Diethyltoluamide Liquid Formulation
Other means of identification	:	BRAVECTO SPOT-ON (A011261) BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTION FOR LARGE DOGS (82794) BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR SMALL CATS (82807) BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR VERY SMALL DOGS (82798) BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTION FOR VERY LARGE DOGS (82795) BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR MEDIUM CATS (82806) BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR SMALL DOGS (82797) BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR LARGE CATS (82804) BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR LARGE CATS (82804)

Manufacturer or supplier's details

Company	:	MSD		
Address	:	126 E. Lincoln Avenue Rahway, New Jersey U.S.A. 07065		
Telephone	:	908-740-4000		
Emergency telephone number	:	1-908-423-6000		
E-mail address	:	EHSDATASTEWARD@msd.com		
Recommended use of the chemical and restrictions on use				

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification	
--------------------	--

Flammable liquids	:	Category 2

Reproductive toxicity	:	Category 1B
-----------------------	---	-------------



Fluralaner / Diethyltoluamide Liquid Formulation

Vers 9.0	ion	Revision Date: 2024/07/06		5 Number: 181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
	Long-te hazard	erm (chronic) aquatic	:	Category 1	
	GHS la	bel elements			
		pictograms	:		
	Signal	word	:	Danger	• •
	Hazard	statements	:	H360D May dam	nmable liquid and vapour. nage the unborn child. to aquatic life with long lasting effects.
	Precau	tionary statements	:	Prevention:	
				P201 Obtain spe P202 Do not har and understood. P210 Keep away No smoking. P233 Keep cont P241 Use explose ment. P242 Use only n P243 Take preca P273 Avoid relea	ecial instructions before use. adle until all safety precautions have been read y from heat/ sparks/ open flames/ hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting equip- on-sparking tools. autionary measures against static discharge. ase to the environment. ective gloves/ protective clothing/ eye protec- tion.
				ly all contaminat	P353 IF ON SKIN (or hair): Take off immediate- ed clothing. Rinse skin with water/ shower. exposed or concerned: Get medical advice/ llage.
				-	ore in a well-ventilated place. Keep cool. ed up.
				Disposal: P501 Dispose of disposal plant.	contents/ container to an approved waste

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

3. COMPOSITION/INFORMATION ON INGREDIENTS



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylacetamide	127-19-5	>= 30 -< 60
Fluralaner	864731-61-3	>= 25 -< 30
Poly(oxy-1,2-ethanediyl), .alpha[(tetrahydro-2- furanyl)methyl]omegahydroxy-	31692-85-0	>= 10 -< 30
N,N-Diethyl-m-toluamide	134-62-3	>= 10 -< 30
Acetone	67-64-1	>= 10 -< 20

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical
If inhaled	:	advice. If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention.
		Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution.
If awallowed		Get medical attention if irritation develops and persists.
II Swallowed	·	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward.
		Call a physician or poison control centre immediately.
		Rinse mouth thoroughly with water.
		Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment
		when the potential for exposure exists (see section 8).
inotes to physician	:	Treat symptomatically and supportively.
FIREFIGHTING MEASURES		
Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing		High volume water iet
	If inhaled In case of skin contact In case of eye contact If swallowed Most important symptoms and effects, both acute and delayed Protection of first-aiders Notes to physician TREFIGHTING MEASURES	If inhaled : In case of skin contact : In case of eye contact : In case of eye contact : If swallowed : Most important symptoms and effects, both acute and delayed : Protection of first-aiders : Notes to physician : FREFIGHTING MEASURES Suitable extinguishing media

Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire.



Version 9.0	Revision Date: 2024/07/06		9S Number: 2181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15	
			Vapours may form	ble over considerable distance. n explosive mixtures with air. bustion products may be a hazard to health.	
Haza ucts	Hazardous combustion prod- ucts		Carbon oxides Chlorine compour Fluorine compour Nitrogen oxides (I	nds	
ods Spec	Specific extinguishing meth- ods Special protective equipment		Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. In the event of fire, wear self-contained breathing apparatus.		
	efighters	SUF		tective equipment.	
Perso tive e	onal precautions, protec- quipment and emer- y procedures		Remove all sourc Ventilate the area Use personal prof Follow safe handl	-	
Envir	Environmental precautions		Prevent spreading barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages	
	ods and materials for inment and cleaning up	:	Soak up with iner Suppress (knock spray jet. For large spills, pr ment to keep mat be pumped, store Clean up remainin bent. Local or national posal of this mate employed in the of mine which regula Sections 13 and 1	s should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- erial from spreading. If dyked material can recovered material in appropriate container. ng materials from spill with suitable absor- regulations may apply to releases and dis- rial, as well as those materials and items leanup of releases. You will need to deter- ations are applicable. IS of this SDS provide information regarding tional requirements.	



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

HANDLING AND STORAGE	
Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	 If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	 Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Materials to avoid	 Do not store with the following product types: Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Poisonous gases Explosives

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
N,N-Dimethylacetamide	127-19-5	NAB	10 ppm 36 mg/m3	ID OEL	
	Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to hu-				



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

	mans or anima	mans or animals, Skin				
		TWA	10 ppm	ACGIH		
Fluralaner	864731-61-3	TWA	100 µg/m3 (OEB 2)	Internal		
	Further inform	ation: Skin				
		Wipe limit	1000 µg/100 cm ²	Internal		
Acetone	67-64-1	NAB	250 ppm 1,187.12 mg/m3	ID OEL		
	enough data to	Further information: Not classified as carcinogenic to human enough data to classify these materials as carcinogenic to human or animals PSD 500 ppm ID OEL 1,780 mg/m3 Further information: Not classified as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials as carcinogenic to human enough data to classify these materials end to classify these end to classify th				
	enough data to					
		TWA	250 ppm	ACGIH		
		STEL	500 ppm	ACGIH		

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N,N-Dimethylacetamide	127-19-5	N- Methyla- cetamide	Urine	End of shift at end of work- week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.
	Use explosion-proof electrical, ventilating and lighting equip- ment.
Personal protective equipment	:
Respiratory protection :	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec-



Version 9.0	Revision Date: 2024/07/06	SDS Number: 412181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15			
	lter type I protection		uidelines, use respiratory protection. I breathing apparatus			
M	aterial	: Chemical-resi	stant gloves			
Re	emarks		Take note that the product is flammable, which may impact the selection of hand protection.			
Eye protection		 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty condimists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is potential for direct contact to the face with dusts, mists aerosols. 				
	and body protection ene measures	: If exposure to eye flushing s ing place. When using d Wash contam The effective of engineering co appropriate de industrial hygi	Work uniform or laboratory coat. If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the work-			

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	103 °C
Flash point	:	7 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable



Vers 9.0	sion	Revision Date: 2024/07/06	-	S Number: 2181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
		explosion limit / Upper ability limit	:	No data available	9
		explosion limit / Lower ability limit	:	No data available	9
	Vapour	pressure	:	67 hPa (20 °C)	
	Relativ	e vapour density	:	No data available	9
	Relativ	e density	:	No data available	9
	Density	/	:	1.059 g/cm ³	
	Solubili Wat	ity(ies) ter solubility	:	No data available	9
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ive properties	:	Not explosive	
	Oxidizi	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	: :	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

11. TOXICOLOGICAL INFORMATION Information on likely routes of : Inhalation Skin contact exposure Ingestion Eye contact Acute toxicity Not classified based on available information. **Product:** Acute oral toxicity LD50 (Rat): > 2,000 mg/kg : Remarks: No mortality observed at this dose. : Acute toxicity estimate: > 5 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method : LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity Symptoms: Erythema **Components:** N,N-Dimethylacetamide: Acute oral toxicity : LD50 (Rat): 4,800 mg/kg Acute inhalation toxicity : LC50 (Rat): 2.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist : Acute toxicity estimate: 1,100 mg/kg Acute dermal toxicity Method: Expert judgement Remarks: Based on national or regional regulation. Fluralaner: : LD50 (Rat): > 2,000 mg/kg Acute oral toxicity Remarks: No mortality observed at this dose. No significant adverse effects were reported LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity : Remarks: No significant adverse effects were reported Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-: LD50 (Rat, female): > 2,000 mg/kg Acute oral toxicity : Method: OECD Test Guideline 423 Remarks: Based on data from similar materials



Version 9.0	Revision Date: 2024/07/06		OS Number: 2181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
N,N-I	Diethyl-m-toluamide:			
Acute	e oral toxicity	:	LD50 (Rat): 1,8	92 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 5.9 Exposure time: Test atmospher	4 h
Acute	e dermal toxicity	:	LD50 (Rat): 5,0	00 mg/kg
Acet	one:			
Acute	e oral toxicity	:	LD50 (Rat): 5,8	00 mg/kg
Acute	e inhalation toxicity	:	LC50 (Rat): 76 Exposure time: Test atmospher	4 ĥ
Acute	e dermal toxicity	:	LD50 (Rabbit): 7	7,426 mg/kg
<u>Prod</u> Spec Resu	ies It	ailable : :	information. Rabbit No skin irritatior	1
	ponents:			
N,N-I Spec Resu		:	Rabbit No skin irritatior	1
Flura	laner:			
Spec Resu	ies It	:	Rabbit No skin irritatior	1
Poly	(oxy-1,2-ethanediyl),	.alpha	a[(tetrahydro-2-	furanyl)methyl]omegahydroxy-:
Spec Meth Rema	od	:	OECD Test Gui	uman epidermis (RhE) deline 439 rom similar materials
Resu	llt	:	No skin irritatior	1
N.N-I	Diethyl-m-toluamide:			
Spec Resu	ies	:	Rabbit No skin irritatior	1



ersion .0	Revision Date: 2024/07/06	SDS Number: 412181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15		
Aceto	one:				
Asses	ssment	: Repeated ex	posure may cause skin dryness or cracki		
	us eye damage/eye				
Not cl	lassified based on ava	ailable information.			
Produ	uct:				
Speci	es	: Rabbit			
Resul	lt	: Mild eye irrit	ation		
<u>Com</u> p	oonents:				
	Dimethylacetamide:				
Speci		: Rabbit			
Resul	It	: Irritation to e	eyes, reversing within 21 days		
Flura	laner:				
Speci		: Rabbit			
Resul	It	: Mild eye irrit	ation		
Poly(oxy-1,2-ethanediyl),	.alpha[(tetrahydr	o-2-furanyl)methyl]omegahydroxy-:		
Speci		: Tissue Cultu			
Metho Rema			Guideline 492 ata from similar materials		
Rema	arks	. Dased on da	ata nom similar materiais		
Speci	es	: Bovine corne			
Metho		: OECD Test			
Rema		: Based on da	ata from similar materials		
Resul	lt	: Irritation to e	yes, reversing within 21 days		
N,N-C	Diethyl-m-toluamide:				
Speci		: Rabbit			
Resul			yes, reversing within 21 days		
Rema	arks	: Based on na	ational or regional regulation.		
Aceto	one:				
Speci		: Rabbit			
Resul		: Irritation to eyes, reversing within 21 days			
Metho	bd	: OECD Test	Guideline 405		
Deer	iratory or skin sensi	tication			

Skin sensitisation

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Components:

N,N-Dimethylacetamide:

Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Fluralaner:

Test Type Exposure routes Species Result	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Test Type Method	:	KeratinoSens assay OECD Test Guideline 442D
Result Remarks	:	negative Based on data from similar materials
Test Type Method Result Remarks	:	Direct Peptide Reactivity Assay (DPRA) OECD Test Guideline 442C positive Based on data from similar materials
Test Type Method Result Remarks	:	Dendritic cell activation test OECD Test Guideline 442E negative Based on data from similar materials

Acetone:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

Components:

N,N-Dimethylacetamide:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Rat Application Route: Inhalation Method: OECD Test Guideline 478 Result: negative
Fluralaner:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Mouse Lymphoma Result: negative
		Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative
Polv(oxv-1.2-ethanedivl)a	lpha	a[(tetrahydro-2-furanyl)methyl]omegahydroxy-:
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471
		Result: negative Remarks: Based on data from similar materials
N,N-Diethyl-m-toluamide:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Acetone:		
Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosome aberration test in vitro Result: negative



/ersion 9.0	Revision Date: 2024/07/06	-	S Number: 2181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
Geno	toxicity in vivo	:	Test Type: Man cytogenetic ass Species: Mouse Application Rou Result: negative	te: Ingestion
	nogenicity assified based on availa	able i	nformation.	
Com	oonents:			
N,N-E	Dimethylacetamide:			
	cation Route sure time	:	Rat inhalation (vapo 18 month(s) negative	pur)
Flura	laner:			
Carci ment	nogenicity - Assess-	:	No data availab	le
N,N-E	Diethyl-m-toluamide:			
	cation Route sure time	: : :	Rat Ingestion 104 weeks negative	
Aceto	one:			
	cation Route sure time	:	Mouse Skin contact 424 days negative	
May o	oductive toxicity damage the unborn child conents:	d.		
	Dimethylacetamide: is on fertility	:	Test Type: One Species: Rat Application Rou Result: negative	
Effect ment	s on foetal develop-	:	Test Type: Emb Species: Rat Application Rou Result: positive	oryo-foetal development te: Inhalation



Version 9.0	Revision Date: 2024/07/06		S Number: 181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15		
Repression	oductive toxicity - As- ment		Clear evidence animal experime	of adverse effects on development, based on ents.		
Flura	llaner:					
Effec	Effects on fertility		 Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 50 mg/kg body weig General Toxicity F1: LOAEL: 100 mg/kg body weight Result: No effects on fertility, Postimplantation loss., Ad neonatal effects. 			
			Species: Dog Application Rou Fertility: NOAEL Result: No effect ment were detect	: 75 mg/kg body weight ts on fertility and early embryonic develop-		
	Effects on foetal develop- ment		Result: Embryot	te: Oral Toxicity: NOAEL: 100 mg/kg body weight oxic effects and adverse effects on the off- ected only at high maternally toxic doses, No		
			Result: Skeletal			
			Test Type: Deve Species: Rabbit Application Rou Developmental Result: Skeletal	te: Dermal Toxicity: NOAEL: 100 mg/kg body weight		
Repr sessr	oductive toxicity - As- ment	:	Suspected of da	maging the unborn child.		
	Diethyl-m-toluamide:					
Effec ment	ts on foetal develop-		Test Type: Emb Species: Rat Application Rou Result: negative			



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

П

Acetone:		
Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Acetone:

Assessment

: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

Species NOAEL LOAEL Application Route Exposure time	:	Rat
NOAEL	:	90 mg/m3
LOAEL	:	360 mg/m3
Application Route	:	inhalation (vapour)
Exposure time	:	24 Months

Fluralaner:

Species NOAEL Application Route Exposure time Target Organs Remarks	:	Dog 1 mg/kg Oral 52 Weeks Liver No significant adverse effects were reported
Species LOAEL Application Route Exposure time Symptoms	:	Juvenile dog 56 - 280 mg/kg Oral 24 Weeks Diarrhoea

: Rat

Species



Version 9.0	Revision Date: 2024/07/06	SDS Number: 412181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
Expo Targe Spec NOAI	cation Route sure time et Organs ies	: 400 mg/kg : Oral : 90 Days : Liver, thymus : Rat : 500 mg/kg : Dermal	gland
Expo	sure time et Organs	: 90 Days : Liver : No significant	adverse effects were reported
	ies EL	: Rat : 900 mg/kg : 1,700 mg/kg : Ingestion : 90 Days	
		: Rat : 45 mg/l : inhalation (vap : 8 Weeks	pour)
Not c Com	r ation toxicity lassified based on ava ponents: laner:	ilable information.	
Not a	pplicable		
		auses concern owing	to the assumption that it causes a human aspi-
Expe	rience with human e	xposure	
Eye c	<u>uct:</u> contact contact ponents:	: Remarks: May : Remarks: May	<i>r</i> irritate skin. r cause eye irritation.
Flura Skin (laner: contact contact	: Remarks: May : Remarks: May	/ irritate skin. / cause eye irritation.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

12. ECOLOGICAL INFORMATION

Components:

N,N-Dimethylacetamide:	
Toxicity to fish	

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10: > 1,995 mg/l Exposure time: 30 min

Fluralaner:

Fiulaianei.		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic tox- icity)	:	NOEC (Zebrafish): >= 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0736 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic	:	1,000



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

toxicity)

Poly(oxy-1,2-ethanediyl), .al	pha	a[(tetrahydro-2-furanyl)methyl]omegahydroxy-:
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
N,N-Diethyl-m-toluamide:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Selenastrum capricornutum (green algae)): 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 3.7 mg/l Exposure time: 21 d
Acetone:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 5,540 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 8,800 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 7,000 mg/l Exposure time: 96 h



Version 9.0	Revision Date: 2024/07/06	-	OS Number: 2181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time: 2	magna (Water flea)): >= 79 mg/l 1 d ēst Guideline 211
Toxic	sity to microorganisms	:	EC50: 61,150 mg/l Exposure time: 30 min Method: ISO 8192	
Persi	istence and degradabili	ity		
<u>Com</u>	ponents:			
N,N-I	Dimethylacetamide:			
Biode	egradability	:	Result: Not readi Biodegradation: Exposure time: 2 Remarks: The 10	70 %
Poly	(oxy-1,2-ethanediyl), .al	pha	a[(tetrahydro-2-f	uranyl)methyl]omegahydroxy-:
Biode	egradability	:		ly biodegradable. est Guideline 301F on data from similar materials
•• N,N-I	Diethyl-m-toluamide:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2 Method: OECD T	83.8 %
Acet	one:			
Biode	egradability	:	Result: Readily b Biodegradation: Exposure time: 2	91 %
Bioa	ccumulative potential			
Com	ponents:			
Flura	laner:			
Bioad	ccumulation	:		sh factor (BCF): 79.4 rest Guideline 305
	tion coefficient: n- nol/water	:	log Pow: 4.5	
-		pha		uranyl)methyl]omegahydroxy-:
Partit	tion coefficient: n-	:	log Pow: < 4	



Version 9.0	Revision Date: 2024/07/06	-	DS Number: 2181-00026	Date of last issue: 2024/04/06 Date of first issue: 2016/01/15
octan	ol/water		Remarks: Calcul	ation
N.N-I	Diethyl-m-toluamide:			
Partit	Partition coefficient: n- octanol/water		log Pow: 2.02	
Acet	one:			
	ion coefficient: n- nol/water	:	log Pow: -0.27	0.23
Mobi	lity in soil			
Com	ponents:			
Flura	laner:			
	bution among environ- al compartments	:	log Koc: 4.1	
Othe	r adverse effects			
Com	ponents:			
Flura	llaner:			
	lts of PBT and vPvB ssment	:	Substance is not	persistent, bioaccumulative, and toxic (PBT).
13. DISPC	SAL CONSIDERATIO	NS		
Disp	osal methods			
-	e from residues	:		f waste into sewer. ordance with local regulations.
Conta	aminated packaging	:	Empty containers dling site for recy Empty containers Do not pressurize pose such contai	s should be taken to an approved waste han- cling or disposal. s retain residue and can be dangerous. e, cut, weld, braze, solder, drill, grind, or ex- ners to heat, flame, sparks, or other sources

14. TRANSPORT INFORMATION

International Regulations

UNRTDG		
UN number	:	UN 1090
Proper shipping name	:	ACETONE SOLUTION
Class	:	3
Packing group	:	II
Labels	:	3
Environmentally hazardous	:	no

of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

IATA-DGR

UN/ID No.	:	UN 1090
Proper shipping name	:	Acetone solution
Class	:	3
Packing group	:	II
Labels	:	Flammable Liquids
Packing instruction (cargo	:	364
aircraft)		
Packing instruction (passen-	:	353
ger aircraft)		
IMDG-Code		
IMDG-Code UN number	:	UN 1090
	:	UN 1090 ACETONE SOLUTION
UN number	:	
UN number	:	ACETONE SOLUTION
UN number Proper shipping name	:	ACETONE SOLUTION (Fluralaner)
UN number Proper shipping name Class	: : : : : : : : : : : : : : : : : : : :	ACETONE SOLUTION (Fluralaner) 3
UN number Proper shipping name Class Packing group	: : : : : : : : : : : : : : : : : : : :	ACETONE SOLUTION (Fluralaner) 3 II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

: Not applicable

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	:	Not applicable
Prohibited substances	:	Not applicable
Restricted substances	:	Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and : Not applicable control, Annex I

Type of hazardous materials subject to distribution and : Not applicable control, Annex II

The components of this product are reported in the following inventories:

AICS		not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	2024/07/06
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format

yyyy/mm/dd

Full text of other abbreviations

ACGIH ACGIH BEI ID OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Indonesia. Occupational Exposure Limits
ACGIH / TWA ACGIH / STEL ID OEL / NAB ID OEL / PSD	:	8-hour, time-weighted average Short-term exposure limit Long term exposure limit Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Version	Revision Date:	SDS Number:	Date of last issue: 2024/04/06
9.0	2024/07/06	412181-00026	Date of first issue: 2016/01/15

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN