

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Section 1: Identification

Product name : Fluralaner / Diethyltoluamide Liquid Formulation

Other means of identification : BRAVECTO SPOT-ON (A011261)
BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTION FOR LARGE DOGS (82794)
BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR SMALL CATS (82807)
BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR VERY SMALL DOGS (82798)
BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTION FOR VERY LARGE DOGS (82795)
BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR MEDIUM CATS (82806)
BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR SMALL DOGS (82797)
BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR LARGE CATS (82804)
BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR MEDIUM DOGS (82796)

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Flammable liquids : Category 2

Reproductive toxicity : Category 1

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Hazardous to the aquatic environment - chronic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H360D May damage the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylacetamide	127-19-5	>= 30 -< 50
Fluralaner	864731-61-3	>= 25 -< 30
Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-	31692-85-0	>= 10 -< 20
N,N-Diethyl-m-toluamide	134-62-3	>= 10 -< 20
Acetone	67-64-1	>= 10 -< 20

Section 4: First-aid measures

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: May damage the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Fluralaner / Diethyltoluamide Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
13.0	13.04.2024	412188-00027	Date of first issue: 15.01.2016

Exposure to combustion products may be a hazard to health.

- | | | |
|---|---|---|
| Hazardous combustion products | : | Carbon oxides
Chlorine compounds
Fluorine compounds
Nitrogen oxides (NO _x) |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |
| Hazchem Code | : | 2YE |
-

Section 6: Accidental release measures

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Remove all sources of ignition.
Ventilate the area.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for containment and cleaning up | : | Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |

Fluralaner / Diethyltoluamide Liquid Formula- tion

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Section 7: Handling and storage

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe vapours or spray mist.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Non-sparking tools should be used.
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:
Self-reactive substances and mixtures
Organic peroxides
Oxidizing agents
Flammable gases
Pyrophoric liquids
Pyrophoric solids
Self-heating substances and mixtures
Poisonous gases
Explosives

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	WES-TWA	5 ppm 18 mg/m ³	NZ OEL
		Further information: Skin absorption		
		TWA	10 ppm	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
		Further information: Skin		
		Wipe limit	1000 µg/100 cm ²	Internal
Acetone	67-64-1	WES-TWA	500 ppm 1,185 mg/m ³	NZ OEL
		Further information: Exposure can also be estimated by biological monitoring		
		WES-STEL	1,000 ppm 2,375 mg/m ³	NZ OEL
		Further information: Exposure can also be estimated by biological monitoring		
		TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	N-Methylacetamide	Urine	End of shift at end of work-week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	End of shift	50 mg/l	NZ BEI
		Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility

Fluralaner / Diethyltoluamide Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
13.0	13.04.2024	412188-00027	Date of first issue: 15.01.2016

design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Self-contained breathing apparatus
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Take note that the product is flammable, which may impact the selection of hand protection.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	103 °C
Flash point	:	7 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable

**Fluralaner / Diethyltoluamide Liquid Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
13.0	13.04.2024	412188-00027	Date of first issue: 15.01.2016

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 67 hPa (20 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 1.059 g/cm³

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : Not applicable

Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Highly flammable liquid and vapour.
Vapours may form explosive mixture with air.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Section 11: Toxicological information

Exposure routes : Inhalation
 Skin contact
 Ingestion
 Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
 Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Symptoms: Erythema

Components:

N,N-Dimethylacetamide:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg
 Acute inhalation toxicity : LC50 (Rat): 2.2 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg
 Method: Expert judgement
 Remarks: Based on national or regional regulation.

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
 Remarks: No mortality observed at this dose.
 No significant adverse effects were reported
 Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
 Remarks: No significant adverse effects were reported

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
 Method: OECD Test Guideline 423
 Remarks: Based on data from similar materials

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

N,N-Diethyl-m-toluamide:

Acute oral toxicity : LD50 (Rat): 1,892 mg/kg
 Acute inhalation toxicity : LC50 (Rat): 5.95 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Acute dermal toxicity : LD50 (Rat): 5,000 mg/kg

Acetone:

Acute oral toxicity : LD50 (Rat): 5,800 mg/kg
 Acute inhalation toxicity : LC50 (Rat): 76 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour
 Acute dermal toxicity : LD50 (Rabbit): 7,426 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
 Result : No skin irritation

Components:

N,N-Dimethylacetamide:

Species : Rabbit
 Result : No skin irritation

Fluralaner:

Species : Rabbit
 Result : No skin irritation

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Species : reconstructed human epidermis (RhE)
 Method : OECD Test Guideline 439
 Remarks : Based on data from similar materials

Result : No skin irritation

N,N-Diethyl-m-toluamide:

Species : Rabbit
 Result : No skin irritation

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Acetone:

|| Assessment : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild eye irritation

Components:**N,N-Dimethylacetamide:**

|| Species : Rabbit
|| Result : Irritation to eyes, reversing within 21 days

Fluralaner:

|| Species : Rabbit
|| Result : Mild eye irritation

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

|| Species : Tissue Culture
|| Method : OECD Test Guideline 492
|| Remarks : Based on data from similar materials

|| Species : Bovine cornea
|| Method : OECD Test Guideline 437
|| Remarks : Based on data from similar materials

|| Result : Irritation to eyes, reversing within 21 days

N,N-Diethyl-m-toluamide:

|| Species : Rabbit
|| Result : Irritation to eyes, reversing within 21 days
|| Remarks : Based on national or regional regulation.

Acetone:

|| Species : Rabbit
|| Result : Irritation to eyes, reversing within 21 days
|| Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Components:**N,N-Dimethylacetamide:**

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Fluralaner:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Test Type : KeratinoSens assay
Method : OECD Test Guideline 442D
Result : negative
Remarks : Based on data from similar materials

Test Type : Direct Peptide Reactivity Assay (DPRA)
Method : OECD Test Guideline 442C
Result : positive
Remarks : Based on data from similar materials

Test Type : Dendritic cell activation test
Method : OECD Test Guideline 442E
Result : negative
Remarks : Based on data from similar materials

Acetone:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Components:

N,N-Dimethylacetamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
 Species: Rat
 Application Route: Inhalation
 Method: OECD Test Guideline 478
 Result: negative

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Mouse Lymphoma
 Result: negative

Test Type: Chromosomal aberration
 Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
 Species: Mouse
 Cell type: Bone marrow
 Application Route: Oral
 Result: negative

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Method: OECD Test Guideline 471
 Result: negative
 Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Acetone:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
 Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
 Result: negative

Test Type: Chromosome aberration test in vitro
 Result: negative

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
 Species: Mouse
 Application Route: Ingestion
 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

N,N-Dimethylacetamide:

Species : Rat
 Application Route : inhalation (vapour)
 Exposure time : 18 month(s)
 Result : negative

Fluralaner:

Carcinogenicity - Assessment : No data available

N,N-Diethyl-m-toluamide:

Species : Rat
 Application Route : Ingestion
 Exposure time : 104 weeks
 Result : negative

Acetone:

Species : Mouse
 Application Route : Skin contact
 Exposure time : 424 days
 Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

N,N-Dimethylacetamide:

Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Inhalation
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Inhalation
 Result: positive

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Fluralaner:

Effects on fertility : Test Type: Two-generation study
 Species: Rat
 Application Route: Oral
 General Toxicity - Parent: NOAEL: 50 mg/kg body weight
 General Toxicity F1: LOAEL: 100 mg/kg body weight
 Result: No effects on fertility, Postimplantation loss., Adverse neonatal effects.

Test Type: One-generation reproduction toxicity study
 Species: Dog
 Application Route: Oral
 Fertility: NOAEL: 75 mg/kg body weight
 Result: No effects on fertility and early embryonic development were detected.
 Remarks: No significant adverse effects were reported

Effects on foetal development : Test Type: Development
 Species: Rat
 Application Route: Oral
 Developmental Toxicity: NOAEL: 100 mg/kg body weight
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects

Test Type: Development
 Species: Rabbit
 Application Route: Oral
 Developmental Toxicity: NOAEL: 10 mg/kg body weight
 Result: Skeletal malformations, Visceral malformations
 Remarks: Maternal toxicity observed.

Test Type: Development
 Species: Rabbit
 Application Route: Dermal
 Developmental Toxicity: NOAEL: 100 mg/kg body weight
 Result: Skeletal malformations

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

N,N-Diethyl-m-toluamide:

Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: Ingestion
 Result: negative

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

||

Acetone:

|| Effects on fertility : Test Type: One-generation reproduction toxicity study
 Species: Rat
 Application Route: Ingestion
 Result: negative

|| Effects on foetal development : Test Type: Embryo-foetal development
 Species: Rat
 Application Route: inhalation (vapour)
 Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Acetone:

|| Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

|| Species : Rat
 || NOAEL : 90 mg/m³
 || LOAEL : 360 mg/m³
 || Application Route : inhalation (vapour)
 || Exposure time : 24 Months

Fluralaner:

|| Species : Dog
 || NOAEL : 1 mg/kg
 || Application Route : Oral
 || Exposure time : 52 Weeks
 || Target Organs : Liver
 || Remarks : No significant adverse effects were reported

|| Species : Juvenile dog
 || LOAEL : 56 - 280 mg/kg
 || Application Route : Oral
 || Exposure time : 24 Weeks
 || Symptoms : Diarrhoea

|| Species : Rat

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

LOAEL : 400 mg/kg
 Application Route : Oral
 Exposure time : 90 Days
 Target Organs : Liver, thymus gland

Species : Rat
 NOAEL : 500 mg/kg
 Application Route : Dermal
 Exposure time : 90 Days
 Target Organs : Liver
 Remarks : No significant adverse effects were reported

Acetone:

Species : Rat
 NOAEL : 900 mg/kg
 LOAEL : 1,700 mg/kg
 Application Route : Ingestion
 Exposure time : 90 Days

Species : Rat
 NOAEL : 45 mg/l
 Application Route : inhalation (vapour)
 Exposure time : 8 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

|| Not applicable

Acetone:

|| The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Product:

Skin contact : Remarks: May irritate skin.
 Eye contact : Remarks: May cause eye irritation.

Components:

Fluralaner:

|| Skin contact : Remarks: May irritate skin.
 || Eye contact : Remarks: May cause eye irritation.

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Section 12: Ecological information

Ecotoxicity

Components:

N,N-Dimethylacetamide:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC10: > 1,995 mg/l Exposure time: 30 min

Fluralaner:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Zebrafish): >= 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.0736 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic)	: 1,000

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

||toxicity)

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 7.6 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.7 mg/l
 Exposure time: 21 d

Acetone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5,540 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 8,800 mg/l
 Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,000 mg/l
 Exposure time: 96 h

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
 Date of first issue: 15.01.2016

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): \geq 79 mg/l
 Exposure time: 21 d
 Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 61,150 mg/l
 Exposure time: 30 min
 Method: ISO 8192

Persistence and degradability

Components:

N,N-Dimethylacetamide:

Biodegradability : Result: Not readily biodegradable.
 Biodegradation: 70 %
 Exposure time: 28 d
 Remarks: The 10 day time window criterion is not fulfilled.

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Biodegradability : Result: Not readily biodegradable.
 Method: OECD Test Guideline 301F
 Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 83.8 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B

Acetone:

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 91 %
 Exposure time: 28 d

Bioaccumulative potential

Components:

Fluralaner:

Bioaccumulation : Species: Zebrafish
 Bioconcentration factor (BCF): 79.4
 Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Partition coefficient: n- : log Pow: < 4

**Fluralaner / Diethyltoluamide Liquid Formula-
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
13.0	13.04.2024	412188-00027	Date of first issue: 15.01.2016

|| octanol/water Remarks: Calculation

N,N-Diethyl-m-toluamide:

|| Partition coefficient: n- : log Pow: 2.02
|| octanol/water

Acetone:

|| Partition coefficient: n- : log Pow: -0.27 - -0.23
|| octanol/water

Mobility in soil**Components:****Fluralaner:**

|| Distribution among environ- : log Koc: 4.1
|| mental compartments

Other adverse effects**Components:****Fluralaner:**

|| Results of PBT and vPvB : Substance is not persistent, bioaccumulative, and toxic (PBT).
|| assessment

Section 13: Disposal considerations**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	UN 1090
Proper shipping name	:	ACETONE SOLUTION
Class	:	3
Packing group	:	II
Labels	:	3
Environmentally hazardous	:	no

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

IATA-DGR

UN/ID No. : UN 1090
Proper shipping name : Acetone solution
Class : 3
Packing group : II
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353

IMDG-Code

UN number : UN 1090
Proper shipping name : ACETONE SOLUTION
(Fluralaner)
Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 1090
Proper shipping name : ACETONE SOLUTION
Class : 3
Packing group : II
Labels : 3
Hazchem Code : 2YE
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Fluralaner / Diethyltoluamide Liquid Formulation

Version 13.0 Revision Date: 13.04.2024 SDS Number: 412188-00027 Date of last issue: 06.04.2024
Date of first issue: 15.01.2016

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 13.04.2024

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

Fluralaner / Diethyltoluamide Liquid Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
13.0	13.04.2024	412188-00027	Date of first issue: 15.01.2016

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN