

Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Section 1: Identification

Product name	:	Fluralaner / Diethyltoluamide Liquid Formulation		
Other means of identification	dentification : BRAVECTO SPOT-ON (A011261) BRAVECTO 1000 MG FLURALANER SPOT-ON S FOR LARGE DOGS (82794) BRAVECTO 112.5 MG FLURALANER SPOT-ON S FOR SMALL CATS (82807) BRAVECTO 112.5 MG FLURALANER SPOT-ON S FOR VERY SMALL DOGS (82798) BRAVECTO 1400 MG FLURALANER SPOT-ON S FOR VERY LARGE DOGS (82795) BRAVECTO 250 MG FLURALANER SPOT-ON S FOR MEDIUM CATS (82806) BRAVECTO 250 MG FLURALANER SPOT-ON S FOR SMALL DOGS (82797) BRAVECTO 500 MG FLURALANER SPOT-ON S FOR LARGE CATS (82804) BRAVECTO 500 MG FLURALANER SPOT-ON S FOR MEDIUM DOGS (82796)			
Manufacturer or supplier's de	eta			
Company	:	MSD		
Address	:	33 Whakatiki Street - Private Bag 908 Upper Hutt - New Zealand		
Telephone	:	0800 800 543		
Emergency telephone number	:	0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)		
E-mail address	:	EHSDATASTEWARD@msd.com		
Recommended use of the ch	em	ical and restrictions on use		
Recommended use	: Veterinary product			

	•	votoriniary produ
Restrictions on use	:	Not applicable

Section 2: Hazard identification

GHS Classification		
Flammable liquids	:	Category 2
Reproductive toxicity	:	Category 1



/ersion 4.0	Revision Date: 06.07.2024	SDS Number: 412188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
	dous to the aquatic	: Category 1	
CHCI	abel elements		
	d pictograms		
Signal	l word	: Danger	\mathbf{v}
Hazar	d statements	H360D May o	lammable liquid and vapour. lamage the unborn child. xic to aquatic life with long lasting effects.
Preca	utionary statements	P210 Keep a and other ign P233 Keep co P241 Use exp ment. P242 Use not P243 Take ao P273 Avoid re	special instructions before use. way from heat, hot surfaces, sparks, open flames ition sources. No smoking. ontainer tightly closed. olosion-proof electrical/ ventilating/ lighting equip- n-sparking tools. ction to prevent static discharges. elease to the environment. rotective gloves/ protective clothing/ eye protec- tection.
		ly all contami	+ P353 IF ON SKIN (or hair): Take off immediate nated clothing. Rinse skin with water. IF exposed or concerned: Get medical advice/ spillage.
		Storage: P403 + P235 P405 Store Ic	Store in a well-ventilated place. Keep cool.
		Disposal: P501 Dispose disposal plan	e of contents/ container to an approved waste t.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylacetamide	127-19-5	>= 30 -< 50
Fluralaner	864731-61-3	>= 25 -< 30
Poly(oxy-1,2-ethanediyl), .alpha[(tetrahydro-2- furanyl)methyl]omegahydroxy-	31692-85-0	>= 10 -< 20
N,N-Diethyl-m-toluamide	134-62-3	>= 10 -< 20
Acetone	67-64-1	>= 10 -< 20

Section 4: First-aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	May damage the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air.



Version 14.0	Revision Date: 06.07.2024		0S Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016		
Haza ucts	ardous combustion prod-	:	Exposure to com Carbon oxides Chlorine compou Fluorine compour Nitrogen oxides (nds		
ods			Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.			
for fi Hazo	Special protective equipment for firefighters Hazchem Code		In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. 2YE			
Section (6: Accidental release me	eas	ures			
tive	onal precautions, protec- equipment and emer- cy procedures	:	Follow safe hand	•		
Envi	Environmental precautions		Prevent spreadin barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages		
	Methods and materials for containment and cleaning up		Soak up with iner Suppress (knock spray jet. For large spills, p ment to keep mat be pumped, store Clean up remaini bent. Local or national posal of this mate employed in the o mine which regula Sections 13 and	Is should be used. t absorbent material. down) gases/vapours/mists with a water rovide dyking or other appropriate contain- terial from spreading. If dyked material can e recovered material in appropriate container. Ing materials from spill with suitable absor- regulations may apply to releases and dis- erial, as well as those materials and items cleanup of releases. You will need to deter- ations are applicable. 15 of this SDS provide information regarding ational requirements.		



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Section 7: Handling and storage **Technical measures** : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. If sufficient ventilation is unavailable, use with local exhaust Local/Total ventilation : ventilation. Use explosion-proof electrical, ventilating and lighting equipment. Advice on safe handling Do not get on skin or clothing. Do not breathe vapours or spray mist. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye Hygiene measures flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures. industrial hygiene monitoring, medical surveillance and the use of administrative controls. Keep in properly labelled containers. Conditions for safe storage Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. Do not store with the following product types: Materials to avoid Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Poisonous gases **Explosives**



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Section 8: Exposure controls/personal protection

components with workplac	• •••••• paramet				
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis	
N,N-Dimethylacetamide	127-19-5	WES-TWA	5 ppm 18 mg/m3	NZ OEL	
	Further information: Skin absorption				
		TWA	10 ppm	ACGIH	
Fluralaner	864731-61-3	TWA	100 µg/m3 (OEB 2)	Internal	
	Further information: Skin				
		Wipe limit	1000 µg/100 cm ²	Internal	
Acetone	67-64-1	WES-TWA	500 ppm 1,185 mg/m3	NZ OEL	
	Further inform monitoring	ation: Exposure	can also be estimate	d by biological	
		WES-STEL	1,000 ppm 2,375 mg/m3	NZ OEL	
	Further information: Exposure can also be estimated by biologic monitoring				
		TWA	250 ppm	ACGIH	
		STEL	500 ppm	ACGIH	

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N,N-Dimethylacetamide	127-19-5	N- Methyla- cetamide	Urine	End of shift at end of work- week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	End of shift	50 mg/l	NZ BEI
		Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility



ersion 4.0	Revision Date: 06.07.2024		S Number: 188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016	
			protect product	rated in accordance with GMP principles to s, workers, and the environment. rations do not require special containment.	
			Use explosion- ment.	proof electrical, ventilating and lighting equip-	
Perso	onal protective equip	oment			
Respi	iratory protection		: If adequate local exhaust ventilation is not available or e sure assessment demonstrates exposures outside the re ommended guidelines, use respiratory protection.		
	ter type protection		•	breathing apparatus	
Ma	aterial	:	Chemical-resist	tant gloves	
Re	emarks			the product is flammable, which may impact hand protection	
Eye p	protection	:	 the selection of hand protection. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 		
Skin a	and body protection			r laboratory coat.	

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	103 °C
Flash point	:	7 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable



Vers 14.0		Revision Date: 06.07.2024		S Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
		explosion limit / Upper bility limit	:	No data available	9
		explosion limit / Lower bility limit	:	No data available	9
	Vapour	pressure	:	67 hPa (20 °C)	
	Relative	e vapour density	:	No data available	9
	Relative	e density	:	No data available	9
	Density	,	:	1.059 g/cm ³	
	Solubili Wat	ty(ies) er solubility	:	No data available	2
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle Particle	e characteristics e size	:	Not applicable	

Section 10: Stability and reactivity

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	Heat, flames and sparks. Oxidizing agents No hazardous decomposition products are known.



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Section 11: Toxicological information Inhalation Exposure routes : Skin contact Ingestion Eye contact Acute toxicity Not classified based on available information. Product: LD50 (Rat): > 2,000 mg/kg Acute oral toxicity : Remarks: No mortality observed at this dose. : Acute toxicity estimate: > 5 mg/l Acute inhalation toxicity Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method : LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity Symptoms: Erythema **Components:** N,N-Dimethylacetamide: Acute oral toxicity : LD50 (Rat): 4,800 mg/kg Acute inhalation toxicity : LC50 (Rat): 2.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Acute toxicity estimate: 1,100 mg/kg Acute dermal toxicity : Method: Expert judgement Remarks: Based on national or regional regulation. Fluralaner: : LD50 (Rat): > 2,000 mg/kg Acute oral toxicity Remarks: No mortality observed at this dose. No significant adverse effects were reported LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity : Remarks: No significant adverse effects were reported Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-: LD50 (Rat, female): > 2,000 mg/kg Acute oral toxicity : Method: OECD Test Guideline 423 Remarks: Based on data from similar materials



Version 14.0	Revision Date: 06.07.2024	-	9S Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016	
	Diethyl-m-toluamide:				
	e oral toxicity	:	LD50 (Rat): 1,	892 ma/ka	
Acut	e oral toxicity	•	LD30 (Rat): 1,	092 mg/kg	
Acut	e inhalation toxicity	:	LC50 (Rat): 5.95 mg/l Exposure time: 4 h Test atmosphere: dust/mist		
Acut	e dermal toxicity	:	LD50 (Rat): 5,	000 mg/kg	
Acet	tone:				
Acut	e oral toxicity	:	LD50 (Rat): 5,	800 mg/kg	
Acut	e inhalation toxicity	:	LC50 (Rat): 76 Exposure time Test atmosphe	: 4 ĥ	
Acut	e dermal toxicity	:	LD50 (Rabbit)	: 7,426 mg/kg	
Not o	corrosion/irritation classified based on ava luct:	ailable	information.		
Spec Rest		:	Rabbit No skin irritatio	on	
Com	ponents:				
N,N-	Dimethylacetamide:				
Spec		:	Rabbit		
Resu	ult	:	No skin irritatio	on	
Flura	alaner:				
Spec		:	Rabbit		
Resu		:	No skin irritatio	n	
Poly	(oxy-1,2-ethanediyl),	.alpha	[(tetrahydro-	2-furanyl)methyl]omegahydroxy-:	
Spec		:		human epidermis (RhE)	
Meth		:	OECD Test G		
Rem	arks	:	based on data	from similar materials	
Resu	ult	:	No skin irritatio	n	
N,N-	Diethyl-m-toluamide:				
Spec		:	Rabbit		
Resu	ult	:	No skin irritatio	n	



rsion 0	Revision Date: 06.07.2024		S Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
Aceto	one:			
Asses	ssment	:	Repeated expo	osure may cause skin dryness or crack
Serio	us eye damage/eye	irritatio	on	
Not cl	assified based on ava	ailable	information.	
Produ	uct:			
Speci	es	:	Rabbit	
Resul		:	Mild eye irritation	on
<u>Comp</u>	oonents:			
	Dimethylacetamide:			
Speci		:	Rabbit	
Resul	t	:	Irritation to eye	s, reversing within 21 days
	laner:			
Speci		:	Rabbit	
Resul	t	:	Mild eye irritatio	n
Poly(oxy-1,2-ethanediyl),	.alpha	[(tetrahydro-2	2-furanyl)methyl]omegahydroxy-:
Speci		:	Tissue Culture	
Metho		:	OECD Test Gu	
Rema	irks	:	Based on data	from similar materials
Speci		:	Bovine cornea	
Metho		:	OECD Test Gu	
Rema		:		from similar materials
Resul	t	:	Irritation to eye	s, reversing within 21 days
N,N-C	Diethyl-m-toluamide	:		
Speci		:	Rabbit	
Resul		:		s, reversing within 21 days
Rema	arks	:	Based on natio	nal or regional regulation.
Aceto	one:			
Speci		:	Rabbit	
Resul		:		s, reversing within 21 days
Metho	bd		OECD Test Gu	lideline 405

Skin sensitisation

Not classified based on available information.



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Components:

N,N-Dimethylacetamide:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Fluralaner:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

	• • •	
Test Type Method Result Remarks		KeratinoSens assay OECD Test Guideline 442D negative Based on data from similar materials
Test Type Method Result Remarks		Direct Peptide Reactivity Assay (DPRA) OECD Test Guideline 442C positive Based on data from similar materials
Test Type Method Result Remarks		Dendritic cell activation test OECD Test Guideline 442E negative Based on data from similar materials

Acetone:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.



/ersion 14.0	Revision Date: 06.07.2024	-	S Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
<u>Com</u>	ponents:			
N,N-I	Dimethylacetamide:			
Geno	ptoxicity in vitro	:	Test Type: Bac Result: negativ	cterial reverse mutation assay (AMES) re
Genc	otoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vi Species: Rat Application Route: Inhalation Method: OECD Test Guideline 478 Result: negative	
Flura	alaner:			
Geno	otoxicity in vitro	:	Test Type: Bad Result: negativ	cterial reverse mutation assay (AMES) re
			Test Type: Mo Result: negativ	use Lymphoma re
			Test Type: Chi Result: negativ	romosomal aberration re
Genc	otoxicity in vivo	:	Test Type: Mic Species: Mous Cell type: Bone Application Ro Result: negativ	e e marrow ute: Oral
Polv	(oxv-1.2-ethanedivl).	alpha	-[(tetrahydro-)	2-furanyl)methyl]omegahydroxy-:
-	otoxicity in vitro	:	Test Type: Bac Method: OECE Result: negativ	cterial reverse mutation assay (AMES) Test Guideline 471
	Diethyl-m-toluamide otoxicity in vitro	:	Test Type: Bao Result: negativ	cterial reverse mutation assay (AMES) re
Acet Geno	one: ptoxicity in vitro	:	Test Type: In v Result: negativ	ritro mammalian cell gene mutation test re
			Test Type: Bad Result: negativ	cterial reverse mutation assay (AMES) re
			Test Type: Chi Result: negativ	romosome aberration test in vitro re



Version 14.0	Revision Date: 06.07.2024	SDS Number: 412188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
Geno	toxicity in vivo	cytogenetic as Species: Mou	se pute: Ingestion
	nogenicity assified based on ava	lable information.	
<u>Comp</u>	oonents:		
N,N-E	Dimethylacetamide:		
Speci Applic	es cation Route sure time	: Rat : inhalation (va : 18 month(s) : negative	pour)
Flura	laner:		
Carcii ment	nogenicity - Assess-	: No data availa	able
N,N-E	Diethyl-m-toluamide:		
	cation Route sure time	: Rat : Ingestion : 104 weeks : negative	
Aceto	one:		
	cation Route sure time	: Mouse : Skin contact : 424 days : negative	
-	oductive toxicity damage the unborn ch	ld.	
Com	oonents:		
	Dimethylacetamide: is on fertility	Species: Rat	ne-generation reproduction toxicity study oute: Inhalation ve
Effect ment	s on foetal develop-	Species: Rat	nbryo-foetal development oute: Inhalation /e
		44/5	



Version 14.0	Revision Date: 06.07.2024	SDS Numl 412188-00	
•	productive toxicity - As- sment		evidence of adverse effects on development, based on experiments.
Flur	alaner:		
	Fluralaner: Effects on fertility		ype: Two-generation study es: Rat ation Route: Oral al Toxicity - Parent: NOAEL: 50 mg/kg body weight al Toxicity F1: LOAEL: 100 mg/kg body weight : No effects on fertility, Postimplantation loss., Adverse tal effects.
		Specie Applica Fertility Result: ment w	ype: One-generation reproduction toxicity study s: Dog ation Route: Oral y: NOAEL: 75 mg/kg body weight : No effects on fertility and early embryonic develop- vere detected. ks: No significant adverse effects were reported
	Effects on foetal develop- ment		ype: Development es: Rat ation Route: Oral opmental Toxicity: NOAEL: 100 mg/kg body weight : Embryotoxic effects and adverse effects on the off- were detected only at high maternally toxic doses, No genic effects
		Specie Applica Develo Result	ype: Development es: Rabbit ation Route: Oral opmental Toxicity: NOAEL: 10 mg/kg body weight : Skeletal malformations, Visceral malformations ks: Maternal toxicity observed.
		Specie Applica Develo	ype: Development es: Rabbit ation Route: Dermal opmental Toxicity: NOAEL: 100 mg/kg body weight : Skeletal malformations
	productive toxicity - As- sment	: Suspe	cted of damaging the unborn child.
N,N	-Diethyl-m-toluamide:		
Effe mer	cts on foetal develop- nt	Specie Applica	ype: Embryo-foetal development es: Rat ation Route: Ingestion : negative



Version 14.0	Revision Date: 06.07.2024	SDS Number: 412188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
Aceto	one:		

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal develop- ment	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Acetone:

Assessment

: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

Species NOAEL LOAEL Application Route Exposure time	:	Rat 90 mg/m3 360 mg/m3 inhalation (vapour) 24 Months
Fluralaner:		
Species NOAEL Application Route Exposure time Target Organs Remarks	:	Dog 1 mg/kg Oral 52 Weeks Liver No significant adverse effects were reported
Species LOAEL Application Route Exposure time Symptoms	:	Juvenile dog 56 - 280 mg/kg Oral 24 Weeks Diarrhoea
Species	:	Rat



Version 14.0	Revision Date: 06.07.2024		S Number: 188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
Exp Targ Spe NO/ App Exp Targ	lication Route osure time get Organs cies		400 mg/kg Oral 90 Days Liver, thymus gla 500 mg/kg Dermal 90 Days Liver No significant ac	and dverse effects were reported
Spe NOA LOA App	\EL	:	Rat 900 mg/kg 1,700 mg/kg Ingestion 90 Days	
		:	Rat 45 mg/l inhalation (vapo 8 Weeks	ur)
Not	iration toxicity classified based on av nponents:	vailable ir	nformation.	

Fluralaner:

Not applicable

Acetone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Product: Skin contact Eye contact	:	Remarks: May irritate skin. Remarks: May cause eye irritation.
<u>Components:</u> Fluralaner: Skin contact Eye contact	:	Remarks: May irritate skin. Remarks: May cause eye irritation.



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Section 12: Ecological information

Ecotoxicity		
Components:		
N,N-Dimethylacetamide:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10: > 1,995 mg/l Exposure time: 30 min
Fluralaner:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic tox- icity)	:	NOEC (Zebrafish): >= 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0736 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic	:	1,000



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

toxicity)

Poly(oxy-1,2-ethanediyl), .alpha[(tetrahydro-2-furanyl)methyl]omegahydroxy-:					
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials			
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials			
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials			
N,N-Diethyl-m-toluamide:					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l Exposure time: 96 h Method: OECD Test Guideline 203			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
		NOEC (Selenastrum capricornutum (green algae)): 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 3.7 mg/l Exposure time: 21 d			
Acetone:					
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 5,540 mg/l Exposure time: 96 h			
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 8,800 mg/l Exposure time: 48 h			
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 7,000 mg/l Exposure time: 96 h			



Version 14.0	Revision Date: 06.07.2024		OS Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
	ity to daphnia and other tic invertebrates (Chron- icity)	:	Exposure time	ia magna (Water flea)): >= 79 mg/l : 21 d) Test Guideline 211
Toxic	ity to microorganisms	:	EC50: 61,150 mg/l Exposure time: 30 min Method: ISO 8192	
Persi	stence and degradabili	ty		
<u>Com</u>	ponents:			
	Dimethylacetamide: egradability	:	Biodegradation Exposure time	
Poly(oxy-1,2-ethanediyl), .al	pha	a[(tetrahydro-	2-furanyl)methyl]omegahydroxy-:
Biode	egradability	:	Method: OECI	adily biodegradable. D Test Guideline 301F ed on data from similar materials
N,N-E	Diethyl-m-toluamide:			
	egradability	:	Biodegradation Exposure time	
Aceto	one:			
Biode	egradability	:	Result: Readily Biodegradation Exposure time	
Bioad	ccumulative potential			
<u>Com</u>	ponents:			
	laner: cumulation	:		afish on factor (BCF): 79.4) Test Guideline 305
	ion coefficient: n- ol/water	:	log Pow: 4.5	
	oxy-1,2-ethanediyl), .al	pha :	a[(tetrahydro- log Pow: < 4	2-furanyl)methyl]omegahydroxy-:



ersion .0	Revision Date: 06.07.2024		OS Number: 2188-00028	Date of last issue: 13.04.2024 Date of first issue: 15.01.2016
ootoo	olluctor		Domorko: Coloui	
octano	ol/water		Remarks: Calcula	
Partiti	Diethyl-m-toluamide: on coefficient: n- ol/water	:	log Pow: 2.02	
	one: on coefficient: n- ol/water	:	log Pow: -0.27	0.23
Mobil	ity in soil			
<u>Comp</u>	oonents:			
		:	log Koc: 4.1	
	adverse effects			
Comp	oonents:			
	l aner: ts of PBT and vPvB sment	:	Substance is not	persistent, bioaccumulative, and toxic (PB

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG		
UN number	:	UN 1090
Proper shipping name	:	ACETONE SOLUTION
Class	:	3
Packing group	:	II
Labels	:	3
Environmentally hazardous	:	no



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

IATA-DGR

UN/ID No.	:	UN 1090
Proper shipping name	:	Acetone solution
Class	:	3
Packing group	:	II
Labels	:	Flammable Liquids
Packing instruction (cargo	:	364
aircraft)		
Packing instruction (passen-	:	353
ger aircraft)		
IMDG-Code		
IMDG-Code UN number		UN 1090
UN number	:	UN 1090 ACETONE SOLUTION
	:	
UN number	:	ACETONE SOLUTION
UN number Proper shipping name	:	ACETONE SOLUTION (Fluralaner)
UN number Proper shipping name Class	:	ACETONE SOLUTION (Fluralaner) 3
UN number Proper shipping name Class Packing group	:	ACETONE SOLUTION (Fluralaner) 3 II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

NZS 5433

UN number	:	UN 1090
Proper shipping name	:	ACETONE SOLUTION
Class	:	3
Packing group	:	II
Labels	:	3
Hazchem Code	:	2YE
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL) Not applicable



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Environmental Exposure Limits (EEL)

Not applicable

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date	:	06.07.2024
Further information Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	:	dd.mm.yyyy			
Full text of other abbreviations					
ACGIH ACGIH BEI NZ BEI NZ OEL	:	USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) New Zealand. Biological Exposure Indices New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants			
ACGIH / TWA ACGIH / STEL NZ OEL / WES-TWA NZ OEL / WES-STEL	: : :	8-hour, time-weighted average Short-term exposure limit Workplace Exposure Standard - Time Weighted average Workplace Exposure Standard - Short-Term Exposure Limit			

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



Version	Revision Date:	SDS Number:	Date of last issue: 13.04.2024
14.0	06.07.2024	412188-00028	Date of first issue: 15.01.2016

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN