

# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

**Section 1: Identification** 

**Product identifier** : Fluralaner / Diethyltoluamide Liquid Formulation

Other means of identifica-

tion

BRAVECTO SPOT-ON (A011261)

BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTION

FOR LARGE DOGS (82794)

BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION

FOR SMALL CATS (82807)

BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION

FOR VERY SMALL DOGS (82798)

BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTION

FOR VERY LARGE DOGS (82795)

BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION

FOR MEDIUM CATS (82806)

BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION

FOR SMALL DOGS (82797)

BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION

FOR LARGE CATS (82804)

BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION

FOR MEDIUM DOGS (82796)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

### **Section 2: Hazard identification**

#### Classification of the substance or mixture

Flammable liquids : Category 2

Reproductive toxicity : Category 1B



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Long-term (chronic) aquatic

hazard

Category 1

## GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H360D May damage the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

#### Section 3: Composition/information on ingredients



## Fluralaner / Diethyltoluamide Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 412189-00026
 Date of first issue: 15.01.2016

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
N,N-Dimethylacetamide	127-19-5	>= 30 -< 50
Fluralaner	864731-61-3	>= 25 -< 30
Poly(oxy-1,2-ethanediyl), .alpha[(tetrahydro-2-furanyl)methyl]omegahydroxy-	31692-85-0	>= 10 -< 20
N,N-Diethyl-m-toluamide	134-62-3	>= 10 -< 20
Acetone	67-64-1	>= 10 -< 20

#### Section 4: First-aid measures

### Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

Risks : May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

## Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

#### Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0

Revision Date: 06.07.2024

SDS Number: 412189-00026 Date of last issue: 06.04.2024 Date of first issue: 15.01.2016

Dry chemical

Unsuitable extinguishing

High volume water jet

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Fluorine compounds Nitrogen oxides (NOx)

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

Specific extinguishing meth-

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** 

**Environmental precautions** Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

> be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### Section 7: Handling and storage

### Precautions for safe handling

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

When using do not eat, drink or smoke.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### Conditions for safe storage, including any incompatibilities

Conditions for safe storage Keep in properly labelled containers.

> Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Keep away from heat and sources of ignition. Materials to avoid

Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases

**Explosives** 

## Section 8: Exposure controls/personal protection

### **Control parameters**

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis			
N,N-Dimethylacetamide	127-19-5	PEL (long term)	10 ppm 36 mg/m3	SG OEL			
		TWA	10 ppm	ACGIH			
Fluralaner	864731-61-3	TWA	100 μg/m3 (OEB 2)	Internal			
	Further inform	Further information: Skin					
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal			
Acetone	67-64-1	PEL (long term)	750 ppm 1,780 mg/m3	SG OEL			
		PEL (short term)	1,000 ppm 2,380 mg/m3	SG OEL			
		TWA	250 ppm	ACGIH			
		STEL	500 ppm	ACGIH			

### **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
N,N-Dimethylacetamide	127-19-5	N- Methyla- cetamide	Urine	End of shift at end of work- week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible	25 mg/l	ACGIH BEI



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0

**Revision Date:** 06.07.2024

SDS Number: 412189-00026 Date of last issue: 06.04.2024 Date of first issue: 15.01.2016

after exposure ceases)

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate googles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection

Work uniform or laboratory coat.

Respiratory protection If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Self-contained breathing apparatus

Filter type Hand protection

Material

Chemical-resistant gloves

Remarks Take note that the product is flammable, which may impact

the selection of hand protection.

Section 9: Physical and chemical properties

**Appearance** liquid

Colour vellow

Odour No data available

Odour Threshold No data available

pΗ No data available

Melting point/freezing point No data available

Initial boiling point and boiling : 103 °C

range

: 7 °C Flash point



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 67 hPa (20 °C)

Relative vapour density : No data available

Relative density : No data available

Density : 1.059 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : Not applicable

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Highly flammable liquid and vapour.



## Fluralaner / Diethyltoluamide Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 412189-00026
 Date of first issue: 15.01.2016

tions Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents Hazardous decomposition : No hazardous de

products

No hazardous decomposition products are known.

## **Section 11: Toxicological information**

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Symptoms: Erythema

**Components:** 

N,N-Dimethylacetamide:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg

Method: Expert judgement

Remarks: Based on national or regional regulation.

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No mortality observed at this dose. No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: No significant adverse effects were reported



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Acute oral toxicity : LD50 (Rat): 1,892 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 5,000 mg/kg

Acetone:

Acute oral toxicity : LD50 (Rat): 5,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 76 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 7,426 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : No skin irritation

**Components:** 

N,N-Dimethylacetamide:

Species : Rabbit

Result : No skin irritation

Fluralaner:

Species : Rabbit

Result : No skin irritation

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Remarks : Based on data from similar materials



# Fluralaner / Diethyltoluamide Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 412189-00026
 Date of first issue: 15.01.2016

Result : No skin irritation

N,N-Diethyl-m-toluamide:

Species : Rabbit

Result : No skin irritation

Acetone:

Assessment : Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : Mild eye irritation

**Components:** 

N,N-Dimethylacetamide:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Fluralaner:

Species : Rabbit

Result : Mild eye irritation

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Species : Tissue Culture

Method : OECD Test Guideline 492

Remarks : Based on data from similar materials

Species : Bovine cornea

Method : OECD Test Guideline 437

Remarks : Based on data from similar materials

Result : Irritation to eyes, reversing within 21 days

N,N-Diethyl-m-toluamide:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days Remarks : Based on national or regional regulation.

Acetone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Method : OECD Test Guideline 405

## Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

### **Product:**

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

## **Components:**

### N,N-Dimethylacetamide:

Exposure routes : Skin contact
Species : Guinea pig
Result : negative

#### Fluralaner:

Test Type : Maximisation Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

### Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Test Type : KeratinoSens assay

Method : OECD Test Guideline 442D

Result : negative

Remarks : Based on data from similar materials

Test Type : Direct Peptide Reactivity Assay (DPRA)

Method : OECD Test Guideline 442C

Result : positive

Remarks : Based on data from similar materials

Test Type : Dendritic cell activation test Method : OECD Test Guideline 442E

Result : negative

Remarks : Based on data from similar materials

Acetone:

Test Type : Maximisation Test Exposure routes : Skin contact



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Species : Guinea pig Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### **Components:**

N,N-Dimethylacetamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Inhalation Method: OECD Test Guideline 478

Result: negative

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: Chromosomal aberration

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral

Result: negative

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Acetone:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative



# Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0

Revision Date: 06.07.2024

SDS Number: 412189-00026

Date of last issue: 06.04.2024 Date of first issue: 15.01.2016

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion

Result: negative

### Carcinogenicity

Not classified based on available information.

#### **Components:**

### N,N-Dimethylacetamide:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 18 month(s)
Result : negative

### Fluralaner:

Carcinogenicity - Assess-

ment

No data available

## N,N-Diethyl-m-toluamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

#### Acetone:

Species : Mouse
Application Route : Skin contact
Exposure time : 424 days
Result : negative

### Reproductive toxicity

May damage the unborn child.

### **Components:**

### N,N-Dimethylacetamide:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Inhalation



## Fluralaner / Diethyltoluamide Liquid Formulation

Version 10.0

Revision Date: 06.07.2024

SDS Number: 412189-00026 Date of last issue: 06.04.2024 Date of first issue: 15.01.2016

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Inhalation

Result: positive

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on development, based on

animal experiments.

Fluralaner:

Effects on fertility Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 50 mg/kg body weight General Toxicity F1: LOAEL: 100 mg/kg body weight

Result: No effects on fertility, Postimplantation loss., Adverse

neonatal effects.

Test Type: One-generation reproduction toxicity study

Species: Dog

Application Route: Oral

Fertility: NOAEL: 75 mg/kg body weight

Result: No effects on fertility and early embryonic develop-

ment were detected.

Remarks: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No

teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Skeletal malformations, Visceral malformations

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit

Application Route: Dermal

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: Skeletal malformations

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

N,N-Diethyl-m-toluamide:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Acetone:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

**Application Route: Ingestion** 

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour)

Result: negative

STOT - single exposure

Not classified based on available information.

**Components:** 

Acetone:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

N,N-Dimethylacetamide:

Species : Rat

 NOAEL
 : 90 mg/m3

 LOAEL
 : 360 mg/m3

Application Route : inhalation (vapour)

Exposure time : 24 Months

Fluralaner:

Species : Dog
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 52 Weeks

Target Organs : Liver

Remarks : No significant adverse effects were reported

Species : Juvenile dog LOAEL : 56 - 280 mg/kg



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Application Route : Oral
Exposure time : 24 Weeks
Symptoms : Diarrhoea

Species : Rat

LOAEL : 400 mg/kg Application Route : Oral Exposure time : 90 Days

Target Organs : Liver, thymus gland

Species : Rat
NOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 90 Days
Target Organs : Liver

Remarks : No significant adverse effects were reported

Acetone:

Species : Rat
NOAEL : 900 mg/kg
LOAEL : 1,700 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat NOAEL : 45 mg/l

Application Route : inhalation (vapour)

Exposure time : 8 Weeks

### **Aspiration toxicity**

Not classified based on available information.

#### **Components:**

#### Fluralaner:

Not applicable

#### Acetone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### **Experience with human exposure**

## **Product:**

Skin contact : Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

**Components:** 

Fluralaner:

Skin contact : Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

**Section 12: Ecological information** 

**Toxicity** 

Components:

N,N-Dimethylacetamide:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC10: > 1,995 mg/l

Exposure time: 30 min

Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0.015 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): >=

0.08 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic tox-

icity)

NOEC (Zebrafish): >= 0.049 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 204

Remarks: No toxicity at the limit of solubility



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0736 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

1,000

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

mq/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 75 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 7.6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 3.7 mg/l

Exposure time: 21 d

Acetone:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 5,540 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 8,800 mg/l



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): 7,000

mg/l

Exposure time: 96 h

Toxicity to daphnia and other : aquatic invertebrates (Chron-

aquatic invertebrates

ic toxicity)

NOEC (Daphnia magna (Water flea)): >= 79 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 61,150 mg/l

Exposure time: 30 min Method: ISO 8192

## Persistence and degradability

#### **Components:**

N,N-Dimethylacetamide:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 70 % Exposure time: 28 d

Remarks: The 10 day time window criterion is not fulfilled.

### Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 83.8 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Acetone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91 % Exposure time: 28 d

### Bioaccumulative potential

### **Components:**

Fluralaner:

Bioaccumulation : Species: Zebrafish

Bioconcentration factor (BCF): 79.4 Method: OECD Test Guideline 305



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Partition coefficient: n-

octanol/water

log Pow: 4.5

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:

Partition coefficient: n- : log Pow: < 4

octanol/water Remarks: Calculation

N,N-Diethyl-m-toluamide:

Partition coefficient: n-

octanol/water

log Pow: 2.02

Acetone:

Partition coefficient: n-

octanol/water

log Pow: -0.27 - -0.23

Mobility in soil

**Components:** 

Fluralaner:

Distribution among environ-

mental compartments

: log Koc: 4.1

Other adverse effects

**Components:** 

Fluralaner:

Results of PBT and vPvB

assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Section 13: Disposal considerations

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

**Section 14: Transport information** 

International Regulations

**UNRTDG** 

UN number : UN 1090



# Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

UN proper shipping name : ACETONE SOLUTION

Transport hazard class(es) : 3
Packing group : II
Labels : 3
Environmental hazards : no

IATA-DGR

UN/ID No. : UN 1090

UN proper shipping name : Acetone solution

Transport hazard class(es) : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen: 353

ger aircraft)

**IMDG-Code** 

UN number : UN 1090

Proper shipping name : ACETONE SOLUTION

(Fluralaner)

Transport hazard class(es) : 3
Packing group : II
Labels : 3
EmS Code : F-E

EmS Code : F-E, S-D Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## **Section 15: Regulatory information**

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Not applicable

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Acetone

Regulations

### The components of this product are reported in the following inventories:



## Fluralaner / Diethyltoluamide Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 10.0
 06.07.2024
 412189-00026
 Date of first issue: 15.01.2016

AICS : not determined

DSL : not determined

IECSC : not determined

#### **Section 16: Other information**

Revision Date : 06.07.2024

**Further information** 

Sources of key data used to compile the Safety Data

eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Sheet cy, http://echa.europa

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Internal technical data, data from raw material SDSs, OECD

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New



## Fluralaner / Diethyltoluamide Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 10.0 06.07.2024 412189-00026 Date of first issue: 15.01.2016

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN