

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
14.0	28.09.2024	412191-00028	Date of first issue: 15.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Fluralaner / Diethyltoluamide Liquid Formulation
Other means of identification	:	BRAVECTO SPOT-ON (A011261) BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTION FOR LARGE DOGS (82794) BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR SMALL CATS (82807) BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION FOR VERY SMALL DOGS (82798) BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTION FOR VERY LARGE DOGS (82795) BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR MEDIUM CATS (82806) BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION FOR SMALL DOGS (82797) BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR LARGE CATS (82804) BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION FOR LARGE CATS (82804)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Veterinary product

Recommended restrictions : Not applicable on use

1.3 Details of the supplier of the safety data sheet

Company	:	MSD 20 Spartan Road 1619 Spartan, South Africa
Telephone	:	+27119239300
E-mail address of person responsible for the SDS	:	EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)



Version 14.0	Revision Date: 28.09.2024		DS Number 12191-0002	
Flammable liquids, Category 2 Reproductive toxicity, Category 1B Long-term (chronic) aquatic hazard, Cat egory 1			H225: Highly flammable liquid and vapour. H360D: May damage the unborn child. H410: Very toxic to aquatic life with long lasting effects.	
2.2 Label e	lements			
	i ng (REGULATION (E I pictograms	C) I :	No 1272/20	
Signal	word	:	Danger	•
Hazard	I statements	:	H360D Ma	ghly flammable liquid and vapour. Ny damage the unborn child. ry toxic to aquatic life with long lasting effects.
Precau	itionary statements	:	P210 Ke flames and P273 Av P280 We tion/ face p Response P308 + P3 attention.	tain special instructions before use. ep away from heat, hot surfaces, sparks, open l other ignition sources. No smoking. oid release to the environment. ear protective gloves/ protective clothing/ eye protec- protection.

Hazardous components which must be listed on the label: N,N-Dimethylacetamide

Additional Labelling

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		



Version 14.0	Revision Date: 28.09.2024	SDS Number: 412191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	•
N,N-E	N,N-Dimethylacetamide		Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319 Repr. 1B; H360D	>= 30 - < 50
Flural	laner	864731-61-	-3 Repr. 2; H361d Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1.000	>= 25 - < 30
[(tetra	oxy-1,2-ethanediyl), .a ahydro-2-furanyl)methy gahydroxy-		Eye Irrit. 2; H319	>= 10 - < 20
	Diethyl-m-toluamide	134-62-3 205-149-7 616-018-00	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 10 - < 20
Aceto	one	67-64-1 200-662-2 606-001-00	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.



Version 14.0	Revision Date: 28.09.2024		0S Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
			Call a physician of Rinse mouth thor	have person lean forward. or poison control centre immediately. oughly with water. ing by mouth to an unconscious person.
4.2 Most	important symptoms a	nd e	effects, both acute	e and delayed
Risks	3	:	May damage the	unborn child.
4.3 Indica	ation of any immediate	med	lical attention and	d special treatment needed
Treat	tment	:	Treat symptomati	cally and supportively.
SECTIO	N 5: Firefighting meas	sur	es	
5.1 Exting	guishing media			
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (0 Dry chemical	
Unsu medi	iitable extinguishing a	:	High volume wate	er jet
5.2 Speci	al hazards arising from	the	substance or mi	xture
-	ific hazards during fire-	:	Do not use a solid fire. Flash back possil Vapours may forr	d water stream as it may scatter and spread ole over considerable distance. n explosive mixtures with air. bustion products may be a hazard to health.
Haza ucts	ardous combustion prod-	:	Carbon oxides Chlorine compou Fluorine compour Nitrogen oxides (nds
5.3 Advic	e for firefighters			
Spec	efighters	:		e, wear self-contained breathing apparatus. tective equipment.
Spec ods	ific extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
14.0	28.09.2024	412191-00028	Date of first issue: 15.01.2016

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
6.2 Environmental precautions	

Environmental precautions	:	Avoid release to the environment.
		Prevent further leakage or spillage if safe to do so.
		Prevent spreading over a wide area (e.g. by containment or oil
		barriers).
		Retain and dispose of contaminated wash water.
		Local authorities should be advised if significant spillages
		cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
	Use explosion-proof electrical, ventilating and lighting equip- ment.
Advice on safe handling	 Do not get on skin or clothing. Do not breathe vapours or spray mist.



Versior 14.0	n Revision Date: 28.09.2024	SDS Number: 412191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
		practice, bas sessment Non-sparking Keep contair Keep away f other ignition Take precau	t with eyes. cordance with good industrial hygiene and safety ed on the results of the workplace exposure as- g tools should be used. ner tightly closed. rom heat, hot surfaces, sparks, open flames and a sources. No smoking. tionary measures against static discharges. prevent spills, waste and minimize release to the
Ну	giene measures	flushing syst place. When nated clothin The effective engineering appropriate o industrial hys	o chemical is likely during typical use, provide eye ems and safety showers close to the working using do not eat, drink or smoke. Wash contami- g before re-use. e operation of a facility should include review of controls, proper personal protective equipment, degowning and decontamination procedures, giene monitoring, medical surveillance and the istrative controls.
7.2 Co	nditions for safe storage,	including any in	compatibilities
	equirements for storage eas and containers	tightly closed accordance	erly labelled containers. Store locked up. Keep d. Keep in a cool, well-ventilated place. Store in with the particular national regulations. Keep eat and sources of ignition.
Ac	lvice on common storage	Strong oxidia Self-reactive Organic pero Flammable s Pyrophoric li Pyrophoric s Self-heating Substances flammable g Explosives Gases	substances and mixtures oxides solids quids olids substances and mixtures and mixtures, which in contact with water, emit
-	ecific end use(s) becific use(s)	: No data avai	lable

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		



Version 14.0	Revision Da 28.09.2024			ate of last issue: 06.07.2024 ate of first issue: 15.01.2016			
N,N- Dimet	N,N- Dimethylacetamide		OEL-RL	20 ppm	ZA OEL		
				aneous absorption, Occupati ardous Chemical Agents	onal Exposure		
			TWA	10 ppm 36 mg/m3	2000/39/EC		
			STEL	20 ppm 72 mg/m3	2000/39/EC		
			TWA	10 ppm 36 mg/m3	2004/37/EC		
			STEL	20 ppm 72 mg/m3	2004/37/EC		
Flural	aner	864731-61- 3	TWA	100 µg/m3 (OEB 2)	Internal		
		Further information: Skin					
			Wipe limit	1000 µg/100 cm ²	Internal		
Aceto	ne	67-64-1	OEL- RL STEL/C		ZA OEL		
			Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				
			OEL-RL	500 ppm	ZA OEL		
				Exposure Limits - Restricted	Limits For		
		Hazardous C	hemical Agents		•		
			TWA	500 ppm 1.210 mg/m3	2000/39/EC		

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
N,N-Dimethylacetamide	127-19-5	N- Methylacetamide: 30 mg/g creatinine (Urine)	End of shift at end of workweek	ZA BEI
Acetone	67-64-1	Acetone: 25 mg/l (Urine)	End of shift	ZA BEI

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
N,N- Dimethylacetamide	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	36 mg/m3
	Workers	Skin contact	Acute systemic ef- fects	13,6 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	7 mg/m3
	Consumers	Skin contact	Long-term systemic effects	2,7 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1 mg/kg bw/day
Acetone	Workers	Inhalation	Long-term systemic effects	1210 mg/m3
	Workers	Inhalation	Acute local effects	2420 mg/m3



Ver: 14.(sion Revision Date:) 28.09.2024	SDS Num 412191-00		Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
		Workers	Skin conta	act	Long-term systemic effects	186 mg/kg bw/day
		Consumers	Inhalation		Long-term systemic effects	200 mg/m3
		Consumers	Skin conta	act	Long-term systemic effects	62 mg/kg bw/day
		Consumers	Ingestion		Long-term systemic effects	62 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Fluralaner	Water	7 ng/l
N,N-Dimethylacetamide	Fresh water	0,5 mg/l
	Marine water	0,0966 mg/l
	Intermittent use/release	5 mg/l
	Sewage treatment plant	485 mg/l
	Fresh water sediment	2,27 mg/kg
	Soil	0,15 mg/kg
Acetone	Fresh water	10,6 mg/l
	Marine water	1,06 mg/l
	Intermittent use/release	21 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	30,4 mg/kg dry weight (d.w.)
	Marine sediment	3,04 mg/kg dry weight (d.w.)
	Soil	29,5 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Eye/face protection	:	 Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty condition mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. 	
Hand protection			
Material	:	Chemical-resistant gloves	
Remarks	:	Take note that the product is flammable, which may impact the selection of hand protection.	
Skin and body protection Respiratory protection	:	Work uniform or laboratory coat. If adequate local exhaust ventilation is not available or expo-	



Version	Revision Date: 28.09.2024	SDS Number:	Date of last issue: 06.07.2024
14.0		412191-00028	Date of first issue: 15.01.2016
Fi	lter type	ommended gu	ent demonstrates exposures outside the rec- idelines, use respiratory protection. breathing apparatus

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

3.1	mormation on basic physical	an	u chemical properties
	Appearance Colour Odour Odour Threshold	:	liquid yellow No data available No data available
	pH	:	No data available
	Melting point/freezing point	:	No data available
	Initial boiling point and boiling	:	103 °C
	range Flash point	:	7 °C
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	Not applicable
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapour pressure	:	67 hPa (20 °C)
	Relative vapour density	:	No data available
	Relative density	:	No data available
	Density	:	1,059 g/cm ³
	Solubility(ies) Water solubility Partition coefficient: n- octanol/water		No data available Not applicable
	Auto-ignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity Viscosity, kinematic	:	No data available
	Explosive properties	:	Not explosive
	Oxidizing properties	:	The substance or mixture is not classified as oxidizing.



Version 14.0	Revision Date: 28.09.2024	SDS Number: 412191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	
	information mability (liquids)	: Not applicable		
Moleo	cular weight	: No data availa	ble	
Partic	cle size	: Not applicable		

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	:	Heat, flames and sparks.
10.5 Incompatible materials		
Materials to avoid	•	Oxidizing agents
10 6 Hazardous decomposition	nrod	uets

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Remarks: No mortality observed at this dose.
Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg



Version 14.0	Revision Date: 28.09.2024	-	9S Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
			Symptoms: Eryth	ema
<u>Com</u>	oonents:			
N,N-C	Dimethylacetamide:			
Acute	oral toxicity	:	LD50 (Rat): 4.80	0 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 2,2 n Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	Method: Expert ju	imate: 1.100 mg/kg udgement on national or regional regulation.
Flura	laner:			
Acute	oral toxicity	:		00 mg/kg rtality observed at this dose. verse effects were reported
Acute	e dermal toxicity	:	LD50 (Rat): > 2.0 Remarks: No sign	000 mg/kg nificant adverse effects were reported
Poly(oxy-1,2-ethanediyl), .	alpha	a[(tetrahydro-2-f	uranyl)methyl]omegahydroxy-:
	oral toxicity	:	LD50 (Rat, femal Method: OECD T	e): > 2.000 mg/kg est Guideline 423 on data from similar materials
и N N-Г	Diethyl-m-toluamide:			
	oral toxicity	:	LD50 (Rat): 1.892	2 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 5,95 Exposure time: 4 Test atmosphere	h
Acute	e dermal toxicity	:	LD50 (Rat): 5.00	0 mg/kg
II Aceto	one:			
	oral toxicity	:	LD50 (Rat): 5.80	0 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): 76 m Exposure time: 4 Test atmosphere	ĥ
Acute	e dermal toxicity	:	LD50 (Rabbit): 7.	426 mg/kg

Skin corrosion/irritation

Not classified based on available information.



Version 14.0	Revision Date: 28.09.2024		issue: 06.07.2024 issue: 15.01.2016
Prod			
Spec Resu		: Rabbit : No skin irritation	
<u>Com</u>	ponents:		
N,N-I	Dimethylacetamide:		
Spec Resu		: Rabbit : No skin irritation	
	alaner:		
Spec Resu		: Rabbit : No skin irritation	
Poly	(oxy-1,2-ethanediyl),	lpha[(tetrahydro-2-furanyl)methy	/l]omegahydroxy-:
Spec		: reconstructed human epidermi	s (RhE)
Meth Rema		: OECD Test Guideline 439: Based on data from similar ma	terials
Resu	lt	: No skin irritation	
N,N-I	Diethyl-m-toluamide:		
Spec	-	: Rabbit	
Resu Rema		Skin irritationBased on national or regional r	egulation.
Acet	one:		
Asse	ssment	: Repeated exposure may cause	e skin dryness or cracking.
Not c	bus eye damage/eye i classified based on ava		
Prod		· Pabbit	
Spec Resu		: Rabbit : Mild eye irritation	
Com	ponents:		
N,N-I	Dimethylacetamide:		
Spec Resu	ies It	: Rabbit : Irritation to eyes, reversing with	nin 21 days
	llaner:		
Spec Resu		: Rabbit : Mild eye irritation	

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:



Version 14.0	Revision Date: 28.09.2024	SDS Number: 412191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	
Speci Metho Rema	bd	: Tissue Cultu : OECD Test (: Based on da		
Speci Metho Rema	bd	: Bovine corne : OECD Test (: Based on da		
Resul	t	: Irritation to e	yes, reversing within 21 days	
N,N-E Speci Resul Rema	t	: Rabbit : Irritation to e	yes, reversing within 21 days tional or regional regulation.	
Aceto Speci Metho Resul	es od		Guideline 405 yes, reversing within 21 days	
Resp	iratory or skin sensi	tisation		
_	sensitisation assified based on ava	ailable information.		
Resp	iratory sensitisation assified based on ava			
Produ Test⊺ Expos Speci Resul	Type sure routes es	: Maximisatior : Dermal : Guinea pig : Not a skin se		
Com	oonents:			
		: Skin contact : Guinea pig : negative		
Test	sure routes es	: Maximisatior : Dermal : Guinea pig : Not a skin se		
Poly(Test⊺ Metho	Гуре	: KeratinoSen	b-2-furanyl)methyl]omegahydroxy-: s assay Guideline 442D	



Version 14.0	Revision Date: 28.09.2024		OS Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
Resul Rema		:	negative Based on data fror	n similar materials
Test Metho Resul Rema	bd It	:	Direct Peptide Rea OECD Test Guide positive Based on data from	
Test Metho Resul Rema	od It	:	Dendritic cell activ OECD Test Guide negative Based on data fror	line 442E
Aceto Test T Expos Speci Resul	Гуре sure routes es	:	Maximisation Test Skin contact Guinea pig negative	
Not cl	a cell mutagenicity lassified based on avail conents:	able	information.	
N N-F	Dimethylacetamide:			
	toxicity in vitro	:	Test Type: Bacteri Result: negative	al reverse mutation assay (AMES)
	toxicity in vivo	:	Test Type: Rodent Species: Rat Application Route: Method: OECD Te Result: negative	
	•			
	laner: toxicity in vitro	:	Test Type: Bacteri Result: negative	al reverse mutation assay (AMES)
			Test Type: Mouse Result: negative	Lymphoma
			Test Type: Chrom Result: negative	osomal aberration
Geno	toxicity in vivo	:	Test Type: Micron Species: Mouse Cell type: Bone ma Application Route: Result: negative	arrow
II				

Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:



Version 14.0	Revision Date: 28.09.2024		DS Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
Geno	Genotoxicity in vitro		: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials			
N.N-D	Diethyl-m-toluamide:					
	Genotoxicity in vitro		Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)		
Aceto						
	toxicity in vitro	:	Test Type: In vitro Result: negative	o mammalian cell gene mutation test		
			Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)		
			Test Type: Chron Result: negative	nosome aberration test in vitro		
Geno	toxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Application Route Result: negative			
II						
	nogenicity		is famous the s			
	assified based on availa	adie	information.			
<u>Comp</u>	oonents:					
N,N-E	Dimethylacetamide:					
Speci	es	:	Rat			
Applic	cation Route	:	inhalation (vapou	r)		
Expos	sure time	:	18 month(s)			
Resu	it.	•	negative			
Flura	laner:					
Carcii ment	nogenicity - Assess-	:	No data available			
N,N-D	Diethyl-m-toluamide:					
Speci		:	Rat			
	cation Route	:	Ingestion			
Expos	sure time	:	104 weeks negative			
i vesu	ι ι	•	liogativo			
Aceto	one:					
Speci		•	Mouse			
Applic	cation Route	:	Skin contact			
Expos	sure time	:	424 days			



rsion .0	Revision Date: 28.09.2024		S Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
Resul	t	:	negative	
May d	oductive toxicity lamage the unborn child. ponents:			
	Dimethylacetamide: s on fertility	:	Test Type: One-ge Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Inhalation
Effect ment	s on foetal develop-	:	Test Type: Embry Species: Rat Application Route Result: positive	o-foetal development : Inhalation
Repro sessm	oductive toxicity - As- nent	:	Clear evidence of animal experimen	adverse effects on development, based or ts.
Flura	laner:			
Effect	s on fertility	:	General Toxicity F	-
			Species: Dog Application Route Fertility: NOAEL: 7 Result: No effects ment were detected	75 mg/kg body weight on fertility and early embryonic develop-
Effect ment	s on foetal develop-	:	Result: Embryotox	: Oral oxicity: NOAEL: 100 mg/kg body weight kic effects and adverse effects on the off- ted only at high maternally toxic doses, No
			Result: Skeletal m	



Version 14.0	Revision Date: 28.09.2024		OS Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
			Test Type: Develor Species: Rabbit Application Route Developmental To Result: Skeletal n	e: Dermal oxicity: NOAEL: 100 mg/kg body weight
Repro	oductive toxicity - As- nent	:	Suspected of dan	naging the unborn child.
	Diethyl-m-toluamide:			
	ts on foetal develop-	:	Test Type: Embry Species: Rat Application Route Result: negative	yo-foetal development e: Ingestion
Aceto	one:			
Effect	ts on fertility	:	Test Type: One-g Species: Rat Application Route Result: negative	generation reproduction toxicity study e: Ingestion
Effect ment	ts on foetal develop-	:	Species: Rat	yo-foetal development e: inhalation (vapour)
	- single exposure			
_	lassified based on avail	able	information.	
Com	oonents:			
Aceto	one:			
Asses	ssment	:	May cause drows	siness or dizziness.
Not c	- repeated exposure lassified based on avail	able	information.	
Кере	ated dose toxicity			
<u>Com</u>	ponents:			
N,N-E	Dimethylacetamide:			
Speci NOAE		:	Rat 90 mg/m3	
LOAE		:	360 mg/m3	
	cation Route sure time	:	inhalation (vapou 24 Months	r)
Flura	laner:			
Speci		:	Dog	
NOA	EL cation Route	:	1 mg/kg Oral	
		•		



Version 14.0	Revision Date: 28.09.2024	SDS Number: 412191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	
	sure time t Organs rks	: 52 Weeks : Liver : No significant a	dverse effects were reported	
	L ation Route sure time	: Juvenile dog : 56 - 280 mg/kg : Oral : 24 Weeks : Diarrhoea		
Expos		: Rat : 400 mg/kg : Oral : 90 Days : Liver, thymus g	and	
Expos	L ation Route sure time t Organs	: Rat : 500 mg/kg : Dermal : 90 Days : Liver : No significant a	dverse effects were reported	
	es L L ation Route sure time es	: Rat : 900 mg/kg : 1.700 mg/kg : Ingestion : 90 Days : Rat : 45 mg/l		
Applic	:L ation Route sure time	: 45 mg/i : inhalation (vapo : 8 Weeks	pur)	
-	ation toxicity assified based on avai	lable information.		
<u>Comp</u>	oonents:			
Flural				

Acetone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Product:

Skin contact

: Remarks: May irritate skin.



Version 14.0	Revision Date: 28.09.2024	SDS Number: 412191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	
		: Remarks: Ma	: Remarks: May cause eye irritation.	
<u>Components:</u> Fluralaner: Skin contact Eye contact		 Remarks: May irritate skin. Remarks: May cause eye irritation. 		
	N 12: Ecological inf	ormation		
12.1 Toxio <u>Com</u>	city ponents:			
	Dimethylacetamide: ity to fish	: LC50 (Leucis Exposure tim	cus idus (Golden orfe)): > 500 mg/l e: 96 h	

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
		EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC10 : > 1.995 mg/l Exposure time: 30 min
Fluralaner:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0,015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0,08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic tox- icity)	:	NOEC: >= 0,049 mg/l Exposure time: 21 d Species: Zebrafish Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility



Version 14.0	Revision Date: 28.09.2024	-	9S Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
aq	xicity to daphnia and other uatic invertebrates (Chron- coxicity)		Exposure time: 21	d magna (Water flea)
	Factor (Chronic aquatic iicity)	:	1.000	
Po	lv(oxv-1.2-ethanedivl)al	pha	I(tetrahvdro-2-fu	ıranyl)methyl]omegahydroxy-:
То		-	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	agna (Water flea)): > 100 mg/l 3 h
	xicity to algae/aquatic ints	:	mg/l Exposure time: 72 Method: OECD Te	
			mg/l Exposure time: 72 Method: OECD Te	
 N I	N-Diethyl-m-toluamide:			
	xicity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 75 mg/l 3 h
	xicity to algae/aquatic ints	:	ErC50 (Selenastru Exposure time: 72 Method: OECD Te	
			NOEC (Selenastru Exposure time: 72 Method: OECD Te	
aq	xicity to daphnia and other uatic invertebrates (Chron- coxicity)	:	NOEC: 3,7 mg/l Exposure time: 21 Species: Daphnia	d magna (Water flea)
Ac	etone:			
	xicity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 5.540 mg/l s h
То	xicity to daphnia and other	:	EC50 (Daphnia pu	ulex (Water flea)): 8.800 mg/l



Version 14.0	Revision Date: 28.09.2024		0S Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016		
aquati	aquatic invertebrates Exposure time: 48 h					
Toxicit plants	ty to algae/aquatic	:	NOEC (Pseudokin mg/l Exposure time: 96	rchneriella subcapitata (green algae)): 7.000 Sh		
Toxici	ty to microorganisms	:	EC50 : 61.150 mg Exposure time: 30 Method: ISO 8192) min		
	ty to daphnia and other c invertebrates (Chron- city)		NOEC: >= 79 mg/ Exposure time: 21 Species: Daphnia Method: OECD To	l d magna (Water flea)		
12.2 Persis	stence and degradabil	ity				
<u>Comp</u>	onents:					
	imethylacetamide:					
Biode	gradability	:	Result: Not readily Biodegradation: 7 Exposure time: 28 Remarks: The 10	70 %		
Polv(c	oxy-1.2-ethanedivl)al	pha	a[(tetrahvdro-2-fi	ıranyl)methyl]omegahydroxy-:		
	gradability	:	Result: Not readily Method: OECD T			
II N.N-D	iethyl-m-toluamide:					
	gradability	:	Result: Readily bi Biodegradation: 8 Exposure time: 28 Method: OECD To	33,8 %		
Aceto	ne:					
Biode	gradability	:	Result: Readily bi Biodegradation: 9 Exposure time: 28	91 %		
12.3 Bioac	cumulative potential					
Comp	onents:					
Flural	aner:					
	cumulation	:	Species: Zebrafis Bioconcentration Method: OECD Te	factor (BCF): 79,4		
Partitio	on coefficient: n-	:	log Pow: 4,5			
	21 / 27					



Version 14.0	Revision Date: 28.09.2024	-	DS Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016			
octanc	octanol/water						
Poly(c	oxy-1,2-ethanediyl), .a	lpha	a[(tetrahydro-2-f	uranyl)methyl]omegahydroxy-:			
	on coefficient: n- bl/water	:	log Pow: < 4 Remarks: Calcula	ation			
N,N-D	iethyl-m-toluamide:						
Partitio	on coefficient: n- bl/water	:	log Pow: 2,02				
Aceto	ne:						
	on coefficient: n- bl/water	:	log Pow: -0,27	0,23			
12.4 Mobil	ity in soil						
<u>Comp</u>	onents:						
Flural	aner:						
	ution among environ- I compartments	:	log Koc: 4,1				
12.5 Resul	ts of PBT and vPvB a	sse	ssment				
Produ	ict:						
Asses		:	to be either persis	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of			
<u>Comp</u>	onents:						
Flural	aner:						
Asses	sment	:	Substance is not	persistent, bioaccumulative, and toxic (PBT).			
12.6 Other	adverse effects						
Produ	ict:						
Endoc tial	rine disrupting poten-	:	ered to have end REACH Article 5	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.			
			_				

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

 Dispose of in accordance with local regulations.
 According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.
 Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.



Version 14.0	Revision Date: 28.09.2024		DS Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016	
Contaminated packaging		:	Do not dispose of waste into sewer. Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or ex- pose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.		
SECTION	N 14: Transport infor	mat	ion		
14.1 UN n	umber				
ADN		:	UN 1090		
ADR		:	UN 1090		
RID		:	UN 1090		
IMDO	6	:	UN 1090		
ΙΑΤΑ		:	UN 1090		
14.2 UN p	oroper shipping name				
ADN		:	ACETONE, SOL	UTION	
ADR		:	: ACETONE, SOLUTION		
RID		:	ACETONE, SOLUTION		
IMDO	3	:	: ACETONE, SOLUTION (Fluralaner)		
ΙΑΤΑ		:	: Acetone, solution		
14.3 Tran	sport hazard class(es)				
			Class	Subsidiary risks	
ADN		:	3		
ADR		:	3		
RID		:	3		
IMDO	3	:	3		
ΙΑΤΑ		:	3		
14.4 Pack	king group				
Class	ing group sification Code rd Identification Number	: :	II F1 33 3		
Class	ing group sification Code rd Identification Number	:	ll F1 33		



Vers 14.0	-	Revision Date: 28.09.2024		9S Number: 2191-00028	Date of last issue: 06.07.2024 Date of first issue: 15.01.2016
	Labels Tunnel	restriction code	:	3 (D/E)	
		g group cation Code Identification Number	:	II F1 33 3	
	IMDG Packing Labels EmS Co		:	ll 3 F-E, S-D	
	aircraft)	instruction (cargo instruction (LQ)	:	364 Y341 II Flammable Liquic	ts
	IATA (F Packing ger airc	instruction (LQ)	:	353 Y341 II Flammable Liquic	
14.5	Enviro	nmental hazards		·	
	ADN Environ	mentally hazardous	:	yes	
	ADR Environ	mentally hazardous	:	yes	
	RID Environ	mentally hazardous	:	yes	
	IMDG Marine	pollutant	:	yes	
	14.6 Special precautions for user The transport classification(s) provided herein are for informational purposes only, and solely				

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture



/ersion 4.0	Revision Date: 28.09.2024	SDS Number:Date of last issue: 06.07.202412191-00028Date of first issue: 15.01.202	
The c	omponents of this	oduct are reported in the following inventories:	
AICS		: not determined	
DSL		: not determined	
IECS	C	: not determined	
	nical safety assessm	ent nas not been carried out.	
	I 16: Other information		
Other	information	: Items where changes have been made to the p are highlighted in the body of this document by lines.	
Full te	ext of H-Statements		
H225		: Highly flammable liquid and vapour.	
H302		: Harmful if swallowed.	
H312		: Harmful in contact with skin.	
H315		: Causes skin irritation.	
H319		: Causes serious eye irritation.	
H332		: Harmful if inhaled.	
H336		: May cause drowsiness or dizziness.	
H360I	D	: May damage the unborn child.	
H3610		: Suspected of damaging the unborn child.	
H410	-	: Very toxic to aquatic life with long lasting effect	IS.
Full te	ext of other abbrevia	ions	
Acute	Tox.	: Acute toxicity	
Aquat	ic Chronic	: Long-term (chronic) aquatic hazard	
Eye Ir		: Eye irritation	
Flam.	Liq.	: Flammable liquids	
Repr.		: Reproductive toxicity	
Skin I	rrit.	: Skin irritation	
STOT		: Specific target organ toxicity - single exposure	
2000/	39/EC	: Europe. Commission Directive 2000/39/EC est	ablishing a firs
		list of indicative occupational exposure limit val	lues
2004/	37/EC	: Europe. Directive 2004/37/EC on the protection	
		from the risks related to exposure to carcinoge	ns or mutagens
		at work	
ZA BE	=	: South Africa. The Regulations for Hazardous C	Chemical
		Agents, Biological Exposure Indices	
ZA OE	EL	: South Africa. The Regulations for Hazardous C	Chemical
		Agents, Occupational Exposure Limits	
	39/EC / TWA	: Limit Value - eight hours	
	39/EC / STEL	: Short term exposure limit	
	37/EC / STEL	: Short term exposure limit	
	37/EC / TWA	: Long term exposure limit	
ZA OE	EL / OEL-RL	: Occupational Exposure Limit Restricted limit -	3- hour expo-
		sure or equivalent (12 hour shifts)	
	EL / OEL- RL STEL/C	: Occupational Exposure Limit Restricted limit -	



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
14.0	28.09.2024	412191-00028	Date of first issue: 15.01.2016

cupational exposure limits / ceiling limits

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet		data from raw material SDSs, OECD esults and European Chemicals Agen- eu/
Classification of the mixtur	re:	Classification procedure:
Flam. Liq. 2	H225	Based on product data or assessment
Repr. 1B	H360D	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only



Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
14.0	28.09.2024	412191-00028	Date of first issue: 15.01.2016

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN