

## Fluralaner / Moxidectin Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 656874-00025 Date of first issue: 02.05.2016 10.0

#### **SECTION 1. IDENTIFICATION**

Product identifier Fluralaner / Moxidectin Liquid Formulation

Other means of identification Bravecto Plus (A011446)

> BRAVECTO PLUS FLEA, TICK AND WORM 112.5 MG FLURALANER AND 5.6 MG MOXIDECTIN SPOT-ON SOLUTION FOR KITTENS AND SMALL CATS (85418) BRAVECTO PLUS FLEA, TICK AND WORM 250 MG FLURALANER AND 12.5 MG MOXIDECTIN SPOT-ON

SOLUTION FOR MEDIUM CATS (85416)

BRAVECTO PLUS FLEA, TICK AND WORM 500 MG FLURALANER AND 25 MG MOXIDECTIN SPOT-ON

SOLUTION FOR LARGE CATS (85413)

### Manufacturer or supplier's details

**MSD** Company

Address Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone 908-740-4000

Emergency telephone 1-908-423-6000

E-mail address EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Not applicable Restrictions on use

#### **SECTION 2. HAZARDS IDENTIFICATION**

### GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids Category 2

Acute toxicity (Oral) Category 5

Acute toxicity (Inhalation) Category 5

Acute toxicity (Dermal) Category 5

Eye irritation Category 2A

Reproductive toxicity Category 1B

repeated exposure

Specific target organ toxicity - : Category 2 (Central nervous system)



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Aspiration hazard : Category 2

Short-term (acute) aquatic

hazard

: Category 1

Long-term (chronic) aquatic

hazard

Category 1

### GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms









Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H303 + H313 + H333 May be harmful if swallowed, in contact

with skin or if inhaled.

H305 May be harmful if swallowed and enters airways.

H319 Causes serious eye irritation. H360D May damage the unborn child.

H373 May cause damage to organs (Central nervous system)

through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed. P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P302 + P312 IF ON SKIN: Call a POISON CENTER/doctor if

you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P304 + P312 IF INHALED: Call a POISON CENTER/doctor if

you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P331 Do NOT induce vomiting.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P391 Collect spillage.



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Storage:

P405 Store locked up.

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### Components

| Chemical name   | CAS-No.     | Classification  | Concentration (% w/w) |
|---|-------------|---|-----------------------|
| N,N-Dimethylacetamide   | 127-19-5    | Flam. Liq., 4 Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 Acute Tox. (Dermal), 4 Eye Irrit., 2A Repr., 1B   | >= 30 -< 50           |
| Fluralaner  | 864731-61-3 | Repr., 2<br>Aquatic Chronic, 1  | >= 25 -< 30           |
| Poly(oxy-1,2-ethanediyl), α-<br>[(tetrahydro-2-furanyl)methyl]-<br>ω-hydroxy- | 31692-85-0  | Eye Irrit., 2A  | >= 20 -< 30           |
| N,N-Diethyl-m-toluamide   | 134-62-3    | Acute Tox. (Oral), 4<br>Acute Tox. (Inhala-<br>tion), 5<br>Acute Tox. (Dermal), 5<br>Eye Irrit., 2A<br>Aquatic Acute, 3   | >= 10 -< 20           |
| Acetone   | 67-64-1     | Flam. Liq., 2<br>Eye Irrit., 2A<br>STOT SE, 3<br>Asp. Tox., 2   | >= 10 -< 20           |
| Moxidectin  | 113507-06-5 | Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 4 Acute Tox. (Dermal), 5 Eye Irrit., 2B Repr., 2 STOT RE, (Central nervous system), 1 Aquatic Acute, 1 Aquatic Chronic, 1 | >= 1 -< 2,5           |
| 2,6-Di-tert-butyl-p-cresol  | 128-37-0    | Aquatic Acute, 1<br>Aquatic Chronic, 1  | >= 0,1 -< 0,25        |



## Fluralaner / Moxidectin Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 656874-00025 Date of first issue: 02.05.2016 10.0

#### **SECTION 4. FIRST AID MEASURES**

General advice In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of contact, immediately flush eyes with plenty of water In case of eye contact

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting. If swallowed

If vomiting occurs have person lean forward.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

May be harmful if swallowed, in contact with skin or if inhaled.

May be harmful if swallowed and enters airways.

Causes serious eye irritation. May damage the unborn child.

May cause damage to organs through prolonged or repeated

exposure.

First Aid responders should pay attention to self-protection. Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Fluorine compounds Nitrogen oxides (NOx)



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.
Follow safe handling advice (see section 7)

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases

Explosives Gases

Very acutely toxic substances and mixtures

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Ingredients with workplace control parameters

|                       | -        |                                     |  |        |
|-----------------------|----------|-------------------------------------|--|--------|
| Components            | CAS-No.  | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis  |
| N,N-Dimethylacetamide | 127-19-5 | LT                                  | 8 ppm<br>28 mg/m³                              | BR OEL |



## Fluralaner / Moxidectin Liquid Formulation

VersionRevision Date:SDS Number:Date of last issue: 06.07.202410.028.09.2024656874-00025Date of first issue: 02.05.2016

|                            | Further information: Absorption through the skin, Degree of harm-fulness: maximum |   |                                    |          |  |  |
|----------------------------|---|---|------------------------------------|----------|--|--|
|                            |   | TWA   | 10 ppm                             | ACGIH    |  |  |
| Fluralaner                 | 864731-61-3   | TWA   | 100 μg/m3 (OEB<br>2)               | Internal |  |  |
|                            | Further inform  | Further information: Skin                           |                                    |          |  |  |
|                            |   | Wipe limit  | 1000 µg/100 cm <sup>2</sup>        | Internal |  |  |
| Acetone                    | 67-64-1   | LT  | 780 ppm<br>1.870 mg/m <sup>3</sup> | BR OEL   |  |  |
|                            | Further inform  | Further information: Degree of harmfulness: minimum |                                    |          |  |  |
|                            |   | TWA   | 250 ppm                            | ACGIH    |  |  |
|                            |   | STEL  | 500 ppm                            | ACGIH    |  |  |
| Moxidectin                 | 113507-06-5   | TWA   | 10 μg/m3 (OEB 3)                   | Internal |  |  |
|                            |   | Wipe limit  | 100 μg/100 cm <sup>2</sup>         | Internal |  |  |
| 2,6-Di-tert-butyl-p-cresol | 128-37-0  | TWA<br>(Inhalable<br>fraction and<br>vapor)         | 2 mg/m³                            | ACGIH    |  |  |

#### **Biological occupational exposure limits**

| Components            | CAS-No.  | Control parameters        | Biological specimen | Sam-<br>pling<br>time  | Permissible concentra-tion | Basis        |
|-----------------------|----------|---------------------------|---------------------|--|----------------------------|--------------|
| N,N-Dimethylacetamide | 127-19-5 | N-<br>methylaceta<br>mide | Urine               | End of<br>workday<br>at end of<br>work-<br>week                            | 30 mg/g<br>creatinine      | BR BEI       |
|                       |          | N-<br>Methylaceta<br>mide | Urine               | End of<br>shift at<br>end of<br>work-<br>week                              | 30 mg/g<br>creatinine      | ACGIH<br>BEI |
| Acetone 67-64-1       | 67-64-1  | Acetone                   | Urine               | End of workday   | 25 mg/l                    | BR BEI       |
|                       |          | Acetone                   | Urine               | End of<br>shift (As<br>soon as<br>possible<br>after<br>exposure<br>ceases) | 25 mg/l                    | ACGIH<br>BEI |

#### **Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Use explosion-proof electrical, ventilating and lighting

equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type

Self-contained breathing apparatus

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is

flammable, which may impact the selection of hand

protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Color : Colorless to pale yellow

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 2 °C

Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1,06

Density : 1,08 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 7,5 mm<sup>2</sup>/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size : Not applicable

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Highly flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No haza

products

No hazardous decomposition products are known.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

**Acute toxicity** 

May be harmful if swallowed, in contact with skin or if inhaled.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: 3.518 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 5,3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 2.827 mg/kg

Method: Calculation method

**Components:** 

N,N-Dimethylacetamide:

Acute oral toxicity : LD50 (Rat): 4.800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : Acute toxicity estimate: 1.100 mg/kg

Method: Expert judgment

Remarks: Based on national or regional regulation.

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Remarks: No mortality observed at this dose. No significant adverse effects were reported

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Remarks: No significant adverse effects were reported

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Acute oral toxicity : LD50 (Rat): 1.892 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5,95 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 5.000 mg/kg

Acetone:



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Acute oral toxicity : LD50 (Rat): 5.800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 76 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): 7.426 mg/kg

Moxidectin:

Acute oral toxicity : LD50 (Rat): 106 mg/kg

LD50 (Mouse): 42 - 84 mg/kg

Acute inhalation toxicity : LC50 (Rat): 3,28 mg/l

Exposure time: 5 h

Test atmosphere: dust/mist

LC50 (Rat): 2,87 - 4,06 mg/l Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Remarks: No significant adverse effects were reported

Acute toxicity (other routes of:

administration)

LD50 (Rat): 394 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 84 mg/kg

Application Route: Intraperitoneal

LD50 (Rat): > 640 mg/kg

Application Route: Subcutaneous

LD50 (Mouse): 263 mg/kg

Application Route: Subcutaneous

2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

N,N-Dimethylacetamide:

Species : Rabbit

Result : No skin irritation



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Fluralaner:

Species : Rabbit

Result : No skin irritation

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Remarks : Based on data from similar materials

Result : No skin irritation

N,N-Diethyl-m-toluamide:

Species : Rabbit

Result : No skin irritation

Acetone:

Assessment : Repeated exposure may cause skin dryness or cracking.

Moxidectin:

Species : Rabbit

Result : Mild skin irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

N,N-Dimethylacetamide:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Fluralaner:

Species : Rabbit

Result : Mild eye irritation

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Species : Tissue Culture

Method : OECD Test Guideline 492

Remarks : Based on data from similar materials

Species : Bovine cornea

Method : OECD Test Guideline 437

Remarks : Based on data from similar materials



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Result : Irritation to eyes, reversing within 21 days

N,N-Diethyl-m-toluamide:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days Remarks : Based on national or regional regulation.

Acetone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Moxidectin:

Species : Rabbit

Result : Moderate eye irritation

2,6-Di-tert-butyl-p-cresol:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Components:** 

N,N-Dimethylacetamide:

Routes of exposure : Skin contact Species : Guinea pig Result : negative

Fluralaner:

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Test Type : KeratinoSens assay

Method : OECD Test Guideline 442D

Result : negative

Remarks : Based on data from similar materials

Test Type : Direct Peptide Reactivity Assay (DPRA)



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Method : OECD Test Guideline 442C

Result : positive

Remarks : Based on data from similar materials

Test Type : Dendritic cell activation test Method : OECD Test Guideline 442E

Result : negative

Remarks : Based on data from similar materials

Acetone:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Moxidectin:

Test Type : Buehler Test
Routes of exposure : Dermal
Species : Guinea pig

Result : Not a skin sensitizer.

2,6-Di-tert-butyl-p-cresol:

Test Type : Human repeat insult patch test (HRIPT)

Routes of exposure : Skin contact Species : Humans Result : negative

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

N,N-Dimethylacetamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Rat

Application Route: Inhalation Method: OECD Test Guideline 478

Result: negative

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Mouse Lymphoma

Result: negative

Test Type: Chromosomal aberration

Result: negative



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Cell type: Bone marrow Application Route: Oral

Result: negative

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Acetone:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

**Application Route: Ingestion** 

Result: negative

Moxidectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Test Type: in vitro test Test system: Escherichia coli

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Species: Rat

Cell type: Bone marrow Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Cell type: Liver cells Result: negative

2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

N,N-Dimethylacetamide:

Species : Rat

Application Route : inhalation (vapor)
Exposure time : 18 month(s)
Result : negative

Fluralaner:

Carcinogenicity - Assess- :

ment

: No data available

N,N-Diethyl-m-toluamide:

Species : Rat
Application Route : Ingestion
Exposure time : 104 weeks
Result : negative

Acetone:

Species: MouseApplication Route: Skin contactExposure time: 424 daysResult: negative

Moxidectin:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years

NOAEL : 4,5 mg/kg body weight



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 4,5 mg/kg body weight

Result : negative

Species : Dog
Application Route : Oral
Exposure time : 1 Years

NOAEL : 0,5 mg/kg body weight

Result : negative

2,6-Di-tert-butyl-p-cresol:

Species : Rat
Application Route : Ingestion
Exposure time : 22 Months
Result : negative

Reproductive toxicity

May damage the unborn child.

**Components:** 

N,N-Dimethylacetamide:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Inhalation

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Inhalation

Result: positive

Reproductive toxicity - As-

sessment

: Clear evidence of adverse effects on development, based on

animal experiments.

Fluralaner:

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity Parent: NOAEL: 50 mg/kg body weight General Toxicity F1: LOAEL: 100 mg/kg body weight

Result: No effects on fertility., Postimplantation loss., Adverse

neonatal effects.

Test Type: One-generation reproduction toxicity study

Species: Dog

Application Route: Oral

Fertility: NOAEL: 75 mg/kg body weight

Result: No effects on fertility and early embryonic develop-



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

ment were detected.

Remarks: No significant adverse effects were reported

Effects on fetal development : Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No

teratogenic effects.

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Skeletal malformations., Visceral malformations.

Remarks: Maternal toxicity observed.

Test Type: Development

Species: Rabbit

Application Route: Dermal

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: Skeletal malformations.

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

N,N-Diethyl-m-toluamide:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Acetone:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: inhalation (vapor)

Result: negative

Moxidectin:

Effects on fertility: Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 0,8 mg/kg body weight Symptoms: Reduced fetal weight., Fetal mortality.

Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

Test Type: Three-generation reproduction toxicity study



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

Species: Rat

Application Route: Oral

General Toxicity F1: LOAEL: 0,8 mg/kg body weight Symptoms: Reduced fetal weight., Fetal mortality.

Result: No effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 10 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 10 mg/kg body weight

Result: Skeletal malformations.

Remarks: The effects were seen only at maternally toxic dos-

es.

Test Type: Embryo-fetal development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: LOAEL: 5 mg/kg body weight Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: No teratogenic effects., No embryotoxic effects.

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

#### STOT-single exposure

Not classified based on available information.

### **Components:**

#### Acetone:

Assessment : May cause drowsiness or dizziness.

#### STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.

#### **Components:**

#### Moxidectin:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentra-

tions of 100 mg/kg bw or less.

Repeated dose toxicity

**Components:** 

N,N-Dimethylacetamide:

Species: RatNOAEL: 90 mg/m³LOAEL: 360 mg/m³Application Route: inhalation (vapor)

Exposure time : 24 Months

Fluralaner:

Species : Dog
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 52 Weeks
Target Organs : Liver

Remarks : No significant adverse effects were reported

Species : Juvenile dog LOAEL : 56 - 280 mg/kg

Application Route : Oral
Exposure time : 24 Weeks
Symptoms : Diarrhea

Species : Rat
LOAEL : 400 mg/kg
Application Route : Oral
Exposure time : 90 Days

Target Organs : Liver, thymus gland

Species : Rat

NOAEL : 500 mg/kg

Application Route : Dermal

Exposure time : 90 Days

Target Organs : Liver

Remarks : No significant adverse effects were reported

Acetone:

Species : Rat

NOAEL : 900 mg/kg

LOAEL : 1.700 mg/kg

Application Route : Ingestion

Exposure time : 90 Days

Species : Rat NOAEL : 45 mg/l



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 28.09.2024 656874-00025 Date of first issue: 02.05.2016 10.0

Application Route Exposure time inhalation (vapor)

8 Weeks

#### Moxidectin:

Species Mouse NOAEL 3,9 mg/kg LOAEL 15,4 mg/kg Application Route Oral Exposure time 4 Weeks Symptoms Tremors

Species Rat NOAEL 3,9 mg/kg LOAEL 7,9 mg/kg Application Route Oral : 13 Weeks Exposure time

Target Organs : Central nervous system Symptoms Tremors, Salivation

Species : Dog NOAEL : 0,3 mg/kg LOAEL 0,9 mg/kg Application Route Oral Exposure time 90 Days

Target Organs Central nervous system

Symptoms Tremors, Lachrymation, Salivation

Dog Species Application Route
Exposure time 1,15 mg/kg Oral 52 Weeks

Target Organs Central nervous system **Symptoms** : Tremors, Lachrymation

#### 2,6-Di-tert-butyl-p-cresol:

**Species** Rat NOAEL 25 mg/kg Application Route Ingestion Exposure time 22 Months

#### **Aspiration toxicity**

May be harmful if swallowed and enters airways.

#### **Components:**

#### Fluralaner:

Not applicable

#### Acetone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

#### **Experience with human exposure**

#### **Components:**

Fluralaner:

Skin contact : Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

Moxidectin:

Inhalation : Remarks: No human information is available.
Skin contact : Remarks: No human information is available.
Eye contact : Remarks: No human information is available.
Ingestion : Remarks: No human information is available.

#### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Components:**

#### N,N-Dimethylacetamide:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h

Toxicity to microorganisms : EC10: > 1.995 mg/l

Exposure time: 30 min

#### Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,0488 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 0,015 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)): >=

0,08 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic tox- : NOEC (Zebrafish): >= 0,049 mg/l



## Fluralaner / Moxidectin Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 656874-00025 Date of first issue: 02.05.2016 10.0

Exposure time: 21 d icity)

Method: OECD Test Guideline 204

Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,0736 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic : 1.000

toxicity)

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 75 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 7,6 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 3,7 mg/l

Exposure time: 21 d

Acetone:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 5.540 mg/l

Exposure time: 96 h

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia pulex (Water flea)): 8.800 mg/l

Exposure time: 48 h



## Fluralaner / Moxidectin Liquid Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.07.2024 28.09.2024 656874-00025 Date of first issue: 02.05.2016 10.0

Toxicity to algae/aguatic NOEC (Pseudokirchneriella subcapitata (green algae)): 7.000

plants

Exposure time: 96 h

Toxicity to daphnia and other :

ic toxicity)

aquatic invertebrates (Chron-

NOEC (Daphnia magna (Water flea)): >= 79 mg/l Exposure time: 21 d

Method: OECD Test Guideline 211

Toxicity to microorganisms EC50: 61.150 mg/l

Exposure time: 30 min Method: ISO 8192

Moxidectin:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0006 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Oncorhynchus mykiss (rainbow trout)): 0,0002 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,00003 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 0,087

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

10.000

M-Factor (Chronic aquatic

toxicity)

10.000

2,6-Di-tert-butyl-p-cresol:

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 0,57 mg/l

Exposure time: 96 h

Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,48 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC (Oryzias latipes (Japanese medaka)): 0,053 mg/l

Exposure time: 30 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0,316 mg/l

Exposure time: 21 d

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

EC50: > 10.000 mg/l Exposure time: 3 h

Method: OECD Test Guideline 209

### Persistence and degradability

#### **Components:**

### N,N-Dimethylacetamide:

Biodegradability : Result: Not readily biodegradable.

: 1

Biodegradation: 70 % Exposure time: 28 d

Remarks: The 10 day time window criterion is not fulfilled.

#### Poly(oxy-1,2-ethanediyl), $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301F

Remarks: Based on data from similar materials

N,N-Diethyl-m-toluamide:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 83,8 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Acetone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 91 % Exposure time: 28 d

2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4,5 % Exposure time: 28 d

Method: OECD Test Guideline 301C

#### Bioaccumulative potential

### Components:

#### Fluralaner:



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

Bioaccumulation : Species: Zebrafish

Bioconcentration factor (BCF): 79,4 Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 4,5

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[(tetrahydro-2-furanyl)methyl]- $\omega$ -hydroxy-:

Partition coefficient: n- : log Pow: < 4

octanol/water Remarks: Calculation

N,N-Diethyl-m-toluamide:

Partition coefficient: n-

octanol/water

log Pow: 2,02

Acetone:

Partition coefficient: n-

log Pow: -0,27 - -0,23

octanol/water

Moxidectin:

Partition coefficient: n-

2,6-Di-tert-butyl-p-cresol:

: log Pow: 4,7

octanol/water

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 330 - 1.800

Partition coefficient: n-

octanol/water

: log Pow: 5,1

Mobility in soil

Components:

Fluralaner:

Distribution among environ-

log Koc: 4,1

mental compartments

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB

: Substance is not persistent, bioaccumulative, and toxic (PBT).

assessment

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

sources of ignition. They may explode and cause injury and/or

death.

If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**UNRTDG** 

UN number : UN 1090

Proper shipping name : ACETONE SOLUTION

Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1090

Proper shipping name : Acetone solution

Class : 3 Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo : 364

aircraft)

Packing instruction (passen- : 353

ger aircraft)

**IMDG-Code** 

UN number : UN 1090

Proper shipping name : ACETONE SOLUTION

(Fluralaner, Moxidectin)

Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

**ANTT** 

UN number : UN 1090

Proper shipping name : ACETONE, SOLUTION

Class : 3
Packing group : II
Labels : 3
Hazard Identification Number : 33

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



## Fluralaner / Moxidectin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024 10.0 28.09.2024 656874-00025 Date of first issue: 02.05.2016

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - : Not applicable

(LINACH)

Brazil. List of chemicals controlled by the Federal : Not applicable

Police

#### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

**Further information** 

Sources of key data used to compile the Material Safety

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Data Sheet cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

BR BEI : Brazil. NR7. Parameters for Biological Control of Occupational

Exposure to Some Chemical Agents

BR OEL : Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit : Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-



## Fluralaner / Moxidectin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.07.2024

 10.0
 28.09.2024
 656874-00025
 Date of first issue: 02.05.2016

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8