

Version 3.8	Revision Date: 30.09.2023		9S Number: 7918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016			
SECTION	1. IDENTIFICATION						
Product name		:	: Furosemide Injection Formulation				
Manu	facturer or supplier's	s deta	ils				
Comp	bany	:	: MSD				
Address		:	Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP				
Telephone		:	908-740-4000				
Emergency telephone		:	1-908-423-6000				
E-mail address		:	EHSDATASTEV	VARD@msd.com			
Reco	mmended use of the	chem	nical and restricti	ons on use			
Recommended use Recommended use Restrictions on use		:	Veterinary produ Not applicable	uct			

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Specific target organ toxicity - repeated exposure	:	Category 2 (Kidney, Liver)
GHS label elements Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H373 May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.
Precautionary Statements	:	<b>Prevention:</b> P260 Do not breathe mist or vapors.
		<b>Response:</b> P314 Get medical advice/ attention if you feel unwell.
		<b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.





Version 3.8	n Revision Date: 30.09.2023		DS Number: 7918-00015		sue: 04.04.2023 sue: 03.05.2016			
	Other hazards which do not result in classification None known.							
SECTIO	ON 3. COMPOSITION/INF	ORN	ATION ON IN	GREDIENTS				
Su	Ibstance / Mixture	:	Mixture					
Co	omponents							
Ch	nemical name			CAS-No.	Concentration (% w/w)			
Fu	Irosemide			54-31-9	>= 5 -< 10			
SECTIO	ON 4. FIRST AID MEASUF	RES						
Ge	eneral advice	:	advice immed	iately.	eel unwell, seek medical cases of doubt seek medical			
lf i	nhaled	:		nove to fresh air.	S OCCUI			
In	case of skin contact	:	<ul> <li>Get medical attention if symptoms occur.</li> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> <li>Get medical attention if symptoms occur.</li> </ul>					
In	case of eye contact	:	Flush eyes wi	th water as a preca	ution.			
lf s	swallowed	<ul> <li>Get medical attention if irritation develops and persists.</li> <li>If swallowed, DO NOT induce vomiting.</li> <li>Get medical attention if symptoms occur.</li> <li>Rinse mouth thoroughly with water.</li> </ul>						
an	ost important symptoms d effects, both acute and layed	:	May cause damage to organs through prolonged or repeated exposure.					
	otection of first-aiders	:	and use the re	ecommended perso	attention to self-protection, nal protective equipment xists (see section 8).			
Nc	otes to physician	:	when the potential for exposure exists (see section 8). Treat symptomatically and supportively.					

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media Unsuitable extinguishing media	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical None known.
Specific hazards during fire fighting	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	Nitrogen oxides (NOx) Carbon oxides Sulfur oxides Chlorine compounds
Specific extinguishing meth- ods	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers.



Version 3.8	Revision Date: 30.09.2023		98 Number: 7918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
Special protective equipment for fire-fighters		:	so. Evacuate area. In the event of fire	ged containers from fire area if it is safe to c e, wear self-contained breathing apparatus. rective equipment.
SECTION	6. ACCIDENTAL RELE	ASI	E MEASURES	
tive e	onal precautions, protec- quipment and emer- / procedures	:	Follow safe handl	ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).
Enviro	Environmental precautions		Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g., by containment or se of contaminated wash water. should be advised if significant spillages
	ods and materials for inment and cleaning up	:	For large spills, pr containment to ke can be pumped, s container. Clean up remainir absorbent. Local or national r disposal of this ma employed in the c determine which r Sections 13 and 1	t absorbent material. rovide diking or other appropriate eep material from spreading. If diked materia store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

#### SECTION 7. HANDLING AND STORAGE

Technical measures Local/Total ventilation Advice on safe handling	<ul> <li>See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.</li> <li>Use only with adequate ventilation.</li> <li>Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety</li> </ul>
Conditions for safe storage Materials to avoid	<ul> <li>practice, based on the results of the workplace exposure assessment</li> <li>Do not eat, drink or smoke when using this product.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> <li>Keep in properly labeled containers.</li> <li>Store in accordance with the particular national regulations.</li> <li>Do not store with the following product types:</li> <li>Strong oxidizing agents</li> </ul>



Version	Revision Date: 30.09.2023	SDS Number:	Date of last issue: 04.04.2023
3.8		657918-00015	Date of first issue: 03.05.2016
		Self-reactive su	ubstances and mixtures

Self-reactive substances and mixtures Organic peroxides Explosives Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters Components CAS-No. Value type Control parame-Basis (Form of ters / Permissible concentration exposure) Furosemide 54-31-9 200 µg/m<sup>3</sup> Internal TWA OEB 2 (>=100 -TWA Internal 1000 ug/m3)

#### **Engineering measures** Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment. Personal protective equipment If adequate local exhaust ventilation is not available or Respiratory protection : exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter type Particulates type Hand protection Material Chemical-resistant gloves Eye protection Wear safety glasses with side shields or goggles. • If the work environment or activity involves dusty conditions. mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Skin and body protection Work uniform or laboratory coat. If exposure to chemical is likely during typical use, provide Hygiene measures eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

: Aqueous solution

## SAFETY DATA SHEET



# **Furosemide Injection Formulation**

Versi 3.8	on	Revision Date: 30.09.2023		S Number: 918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
(	Color		:	yellow	
(	Odor		:	No data available	
(	Odor Tł	nreshold	:	No data available	
F	pН		:	No data available	
I	Melting	point/freezing point	:	No data available	
	Initial be range	oiling point and boiling	:	No data available	
I	Flash p	oint	:	No data available	
I	Evapora	ation rate	:	No data available	
I	Flamma	ability (solid, gas)	:	Not applicable	
I	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
١	Vapor p	pressure	:	No data available	
I	Relative	e vapor density	:	No data available	
I	Relative	e density	:	No data available	
I	Density		:	No data available	
Ş	Solubili Wate	ty(ies) er solubility	:	No data available	
	Partition octanol	n coefficient: n-	:	No data available	
		ition temperature	:	No data available	
I	Decom	position temperature	:	No data available	
Ň	Viscosit Visc	ty osity, kinematic	:	No data available	
I	Explosi	ve properties	:	Not explosive	
(	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.
I	Particle	size	:	Not applicable	

\_



## **Furosemide Injection Formulation**

 Revision Date: 30.09.2023	SDS Number: 657918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016	

#### TION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : exposure	:	Inhalation Skin contact Ingestion Eye contact
Acute toxicity		
Not classified based on available	e i	nformation.
Product:		
Acute oral toxicity :		Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Components:		
Furosemide:		
Acute oral toxicity :		LD50 (Rat): 2.600 mg/kg
		LD50 (Dog): 2.000 mg/kg
		LD50 (Rabbit): 800 mg/kg
Acute toxicity (other routes of : administration)	:	LD0 (Humans): 6 - 29 mg/kg Application Route: Intravenous
		LD50 (Rat): 800 mg/kg Application Route: Intravenous
Skin corrosion/irritation		

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.



Version 3.8	Revision Date: 30.09.2023		DS Number: 7918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
Not cl	a <b>cell mutagenicity</b> lassified based on avail	able	information.	
Comp	oonents:			
	semide: toxicity in vitro	:	Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
				o mammalian cell gene mutation test use lymphoma cells
			thesis in mamma	damage and repair, unscheduled DNA syn- lian cells (in vitro) nmalian liver cells
				nosome aberration test in vitro nese hamster ovary cells
			malian cells	o sister chromatid exchange assay in mam- nese hamster cells
Geno	toxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Application Route Result: negative	
	nogenicity lassified based on avail	able	information.	
Com	oonents:			
Furos	semide:			
Speci Applic	es cation Route sure time EL	:	Rat Ingestion 104 weeks 16 mg/kg body w equivocal	eight
	cation Route sure time	:	Mouse Ingestion 2 Years 91 mg/kg body w	eight



Version 3.8	Revision Date: 30.09.2023		OS Number: 7918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
Resu	lt	:	positive	
-	oductive toxicity lassified based on availa	ble	information.	
Com	ponents:			
Furo	semide:			
Effec	ts on fertility	:	Species: Rat Application Rout General Toxicity	generation reproduction toxicity study e: Ingestion Parent: NOAEL: 90 mg/kg body weight ts on reproduction parameters.
			Species: Mouse Application Rout General Toxicity	generation reproduction toxicity study e: Ingestion Parent: NOAEL: 200 mg/kg body weight ts on reproduction parameters.
Effec	ts on fetal development	:	Species: Rat Application Rout General Toxicity Developmental	ity/early embryonic development e: Ingestion Maternal: LOAEL: 50 mg/kg body weight Foxicity: NOAEL: 300 mg/kg body weight yotoxic effects., No teratogenic effects.
			Species: Mouse Application Rout General Toxicity	ity/early embryonic development e: Ingestion Maternal: LOAEL: 25 mg/kg body weight toxicity observed., Fetal effects.
			Species: Rabbit Application Rout General Toxicity Developmental	
			Species: Rabbit Application Rout General Toxicity	ity/early embryonic development e: Ingestion Maternal: LOAEL: 15 mg/kg body weight toxicity observed., No effects on fetal

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

May cause damage to organs (Kidney, Liver) through prolonged or repeated exposure.



Version 3.8	Revision Date: 30.09.2023	SDS Number: 657918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016		
Comp	oonents:				
Furos	semide:				
	es of exposure	: Ingestion			
	et Organs	: Kidney			
Asses	ssment		Shown to produce significant health effects in animals at con- centrations of 10 mg/kg bw or less.		
Repea	ated dose toxicity				
<u>Comp</u>	oonents:				
Furos	semide:				
Specie		: Dog			
NOAE		: 4 mg/kg			
LOAE		: 8 mg/kg			
	cation Route	: Ingestion : 12 Months			
	sure time et Organs	: Kidney			
Symp		: Blood disorder	3		
	Remarks : Significant toxicity observed in testing				
<b>Furos</b> Inhala Skin c	contact ontact	<ul> <li>Remarks: May</li> <li>Remarks: May</li> <li>Symptoms: Kic ance, dry mout</li> </ul>	be harmful if inhaled. irritate skin. cause eye irritation. Iney disorders, Headache, electrolyte imbal- h, hearing loss, Irregular cardiac activity, Gas- turbance, hypotension		
SECTION	12. ECOLOGICAL INF	ORMATION			
Ecoto	oxicity				
<u>Comp</u>	oonents:				
Furos	semide:				
Toxici	ity to fish	: LC50 : 500 mg Exposure time			
	stence and degradabil	ity			
	ata available				
Bioac	ita available ccumulative potential				



Version 3.8	Revision Date: 30.09.2023	SDS Number: 657918-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016	
	ion coefficient: n- ol/water	: log Pow: 2,03		
	lity in soil			
	ata available			
•	r adverse effects			
No da	ata available			
SECTION	13. DISPOSAL CON	ISIDERATIONS		<u> </u>
Dispo	osal methods			

Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste
		handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable	
Control of precursors and essential chemicals for the preparation of drugs.	:	Not applicable	

#### The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined



Version	Revision Date:	SDS Number:
3.8	30.09.2023	657918-00015

Date of last issue: 04.04.2023 Date of first issue: 03.05.2016

#### **SECTION 16. OTHER INFORMATION**

Revision Date	:	30.09.2023
Date format	:	dd.mm.yyyy

#### Further information

Sources of key data used to : compile the Material Safety Data Sheet Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.8	30.09.2023	657918-00015	Date of first issue: 03.05.2016

AR / Z8