

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version 3.1 Revision Date: 2023/09/30 SDS Number: 645619-00015 Date of last issue: 2023/04/04
Date of first issue: 2016/05/03

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Furosemide Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder
Colour : yellow
Odour : No data available

Causes damage to organs through prolonged or repeated exposure.

GHS Classification

Specific target organ toxicity - repeated exposure : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version 3.1 Revision Date: 2023/09/30 SDS Number: 645619-00015 Date of last issue: 2023/04/04
Date of first issue: 2016/05/03

P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:

P314 Get medical advice/ attention if you feel unwell.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Not classified based on available information.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 50 -< 70
Furosemide	54-31-9	>= 10 -< 20
Cellulose	9004-34-6	>= 1 -< 10

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Most important symptoms and effects, both acute and delayed	:	Rinse mouth thoroughly with water. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	:	Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Nitrogen oxides (NO _x) Carbon oxides Sulphur oxides Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents

Storage

- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version 3.1 Revision Date: 2023/09/30 SDS Number: 645619-00015 Date of last issue: 2023/04/04
Date of first issue: 2016/05/03

		(Form of exposure)	ters / Permissible concentration	
Starch	9005-25-8	TWA	10 mg/m ³	ACGIH
Furosemide	54-31-9	TWA	200 µg/m ³	Internal
		TWA	OEB 2 (>=100 - 1000 µg/m ³)	Internal
Cellulose	9004-34-6	PC-TWA	10 mg/m ³	CN OEL
		TWA	10 mg/m ³	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hand protection :
Material : Chemical-resistant gloves

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : yellow

Odour : No data available

Odour Threshold : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

Starch:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

Furosemide:

Acute oral toxicity	:	LD50 (Rat): 2,600 mg/kg LD50 (Dog): 2,000 mg/kg LD50 (Rabbit): 800 mg/kg
Acute toxicity (other routes of administration)	:	LD0 (Humans): 6 - 29 mg/kg Application Route: Intravenous LD50 (Rat): 800 mg/kg Application Route: Intravenous

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Cellulose:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Starch:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Starch:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Furosemide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: mammalian liver cells
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: positive

Test Type: In vitro sister chromatid exchange assay in mammalian cells
Test system: Chinese hamster cells
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Chinese hamster
Application Route: Ingestion
Result: negative

Cellulose:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Furosemide:

Species : Rat

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Application Route : Ingestion
Exposure time : 104 weeks
LOAEL : 16 mg/kg body weight
Result : equivocal

Species : Mouse
Application Route : Ingestion
Exposure time : 2 Years
LOAEL : 91 mg/kg body weight
Result : positive

Cellulose:

Species : Rat
Application Route : Ingestion
Exposure time : 72 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Furosemide:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 90 mg/kg body weight
Result: No effects on reproduction parameters

Test Type: One-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 200 mg/kg body weight
Result: No effects on reproduction parameters

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: LOAEL: 50 mg/kg body weight
Developmental Toxicity: NOAEL: 300 mg/kg body weight
Result: No embryotoxic effects, No teratogenic effects

Test Type: Fertility/early embryonic development
Species: Mouse
Application Route: Ingestion
General Toxicity Maternal: LOAEL: 25 mg/kg body weight
Result: Maternal toxicity observed., Fetal effects

Test Type: Fertility/early embryonic development
Species: Rabbit

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Application Route: Ingestion
General Toxicity Maternal: LOAEL: \leq 12 mg/kg body weight
Developmental Toxicity: LOAEL: 12.5 mg/kg body weight
Result: Maternal toxicity observed., Reduced number of viable fetuses

Test Type: Fertility/early embryonic development
Species: Rabbit
Application Route: Ingestion
General Toxicity Maternal: LOAEL: 15 mg/kg body weight
Result: Maternal toxicity observed., No effects on foetal development

Cellulose:

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Furosemide:

Exposure routes : Ingestion
Target Organs : Kidney
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

Repeated dose toxicity

Components:

Starch:

Species : Rat
NOAEL : \geq 2,000 mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Furosemide:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Species : Dog
NOAEL : 4 mg/kg
LOAEL : 8 mg/kg
Application Route : Ingestion
Exposure time : 12 Months
Target Organs : Kidney
Symptoms : Blood disorders
Remarks : Significant toxicity observed in testing

Cellulose:

Species : Rat
NOAEL : $\geq 9,000$ mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Furosemide:

Inhalation : Remarks: May be harmful if inhaled.
Skin contact : Remarks: May irritate skin.
Eye contact : Remarks: May cause eye irritation.
Ingestion : Symptoms: Kidney disorders, Headache, electrolyte imbalance, dry mouth, hearing loss, Irregular cardiac activity, Gastrointestinal disturbance, hypotension

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Furosemide:

Toxicity to fish : LC50 : 500 mg/l
Exposure time: 96 h

Cellulose:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Persistence and degradability

Components:

Cellulose:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Furosemide:

Partition coefficient: n-octanol/water : log Pow: 2.03

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2023/09/30

Further information

Sources of key data used to compile the Safety Data : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

Sheet cy, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average
CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
3.1	2023/09/30	645619-00015	Date of first issue: 2016/05/03

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN