



Version 4.1	Revision Date: 30.09.2023	SDS Number: 645634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
SECTION	1: Identification of	the substance	/mixture and of the company/undertaking
1.1 Produ	ct identifier		
Trade	e name	: Furosemid	e Solid Formulation
1.2 Releva	ant identified uses of t	he substance c	r mixture and uses advised against
	of the Sub- e/Mixture	: Veterinary	product
Reco on us	mmended restrictions e	: Not applica	able
1.3 Detail	s of the supplier of the	e safety data sh	eet
Comp	bany	: MSD 20 Spartar 1619 Spa	Road tan, South Africa
Telep	hone	: +27119239	9300
	il address of person nsible for the SDS	: EHSDATA	STEWARD@msd.com
-	<b>gency telephone numb</b> 08-423-6000	per	
	V 2: Hazards identifient find the substant		
Spec	sification (REGULATIC ific target organ toxicity sure, Category 1	. ,	2 <b>/2008)</b> H372: Causes damage to organs through pro- longed or repeated exposure.
2.2 Label	elements		
	<b>lling (REGULATION (E</b> rd pictograms	C) No 1272/200	8)
Signa	al word	: Danger	
Haza	rd statements	: H372 Cau peated expe	uses damage to organs through prolonged or re-
Preca	autionary statements	· Prevention	:

P260 Do not breathe dust.



Version 4.1	Revision Date: 30.09.2023	SDS Number: 645634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
			skin thoroughly after handling. eat, drink or smoke when using this product.
		Response:	
		P314 Get me	edical advice/ attention if you feel unwell.

Hazardous components which must be listed on the label:

Furosemide

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Furosemide	54-31-9 200-203-6	STOT RE 1; H372 (Kidney, Liver)	>= 10 - < 20

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur.
In case of eye contact	:	If in eyes, rinse well with water.



Version 4.1	Revision Date: 30.09.2023		S Number: 5634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016	
			Get medical at	tention if irritation develops and persists.	
lf sv	vallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
4.2 Most	t important symptoms ar	nd e	ffects, both ac	ute and delayed	
Risk	(S	:	Causes damage exposure.	e to organs through prolonged or repeated	
			Contact with du the skin.	ust can cause mechanical irritation or drying of	
			Dust contact w	ith the eyes can lead to mechanical irritation.	
	•	mec		and special treatment needed	
Trea	atment	:	Treat symptom	atically and supportively.	
SECTIC	N 5: Firefighting meas	sure	es		
5.1 Extir	nguishing media				
	able extinguishing media	:	Water spray Alcohol-resista Carbon dioxide Dry chemical		
Uns mec	uitable extinguishing Jia	:	None known.		
5.2 Spec	ial hazards arising from	the	substance or	mixture	
Spe fight	5	:	concentrations potential dust e	ng dust; fine dust dispersed in air in sufficient , and in the presence of an ignition source is a explosion hazard. Imbustion products may be a hazard to health.	
Haz ucts	ardous combustion prod-	:	Nitrogen oxide Carbon oxides Sulphur oxides Chlorine comp		
5.3 Advi	ce for firefighters				
Spe	cial protective equipment irefighters	:		fire, wear self-contained breathing apparatus. protective equipment.	
Spe ods	cific extinguishing meth-	:	cumstances ar Use water spra	ing measures that are appropriate to local cir- id the surrounding environment. iy to cool unopened containers. naged containers from fire area if it is safe to d	

## SAFETY DATA SHEET



# **Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	645634-00015	Date of first issue: 03.05.2016

#### **SECTION 6:** Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).			
6.2 Environmental precautions				
Environmental precautions	<ul> <li>Avoid release to the environment.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Retain and dispose of contaminated wash water.</li> <li>Local authorities should be advised if significant spillages cannot be contained.</li> </ul>			
6.3 Methods and material for containment and cleaning up				

Methods for cleaning up	<ul> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> <li>Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).</li> <li>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.</li> <li>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.</li> <li>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Technical measures	<ul> <li>Static electricity may accumulate and ignite suspended causing an explosion.</li> <li>Provide adequate precautions, such as electrical grour and bonding, or inert atmospheres.</li> </ul>	
Local/Total ventilation Advice on safe handling	<ul> <li>Use only with adequate ventilation.</li> <li>Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and practice, based on the results of the workplace exposu sessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.</li> </ul>	



Version 4.1	Revision Date: 30.09.2023		S Number: 634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016		
4.1 30.09.2023 Hygiene measures		:	<ul> <li>Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</li> <li>If exposure to chemical is likely during typical use, provide environment.</li> <li>If exposure to chemical is likely during typical use, provide environment.</li> <li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li> </ul>			
7.2 Condit	ions for safe storage,	inclu	iding any incom	patibilities		
	rements for storage and containers		Keep in properly the particular nati	labelled containers. Store in accordance with onal regulations.		
Advice on common storage			Strong oxidizing a	stances and mixtures		
7.3 Specifi	c end use(s)					

# Specific use(s)

: No data available

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Starch	9005-25-8	OEL-RL	10 mg/m3	ZA OEL	
		Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
Furosemide	54-31-9	TWA	200 µg/m3	Internal	
		TWA	OEB 2 (>=100 - 1000 ug/m3)	Internal	
Cellulose	9004-34-6	OEL-RL	10 mg/m3	ZA OEL	
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents				

#### 8.2 Exposure controls

#### Engineering measures

Use feasible engineering controls to minimize exposure to compound. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.



Version 4.1	Revision Date: 30.09.2023		lumber: 4-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016	
Pers	sonal protective equip	ment			
Eye/face protection		lf t mi We po	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.		
	Hand protection Material		Chemical-resistant gloves		
Skin and body protection Respiratory protection		: If a sur	Work uniform or laboratory coat. If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection.		
Filter type : Particulates type (P)					

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance Colour Odour Odour Threshold	:	powder yellow No data available No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling	:	No data available
range Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, han- dling or other means.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility Partition coefficient: n-	:	No data available No data available

## SAFETY DATA SHEET



# **Furosemide Solid Formulation**

Versi 4.1	ion Revision Date: 30.09.2023	SDS Number:Date of last issue: 04.04.202645634-00015Date of first issue: 03.05.202	
	octanol/water Auto-ignition temperature	: No data available	
I	Decomposition temperature	: No data available	
,	Viscosity Viscosity, kinematic	: No data available	
l	Explosive properties	: Not explosive	
(	Oxidizing properties	: The substance or mixture is not classified as o	xidizing.
	Other information Flammability (liquids)	: No data available	
I	Molecular weight	: Not applicable	
I	Particle size	: No data available	

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

#### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	<ul> <li>May form explosive dust-air mixture during processing, han- dling or other means.</li> <li>Can react with strong oxidizing agents.</li> </ul>
10.4 Conditions to avoid	
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
10.5 Incompatible materials	
Materials to avoid	: Oxidizing agents
10.6 Hazardous decomposition	products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact



ersion .1	Revision Date: 30.09.2023	-	9S Number: 5634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
Not c	e toxicity lassified based on availa ponents:	able	information.	
Furo	semide:			
Acute	e oral toxicity	:	LD50 (Rat): 2.60	0 mg/kg
			LD50 (Dog): 2.00	00 mg/kg
			LD50 (Rabbit): 8	00 mg/kg
	e toxicity (other routes of nistration)	:	LD0 (Humans): 6 Application Route	
			LD50 (Rat): 800 Application Route	
Not c Seric	corrosion/irritation lassified based on availa ous eye damage/eye irri lassified based on availa	itati	on	
	piratory or skin sensitis	-		
Skin	sensitisation lassified based on availa			
-	<b>iratory sensitisation</b> lassified based on availa	able	information.	
Gern	n cell mutagenicity			
	lassified based on availa	able	information.	
	ponents:			
	semide: otoxicity in vitro	:	Test Type: Bacte Result: negative	erial reverse mutation assay (AMES)
				o mammalian cell gene mutation test use lymphoma cells
			thesis in mamma	damage and repair, unscheduled DNA sy Ilian cells (in vitro) mmalian liver cells
				nosome aberration test in vitro nese hamster ovary cells
			Test Type: In vitr malian cells	o sister chromatid exchange assay in ma



ersion 1	Revision Date: 30.09.2023	SDS Number: 645634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
		Test system Result: neg	n: Chinese hamster cells ative
Genot	toxicity in vivo	cytogenetic Species: Mo	Duse Route: Ingestion
		cytogenetic Species: Ch	Mutagenicity (in vivo mammalian bone-marrow test, chromosomal analysis) ninese hamster Route: Ingestion ative
Carci	nogenicity		
	assified based on ava	ilable information.	
Comp	oonents:		
	semide:		
Speci Applic	es cation Route sure time L	: Rat : Ingestion : 104 weeks : 16 mg/kg bo : equivocal	ody weight
	cation Route sure time L	: Mouse : Ingestion : 2 Years : 91 mg/kg bo : positive	ody weight
•	oductive toxicity assified based on ava	ilable information.	
Comp	oonents:		
-	semide:		
	s on fertility	Species: Ra Application General To:	One-generation reproduction toxicity study at Route: Ingestion kicity - Parent: NOAEL: 90 mg/kg body weight effects on reproduction parameters
		Species: Mo Application General To:	One-generation reproduction toxicity study ouse Route: Ingestion xicity - Parent: NOAEL: 200 mg/kg body weight effects on reproduction parameters
Effect ment	s on foetal develop-	Species: Ra	Fertility/early embryonic development at Route: Ingestion



Version 4.1	Revision Date: 30.09.2023	SDS Number: 645634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
		Developmental	ty Maternal: LOAEL: 50 mg/kg body weight Toxicity: NOAEL: 300 mg/kg body weight pryotoxic effects, No teratogenic effects
		Species: Mous Application Ro General Toxicit	
		Species: Rabbi Application Ro General Toxicit Developmental	
		Species: Rabb Application Ro General Toxicit	
	<b>Γ - single exposure</b> lassified based on ava	ailable information.	
	F - repeated exposures damage to organs	<b>e</b> through prolonged or r	repeated exposure.

#### Components:

#### Furosemide:

Exposure routes	:	Ingestion
Target Organs	:	Kidney
Assessment	:	Shown to produce significant health effects in animals at con- centrations of 10 mg/kg bw or less.

### Repeated dose toxicity

#### Components:

## Furosemide:

Species	:	Dog
NOAEL	:	4 mg/kg
LOAEL	:	8 mg/kg
Application Route	:	Ingestion
Exposure time	:	12 Months
Target Organs	:	Kidney
Symptoms	:	Blood disorders
Remarks	:	Significant toxicity observed in testing



Version 4.1	Revision Date: 30.09.2023		DS Number: 5634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016
-	ration toxicity lassified based on avail	able	information.	
Expe	rience with human exp	oosi	ure	
Com	ponents:			
Inhala Skin (	contact contact	:	Remarks: May i Remarks: May o Symptoms: Kidn ance, dry mouth	be harmful if inhaled. irritate skin. cause eye irritation. ney disorders, Headache, electrolyte imbal- n, hearing loss, Irregular cardiac activity, Gas- curbance, hypotension
SECTION	N 12: Ecological info	rma	ition	
12.1 Toxic	city			
Com	ponents:			
	<b>semide:</b> ity to fish	:	LC50 : 500 mg/ Exposure time:	
	<b>istence and degradabi</b> ata available	lity		
12.3 Bioa	ccumulative potential			
Com	ponents:			
Partit	<b>semide:</b> ion coefficient: n- iol/water	:	log Pow: 2,03	
	i <b>lity in soil</b> ata available			
12.5 Resu	Ilts of PBT and vPvB a	sse	ssment	
Prod	uct:			
Asse	ssment	:	to be either pers	mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Othe	r adverse effects			
<b>Prod</b> Endo tial	uct: crine disrupting poten-	:	ered to have en REACH Article	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation ) or Commission Regulation (EU) 2018/605 at or higher.



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	645634-00015	Date of first issue: 03.05.2016

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	<ul> <li>Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.</li> </ul>
Contaminated packaging	<ul> <li>Empty containers should be taken to an approved waste han- dling site for recycling or disposal.</li> <li>If not otherwise specified: Dispose of as unused product.</li> </ul>

## **SECTION 14: Transport information**

### 14.1 UN number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name			
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)			
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	4 Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good



Version 4.1	Revision Date: 30.09.2023	SDS Number: 645634-00015	Date of last issue: 04.04.2023 Date of first issue: 03.05.2016		
ΙΑΤΑ	(Passenger)	: Not regulated a	as a dangerous good		
<b>14.5 Environmental hazards</b> Not regulated as a dangerous good					
14.6 Special precautions for user Not applicable					
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code					
Rema	arks	: Not applicable	for product as supplied.		
SECTION 15: Regulatory information					
15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture					

The components of this product are reported in the following inventories:			
AICS	:	not determined	
DSL	:	not determined	
IECSC	:	not determined	

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information			
Other information :	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.		
Full text of H-Statements			
H372 :	Causes damage to organs through prolonged or repeated exposure.		
Full text of other abbreviations			
STOT RE : ZA OEL :	Specific target organ toxicity - repeated exposure South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits		
ZA OEL / OEL-RL :	Occupational Exposure Limit Restricted limit - 8- hour expo- sure or equivalent (12 hour shifts)		
	version the International Corriges of Departure Coode by Inland		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good La-



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
4.1	30.09.2023	645634-00015	Date of first issue: 03.05.2016

boratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association: IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to :	Internal technical data, data from raw material SDSs, OECD
compile the Safety Data	eChem Portal search results and European Chemicals Agen-
Sheet	cy, http://echa.europa.eu/

#### Classification of the mixture:

STOT RE 1 H372

Calculation method

**Classification procedure:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN