

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Gentamicin / Betamethasone Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : liquid
Colour : No data available
Odour : No data available

May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.

GHS Classification

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H360D May damage the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyethylene glycol stearate	9004-99-3	5
Gentamicin	1403-66-3	0.49
betamethasone	378-44-9	0.1
Benzalkonium chloride	8001-54-5	0.01

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m ³	ACGIH
		TWA (Respirable particulate matter)	3 mg/m ³	ACGIH
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
	Further information: OTO			
betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Essentially no open handling permitted.
Use closed processing systems or containment technologies.
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

- Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : No data available
- Odour : No data available
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Polyethylene glycol stearate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg
LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous
LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular
LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l
Exposure time: 4 h

Benzalkonium chloride:

Acute oral toxicity : LD50 (Rat): 240 mg/kg
Acute inhalation toxicity : LC50 (Rat, male): > 0.05 - 0.5 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, female): 704 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Polyethylene glycol stearate:

Species : Rabbit
Method : Draize Test
Result : No skin irritation

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

betamethasone:

Species : Rabbit
Result : Mild skin irritation

Benzalkonium chloride:

Species : Human
Result : Corrosive after 4 hours or less of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Polyethylene glycol stearate:

Species : Rabbit
Result : No eye irritation
Method : Draize Test

Gentamicin:

Species : Rabbit
Result : Mild eye irritation

betamethasone:

Species : Rabbit
Result : No eye irritation

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Benzalkonium chloride:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Polyethylene glycol stearate:

Test Type : Open epicutaneous test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Gentamicin:

Remarks : No data available

betamethasone:

Exposure routes : Dermal
Species : Guinea pig
Result : Weak sensitizer

Benzalkonium chloride:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Species : Humans
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Polyethylene glycol stearate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

- Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Result: equivocal
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intravenous injection
Result: negative
- betamethasone:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
- Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro
Result: positive
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Oral
Result: equivocal
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.
- Benzalkonium chloride:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials
- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

Carcinogenicity

Not classified based on available information.

Components:

Gentamicin:

Carcinogenicity - Assessment : No data available

Benzalkonium chloride:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Species : Mouse
Application Route : Skin contact
Exposure time : 80 weeks
Result : negative

Species : Rabbit
Application Route : Skin contact
Exposure time : 90 weeks
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

betamethasone:

Effects on foetal development : Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight
Result: Fetotoxicity, Malformations were observed.

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
Result: Malformations were observed.

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Benzalkonium chloride:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Benzalkonium chloride:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney
Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks
Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

Application Route : Intramuscular
Exposure time : 52 Weeks
Target Organs : Kidney, Blood

Species : Rat
NOAEL : 12.5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

betamethasone:

Species : Rabbit
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 10 - 30 d
Target Organs : Pituitary gland, Immune system, muscle

Species : Rat
LOAEL : 0.05 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Mouse
LOAEL : 0.1 %
Application Route : Skin contact
Exposure time : 8 Weeks
Target Organs : thymus gland

Species : Dog
LOAEL : 0.05 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Blood, thymus gland, Adrenal gland

Benzalkonium chloride:

Species : Rat
NOAEL : ≥ 100 mg/kg
Application Route : Ingestion
Exposure time : 12 Weeks

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Gentamicin:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Ingestion : Target Organs: Kidney
Target Organs: inner ear
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

betamethasone:

Inhalation : Target Organs: Adrenal gland
Skin contact : Symptoms: Redness, pruritis, Irritation

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Polyethylene glycol stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h
Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l
Exposure time: 16 h

Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version 6.6 Revision Date: 2023/09/30 SDS Number: 434586-00021 Date of last issue: 2023/04/04
Date of first issue: 2016/01/06

M-Factor (Chronic aquatic toxicity) : 1
Toxicity to microorganisms : EC50: 288.7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l
Exposure time: 219 d
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

Benzalkonium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.28 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0056 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella pyrenoidosa (algae)): 0.09 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.032 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

icity) Exposure time: 34 d

Persistence and degradability

Components:

Polyethylene glycol stearate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 10 d
Method: OECD Test Guideline 302B

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Benzalkonium chloride:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

Benzalkonium chloride:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 1.692
Remarks: Calculation

Mobility in soil

No data available

Other adverse effects

No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Gentamicin, Benzalkonium chloride)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Gentamicin, Benzalkonium chloride)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Gentamicin, Benzalkonium chloride)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

GB 6944/12268

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Benzalkonium chloride)
Class	:	9
Packing group	:	III
Labels	:	9
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date	:	2023/09/30
---------------	---	------------

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---	---

Date format	:	yyyy/mm/dd
-------------	---	------------

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
-------	---	---

ACGIH / TWA	:	8-hour, time-weighted average
-------------	---	-------------------------------

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Gentamicin / Betamethasone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
6.6	2023/09/30	434586-00021	Date of first issue: 2016/01/06

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN