

Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

SECTION 1. IDENTIFICATION

Product identifier : Gentamicin / Cloxacillin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530

Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :





Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H360D May damage the unborn child.

H400 Very toxic to aquatic life.



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1936033-00017 Date of first issue: 11.09.2017

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor. P391 Collect spillage.

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
1,2,3-Propanetriyl tris(12- hydroxyoctadecanoate)	139-44-6	Acute Tox. (Dermal), 5	3,5
cloxacillin	61-72-3	Resp. Sens., 1 Skin Sens., 1	2,2
Gentamicin	1403-66-3	Repr., 1A STOT RE, (Oral)(Kidney, inner ear), 1 Aquatic Acute, 1 Aquatic Chronic, 1	0,5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water. May cause an allergic skin reaction.

Most important symptoms and effects, both acute and

and effects, both

May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

May damage the unborn child.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis,

reactive airways dysfunction syndrome).

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides
Chlorine compounds

Nitrogen oxides (NOx)
Sulfur compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

can be pumped, store recovered material in app

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1936033-00017 Date of first issue: 11.09.2017

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
1,2,3-Propanetriyl tris(12- hydroxyoctadecanoate)	139-44-6	TWA (Inhalable particulate matter)	10 mg/m³	ACGIH		
		TWA (Respirable particulate matter)	3 mg/m³	ACGIH		
cloxacillin	61-72-3	TWA	100 μg/m3 (OEB 2)	Internal		
	Further inform	Further information: RSEN, DSEN				
		Wipe limit	100 μg/100 cm2	Internal		
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal		
	Further inform	Further information: OTO				

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : suspension

Color : white

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable



Gentamicin / Cloxacillin Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 28.09.2024 1936033-00017 Date of first issue: 11.09.2017 4.0

Autoignition temperature No data available

Decomposition temperature No data available

Viscosity

No data available Viscosity, kinematic

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known.

Incompatible materials Oxidizing agents No hazardous decomposition products are known. Hazardous decomposition

products

Information on likely routes of: Inhalation

SECTION 11. TOXICOLOGICAL INFORMATION

Skin contact exposure Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute toxicity estimate: > 5.000 mg/kg Acute dermal toxicity

Method: Calculation method

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Acute oral toxicity LD50 (Rat): > 5.000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity LD50 (Rat): > 2.000 mg/kg

Remarks: Based on data from similar materials

cloxacillin:

Acute oral toxicity LD50 (Rat): 5.000 mg/kg

LD50 (Mouse): 5.000 mg/kg



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1936033-00017 Date of first issue: 11.09.2017

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 1.117 mg/kg Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg Application Route: Intravenous

LD50 (Mouse): 1.500 mg/kg Application Route: Subcutaneous

LD50 (Rat): 1.660 mg/kg Application Route: Intravenous

LD50 (Rat): 4.200 mg/kg

Application Route: Subcutaneous

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg

LD50 (Mouse): 10.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of:

administration)

LD50 (Rat): 67 - 96 mg/kg

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Species : Rabbit

Result : Mild skin irritation



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

Serious eye damage/eye irritation

Not classified based on available information.

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

cloxacillin:

Routes of exposure : Dermal

Assessment : Probability or evidence of skin sensitization in humans

Result : positive

Assessment : Probability of respiratory sensitization in humans based on

animal testing

Result : positive

Gentamicin:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

cloxacillin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intravenous injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Carcinogenicity - Assess-

ment

: No data available

Reproductive toxicity

May damage the unborn child.

Components:

cloxacillin:

Effects on fertility : Test Type: Multi-generation study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 500 mg/kg body weight

Result: No effects on fertility., No effects on reproduction pa-

rameters.

Effects on fetal development : Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: No malformations were observed.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 250 mg/kg body weight

Result: No effects on fetal development.

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3,6 mg/kg body weight

Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1936033-00017 Date of first issue: 11.09.2017

Repeated dose toxicity

Components:

cloxacillin:

Species : Rat

LOAEL : 7.000 mg/kg
Application Route : Intravenous
Exposure time : 4 Weeks
Symptoms : Hypoglycemia

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney

Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 10 mg/kg

Application Route : Intramuscular

Exposure time : 52 Weeks

Target Organs : Kidney, Blood

Species : Rat

NOAEL : 12,5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

cloxacillin:

Inhalation : Remarks: May cause sensitization of susceptible persons.



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 1936033-00017 Date of first issue: 11.09.2017 4.0

Symptoms: Dermatitis Skin contact

> Remarks: May irritate skin. Remarks: May irritate eyes.

Eve contact Ingestion Symptoms: May cause, Gastrointestinal disturbance, Rash

Remarks: May cause sensitization of susceptible persons.

Gentamicin:

Ingestion Target Organs: Kidney

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

deafness

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Toxicity to fish LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Gentamicin:

plants

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 86 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850,1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,5

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4,7 μg/l



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1936033-00017 Date of first issue: 11.09.2017

100

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1,6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

city)

M-Factor (Chronic aquatic : 1

toxicity)

Toxicity to microorganisms

: EC50: 288,7 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Persistence and degradability

Components:

Gentamicin:

Biodegradability : Result: rapidly degradable

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

Bioaccumulative potential

Components:

cloxacillin:

Partition coefficient: n-

octanol/water

: log Pow: 2,44

Gentamicin:

Partition coefficient: n-

octanol/water

log Pow: < -2

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Gentamicin)

964

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or

National List of Carcinogenic Agents for Humans - :

(LINACH)

Brazil. List of chemicals controlled by the Federal

Police

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Not applicable

Not applicable

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Or-



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1936033-00017
 Date of first issue: 11.09.2017

ganisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8