

**Gentamicin / Cloxacillin Formulation**

Version 2.5      Revision Date: 30.09.2023      SDS Number: 1936060-00016      Date of last issue: 09.08.2023  
Date of first issue: 11.09.2017

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Gentamicin / Cloxacillin Formulation

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**


Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Respiratory sensitisation : Category 1  
Skin sensitisation : Category 1  
Reproductive toxicity : Category 1A  
Short-term (acute) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H360D May damage the unborn child.  
H400 Very toxic to aquatic life.

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

## Precautionary statements

:

**Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P261 Avoid breathing mist or vapours.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P284 Wear respiratory protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate)	139-44-6	3.5
cloxacillin	61-72-3	2.2
Gentamicin	1403-66-3	0.5

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

- When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May damage the unborn child.  
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

## 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing. Avoid breathing mist or vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

## Gentamicin / Cloxacillin Formulation

Version 2.5      Revision Date: 30.09.2023      SDS Number: 1936060-00016      Date of last issue: 09.08.2023  
 Date of first issue: 11.09.2017

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate)	139-44-6	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
cloxacillin	61-72-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: RSEN, DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: OTO				

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide

**Gentamicin / Cloxacillin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	suspension
Colour	:	white
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available

**Gentamicin / Cloxacillin Formulation**

Version 2.5      Revision Date: 30.09.2023      SDS Number: 1936060-00016      Date of last issue: 09.08.2023  
Date of first issue: 11.09.2017

---

Partition coefficient: n-octanol/water : Not applicable  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity  
  Viscosity, kinematic : No data available  
Explosive properties : Not explosive  
Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Particle size : Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**cloxacillin:**

Acute oral toxicity : LD50 (Rat): 5,000 mg/kg  
LD50 (Mouse): 5,000 mg/kg

**Gentamicin / Cloxacillin Formulation**

Version 2.5      Revision Date: 30.09.2023      SDS Number: 1936060-00016      Date of last issue: 09.08.2023  
Date of first issue: 11.09.2017

---

Acute toxicity (other routes of administration) : LD50 (Mouse): 1,117 mg/kg  
Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 1,500 mg/kg  
Application Route: Subcutaneous

LD50 (Rat): 1,660 mg/kg  
Application Route: Intravenous

LD50 (Rat): 4,200 mg/kg  
Application Route: Subcutaneous

**Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):**

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

**cloxacillin:**

Remarks : Not classified due to lack of data.

**Gentamicin:**

Species : Rabbit



**Gentamicin / Cloxacillin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

Result : Mild skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

**cloxacillin:**

Remarks : Not classified due to lack of data.

**Gentamicin:**

Species : Rabbit  
Result : Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****cloxacillin:**

Exposure routes : Dermal  
Assessment : Probability or evidence of skin sensitisation in humans  
Result : positive

Assessment : Probability of respiratory sensitisation in humans based on animal testing

Result : positive

**Gentamicin:**

Remarks : No data available

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

**Gentamicin / Cloxacillin Formulation**

Version 2.5      Revision Date: 30.09.2023      SDS Number: 1936060-00016      Date of last issue: 09.08.2023  
Date of first issue: 11.09.2017

---

Remarks: Based on data from similar materials

**cloxacillin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative  
Remarks: Information given is based on data obtained from similar substances.

**Gentamicin:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intravenous injection  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****cloxacillin:**

Remarks : Not classified due to lack of data.

**Gentamicin:**

Carcinogenicity - Assessment : No data available

**Reproductive toxicity**

May damage the unborn child.

**Components:****cloxacillin:**

Effects on fertility : Test Type: Multi-generation study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 500 mg/kg body weight  
Result: No effects on fertility, No effects on reproduction pa-

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

## Parameters

Effects on foetal development : Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: No malformations were observed.

Test Type: Development  
Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: 250 mg/kg body weight  
Result: No effects on foetal development

**Gentamicin:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Gentamicin / Cloxacillin Formulation**

Version 2.5      Revision Date: 30.09.2023      SDS Number: 1936060-00016      Date of last issue: 09.08.2023  
Date of first issue: 11.09.2017

---

**Components:****Gentamicin:**

Target Organs : Kidney, inner ear  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****cloxacillin:**

Species : Rat  
LOAEL : 7,000 mg/kg  
Application Route : Intravenous  
Exposure time : 4 Weeks  
Symptoms : Hypoglycemia

**Gentamicin:**

Species : Dog  
LOAEL : 3 mg/kg  
Application Route : Intramuscular  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Vomiting, Salivation

Species : Monkey  
LOAEL : 50 mg/kg  
Application Route : Subcutaneous  
Exposure time : 3 Weeks  
Target Organs : Kidney, inner ear

Species : Monkey  
LOAEL : 6 mg/kg  
Application Route : Intramuscular  
Exposure time : 3 Weeks  
Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Intramuscular  
Exposure time : 52 Weeks  
Target Organs : Kidney, Blood

Species : Rat  
NOAEL : 12.5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Intramuscular  
Exposure time : 13 Weeks  
Target Organs : Kidney

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****cloxacillin:**

Inhalation	:	Remarks: May cause sensitisation of susceptible persons.
Skin contact	:	Symptoms: Dermatitis Remarks: May irritate skin.
Eye contact	:	Remarks: May irritate eyes.
Ingestion	:	Symptoms: May cause, Gastrointestinal disturbance, Rash Remarks: May cause sensitisation of susceptible persons.

**Gentamicin:**

Ingestion	:	Target Organs: Kidney Target Organs: inner ear Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness
-----------	---	---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

**Gentamicin:**

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202  LC50 (Americamysis): 30 mg/l Exposure time: 96 h
---	---	---

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Gentamicin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

**Bioaccumulative potential****Components:****cloxacillin:**

Partition coefficient: n-octanol/water : log Pow: 2.44

**Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

**Mobility in soil**

No data available

## Gentamicin / Cloxacillin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

**IATA-DGR**

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

**IMDG-Code**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Gentamicin / Cloxacillin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

Revision Date : 30.09.2023

**Further information**

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions)  
Regulations - First Schedule Permissible Exposure Limits of  
Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -



**Gentamicin / Cloxacillin Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 09.08.2023
2.5	30.09.2023	1936060-00016	Date of first issue: 11.09.2017

---

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN