

# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

**Section 1: Identification** 

Product identifier : Gentamicin / Cloxacillin Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

#### Section 2: Hazard identification

Classification of the substance or mixture

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Short-term (acute) aquatic

hazard

Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H360D May damage the unborn child.

H400 Very toxic to aquatic life.



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

Precautionary statements

#### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

P284 Wear respiratory protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

## Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
1,2,3-Propanetriyl tris(12-	139-44-6	3.5
hydroxyoctadecanoate)		
cloxacillin	61-72-3	2.2
Gentamicin	1403-66-3	0.5

#### Section 4: First-aid measures

## Description of necessary first-aid measures



# **Gentamicin / Cloxacillin Formulation**

Date of last issue: 06.04.2024 Version Revision Date: SDS Number: 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May damage the unborn child.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment Treat symptomatically and supportively.

## Section 5: Fire-fighting measures

# **Extinguishing media**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

## Special hazards arising from the substance or mixture

Specific hazards during fire- : Exposure to combustion products may be a hazard to health.

fighting

Hazardous combustion prod- : Carbon oxides



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

ucts Chlorine compounds

Nitrogen oxides (NOx) Sulphur compounds

#### Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### Section 6: Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

**Environmental precautions** 

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### Section 7: Handling and storage

#### Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

# Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

# Section 8: Exposure controls/personal protection

# **Control parameters**

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2,3-Propanetriyl tris(12- hydroxyoctadecanoate)	139-44-6	PEL (long term)	10 mg/m3	SG OEL
		TWA (Inhal- able particu-	10 mg/m3	ACGIH



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

		late matter)				
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH		
cloxacillin	61-72-3	TWA	100 μg/m3 (OEB 2)	Internal		
	Further information: RSEN, DSEN					
		Wipe limit	100 μg/100 cm2	Internal		
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal		
	Further information: OTO					

Appropriate engineering control measures

Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type
Hand protection

: Combined particulates and organic vapour type

Material : Chemical-resistant gloves

### Section 9: Physical and chemical properties

Appearance : suspension

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available



# **Gentamicin / Cloxacillin Formulation**

Version SDS Number: Date of last issue: 06.04.2024 **Revision Date:** 1936060-00018 3.1 28.09.2024 Date of first issue: 11.09.2017

range

Flash point No data available

No data available Evaporation rate

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

Relative density No data available

Density No data available

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

No data available Auto-ignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Particle characteristics

Particle size Not applicable

## Section 10: Stability and reactivity

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Possibility of hazardous reac-Can react with strong oxidizing agents.

tions

Conditions to avoid None known. Incompatible materials Oxidizing agents



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

Hazardous decomposition

products

: No hazardous decomposition products are known.

# **Section 11: Toxicological information**

Information on likely routes of:

exposure

Inhalation
Skin contact
Ingestion

Eye contact

### **Acute toxicity**

Not classified based on available information.

### **Components:**

## 1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

cloxacillin:

Acute oral toxicity : LD50 (Rat): 5,000 mg/kg

LD50 (Mouse): 5,000 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Mouse): 1,117 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg Application Route: Intravenous

LD50 (Mouse): 1,500 mg/kg Application Route: Subcutaneous

LD50 (Rat): 1,660 mg/kg Application Route: Intravenous

LD50 (Rat): 4,200 mg/kg

Application Route: Subcutaneous

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

Acute toxicity (other routes of : LD50 (Rat): 67 - 96 mg/kg

administration)

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

#### Skin corrosion/irritation

Not classified based on available information.

### **Components:**

### 1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Species : Rabbit

Result : No skin irritation

Remarks : Based on data from similar materials

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Species : Rabbit

Result : Mild skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

### 1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Species : Rabbit

Result : Mild eye irritation

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

#### Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Components:

cloxacillin:

Exposure routes : Dermal

Assessment : Probability or evidence of skin sensitisation in humans

Result : positive

Assessment : Probability of respiratory sensitisation in humans based on

animal testing

Result : positive

Gentamicin:

Remarks : No data available

# Germ cell mutagenicity

Not classified based on available information.

## **Components:**

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

cloxacillin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

Application Route: Intravenous injection

Result: negative

Carcinogenicity

Not classified based on available information.

**Components:** 

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Carcinogenicity - Assess-

ment

No data available

Reproductive toxicity

May damage the unborn child.

**Components:** 

cloxacillin:

Effects on fertility : Test Type: Multi-generation study

Species: Rat

**Application Route: Oral** 

Fertility: NOAEL: 500 mg/kg body weight

Result: No effects on fertility, No effects on reproduction pa-

rameters

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: No malformations were observed.

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 250 mg/kg body weight

Result: No effects on foetal development

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3.6 mg/kg body weight

Result: No embryo-foetal toxicity



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: foetal mortality, No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.

### STOT - single exposure

Not classified based on available information.

# STOT - repeated exposure

Not classified based on available information.

#### **Components:**

#### Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

#### **Components:**

# cloxacillin:

Species : Rat

LOAEL : 7,000 mg/kg
Application Route : Intravenous
Exposure time : 4 Weeks
Symptoms : Hypoglycemia

#### Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat
NOAEL : 5 mg/kg
LOAEL : 10 mg/kg
Application Route : Intramuscular
Exposure time : 52 Weeks
Target Organs : Kidney, Blood

Species : Rat
NOAEL : 12.5 mg/kg
LOAEL : 50 mg/kg
Application Route : Intramuscular
Exposure time : 13 Weeks
Target Organs : Kidney

#### **Aspiration toxicity**

Not classified based on available information.

## **Experience with human exposure**

## **Components:**

cloxacillin:

Inhalation : Remarks: May cause sensitisation of susceptible persons.

Skin contact : Symptoms: Dermatitis

Remarks: May irritate skin.

Eye contact : Remarks: May irritate eyes.

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Rash

Remarks: May cause sensitisation of susceptible persons.

Gentamicin:

Ingestion : Target Organs: Kidney

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

deafness



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

#### **Section 12: Ecological information**

# **Toxicity**

#### **Components:**

1,2,3-Propanetriyl tris(12-hydroxyoctadecanoate):

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

Gentamicin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 86 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5

μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

100



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

: 1

M-Factor (Chronic aquatic

toxicity)

Toxicity to microorganisms

EC50: 288.7 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

### Persistence and degradability

### **Components:**

Gentamicin:

Biodegradability : Result: rapidly degradable

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

### **Bioaccumulative potential**

### **Components:**

cloxacillin:

Partition coefficient: n-

log Pow: 2.44

octanol/water
Gentamicin:

D (())

Partition coefficient: n-

octanol/water

log Pow: < -2

Mobility in soil
No data available

Other adverse effects

No data available

### Section 13: Disposal considerations

### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## **Section 14: Transport information**

#### International Regulations

**UNRTDG** 

UN number : UN 3082

UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

(Gentamicin)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
Environmental hazards : yes

**IATA-DGR** 

UN/ID No. : UN 3082

UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Gentamicin)

Transport hazard class(es) : 9
Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(Gentamicin)

Transport hazard class(es) : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **Section 15: Regulatory information**

## Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Not applicable

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable

Regulations



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 28.09.2024

**Further information** 

Sources of key data used to compile the Safety Data

compile the Safety Data
Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-



# **Gentamicin / Cloxacillin Formulation**

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.1 28.09.2024 1936060-00018 Date of first issue: 11.09.2017

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN