

Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 1936063-00017 Date of first issue: 11.09.2017 3.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Gentamicin / Cloxacillin Formulation Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company **MSD**

20 Spartan Road

1619 Spartan, South Africa

Telephone +27119239300

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Reproductive toxicity, Category 1A H360D: May damage the unborn child. H400: Very toxic to aquatic life.

Short-term (acute) aquatic hazard, Cate-

Long-term (chronic) aquatic hazard, Cat-

egory 3

H412: Harmful to aquatic life with long lasting ef-

fects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Hazard statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H360D May damage the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and

keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a

POISON CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

cloxacillin

Gentamicin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
cloxacillin	61-72-3 200-514-7	Resp. Sens. 1; H334 Skin Sens. 1; H317	2,2
Gentamicin	1403-66-3 215-765-8	Repr. 1A; H360D STOT RE 1; H372 (Kidney, inner ear) Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0,5
		M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 1	



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

May damage the unborn child.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx) Sulphur compounds

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate contain-



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national

regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis	
		of exposure)			
cloxacillin	61-72-3	TWA	100 μg/m3 (OEB 2)	Internal	
	Further information: RSEN, DSEN				
		Wipe limit	100 μg/100 cm2	Internal	
Gentamicin	1403-66-3	TWA	0.1 mg/m3 (OEB 2)	Internal	
	Further information: OTO				

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : suspension Colour : white

Odour : No data available



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

; No data available

Flash point : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper

flammability limit

Evaporation rate

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility
Partition coefficient: n-

octanol/water

No data available

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) : No data available

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.6 28.09.2024 1936063-00017 Date of first issue: 11.09.2017

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of:

exposure

Inhalation Skin contact

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

cloxacillin:

Acute oral toxicity : LD50 (Rat): 5.000 mg/kg

LD50 (Mouse): 5.000 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Mouse): 1.117 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 916 mg/kg Application Route: Intravenous

LD50 (Mouse): 1.500 mg/kg Application Route: Subcutaneous

LD50 (Rat): 1.660 mg/kg Application Route: Intravenous

LD50 (Rat): 4.200 mg/kg

Application Route: Subcutaneous

Gentamicin:

Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg

LD50 (Mouse): 10.000 mg/kg



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: No mortality observed at this dose.

Acute toxicity (other routes of :

administration)

LD50 (Rat): 67 - 96 mg/kg

Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Species : Rabbit

Result : Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:

cloxacillin:

Exposure routes : Dermal

Assessment : Probability or evidence of skin sensitisation in humans

Result : positive



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Assessment : Probability of respiratory sensitisation in humans based on

animal testing

Result : positive

Gentamicin:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:

cloxacillin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse Result: negative

Remarks: Information given is based on data obtained from

similar substances.

Gentamicin:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intravenous injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

cloxacillin:

Remarks : Not classified due to lack of data.

Gentamicin:

Carcinogenicity - Assess-

ment

No data available

Reproductive toxicity

May damage the unborn child.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Components:

cloxacillin:

Effects on fertility : Test Type: Multi-generation study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 500 mg/kg body weight

Result: No effects on fertility, No effects on reproduction pa-

rameters

Effects on foetal develop-

ment

Test Type: Development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 100 mg/kg body weight

Result: No malformations were observed.

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 250 mg/kg body weight

Result: No effects on foetal development

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Fertility: NOAEL: 20 mg/kg body weight

Result: No significant adverse effects were reported

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rabbit

Developmental Toxicity: NOAEL: 3,6 mg/kg body weight

Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 75 mg/kg body weight

Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 10 mg/kg body weight Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight Result: foetal mortality, No malformations were observed.

Reproductive toxicity - As-

sessment

Positive evidence of adverse effects on development from

human epidemiological studies.



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.6 28.09.2024 1936063-00017 Date of first issue: 11.09.2017

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

Gentamicin:

Target Organs : Kidney, inner ear

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

cloxacillin:

Species : Rat

LOAEL : 7.000 mg/kg
Application Route : Intravenous
Exposure time : 4 Weeks
Symptoms : Hypoglycemia

Gentamicin:

Species : Dog
LOAEL : 3 mg/kg
Application Route : Intramuscular
Exposure time : 12 Months
Target Organs : Kidney

Symptoms : Vomiting, Salivation

Species : Monkey
LOAEL : 50 mg/kg
Application Route : Subcutaneous
Exposure time : 3 Weeks

Target Organs : Kidney, inner ear

Species : Monkey
LOAEL : 6 mg/kg
Application Route : Intramuscular
Exposure time : 3 Weeks

Target Organs : Blood, Kidney, inner ear, Liver

Species : Rat

NOAEL : 5 mg/kg

LOAEL : 10 mg/kg

Application Route : Intramuscular

Exposure time : 52 Weeks

Target Organs : Kidney, Blood

Species : Rat

 NOAEL
 : 12,5 mg/kg

 LOAEL
 : 50 mg/kg



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Application Route : Intramuscular Exposure time : 13 Weeks Target Organs : Kidney

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

cloxacillin:

Inhalation : Remarks: May cause sensitisation of susceptible persons.

Skin contact : Symptoms: Dermatitis

Remarks: May irritate skin.

Eye contact : Remarks: May irritate eyes.

Ingestion : Symptoms: May cause, Gastrointestinal disturbance, Rash

Remarks: May cause sensitisation of susceptible persons.

Gentamicin:

Ingestion : Target Organs: Kidney

Target Organs: inner ear

Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal

deafness

SECTION 12: Ecological information

12.1 Toxicity

Components:

Gentamicin:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 86 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l

Exposure time: 96 h

Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 10 μg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,5

µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4,7 µg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1,6 μg/l

Exposure time: 72 h



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

100

Toxicity to microorganisms :

EC50: 288,7 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

: 1

12.2 Persistence and degradability

Components:

Gentamicin:

Biodegradability : Result: rapidly degradable

Biodegradation: 100 % Exposure time: 28 d

Method: OECD Test Guideline 314

12.3 Bioaccumulative potential

Components:

cloxacillin:

Partition coefficient: n-

log Pow: 2,44

octanol/water

Gentamicin:

Partition coefficient: n-

octanol/water

 $\log Pow: < -2$

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Gentamicin)

IATA : Environmentally hazardous substance, liquid, n.o.s.

(Gentamicin)

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 9

 ADR
 : 9

 RID
 : 9

 IMDG
 : 9

 IATA
 : 9



Gentamicin / Cloxacillin Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 3.6 28.09.2024 1936063-00017 Date of first issue: 11.09.2017

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo : 964

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen: 964

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

rid

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H317 : May cause an allergic skin reaction.

H334 : May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

H360D : May damage the unborn child.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Repr. : Reproductive toxicity
Resp. Sens. : Respiratory sensitisation
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017

of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Resp. Sens. 1 H334 Calculation method
Skin Sens. 1 H317 Calculation method
Repr. 1A H360D Calculation method
Aquatic Acute 1 H400 Calculation method
Aquatic Chronic 3 H412 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN



Gentamicin / Cloxacillin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 3.6
 28.09.2024
 1936063-00017
 Date of first issue: 11.09.2017