according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Halofuginone Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Appearance: liquidColour: yellowOdour: odourless

Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting ef-

fects.

**GHS Classification** 

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Short-term (acute) aquatic

hazard

Category 3

Long-term (chronic) aquatic

hazard

Category 3

## **GHS** label elements

according to GB/T 16483 and GB/T 17519



## **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Hazard pictograms

**!**>

Signal word : Warning

Hazard statements : H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Causes skin irritation. Causes serious eye irritation.

#### **Environmental hazards**

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Lactic acid	50-21-5	>= 1 -< 3	
Halofuginone	82186-71-8	>= 0.025 -< 0.1	

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

Causes skin irritation.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention if symptoms occur.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

Causes serious eye irritation.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Hazardous combustion prod-

Exposure to combustion products may be a hazard to health.

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

for firefighters

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### 7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling Use only with adequate ventilation.

Do not get on skin or clothing.

Avoid inhalation of vapour or mist.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store in accordance with the particular national regulations.

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
Halofuginone	82186-71-8	TWA	5 μg/m3 (OEB 4)	Internal	
	Further information: DSEN, Skin				
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal	

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist,

handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2023/09/30 845713-00019 Date of first issue: 2016/08/26 4.2

> When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** liquid

Colour yellow

Odour odourless

Odour Threshold No data available

2.1 - 3pΗ

Melting point/freezing point No data available

Initial boiling point and boiling

range

No data available

Flash point No data available

No data available Evaporation rate

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

No data available Density

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

Auto-ignition temperature

octanol/water

No data available

No data available

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition

products

Oxidizing agents
No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

**Components:** 

Lactic acid:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: Corrosive to the respiratory tract. Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Halofuginone:

Acute oral toxicity : LD50 (Rat): 30 mg/kg

LD50 (Mouse): 5 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.053 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 16 mg/kg

Skin corrosion/irritation

Causes skin irritation.

**Components:** 

Lactic acid:

Species : Rabbit

Method : OECD Test Guideline 404

Result : Corrosive after 1 to 4 hours of exposure Remarks : Based on data from similar materials

Halofuginone:

Species : Rabbit Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

**Components:** 

Lactic acid:

Species : Chicken eye

Remarks : Based on data from similar materials

Result : Irreversible effects on the eye

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Halofuginone:

Result : Severe irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Components:** 

Lactic acid:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Halofuginone:

Exposure routes : Dermal Species : Guinea pig Result : Sensitiser

Germ cell mutagenicity

Not classified based on available information.

Components:

Lactic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Halofuginone:

Genotoxicity in vitro : Test Type: Ames test

Result: positive

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Test Type: Mouse Lymphoma

Result: negative

Test Type: Chromosomal aberration
Test system: human lymphoblastoid cells

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow Application Route: Oral Result: negative

Test Type: Cytogenetic assay

Species: Rat

Application Route: Oral

Result: negative

Test Type: DNA Repair

Species: Mouse

Application Route: Oral

Result: negative

### Carcinogenicity

Not classified based on available information.

## **Components:**

### Lactic acid:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Halofuginone:

Species : Mouse Application Route : Oral

NOAEL : 0.24 mg/kg body weight

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 63 weeks

NOAEL : 0.36 mg/kg body weight

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Result : negative

Species : Rat
Application Route : Oral
Exposure time : 26 Months

NOAEL : 0.09 - 0.18 mg/kg body weight

Result : negative

### Reproductive toxicity

Not classified based on available information.

#### **Components:**

### Lactic acid:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Mouse

Application Route: Ingestion

Result: negative

## Halofuginone:

Effects on fertility : Test Type: Fertility

Species: Mouse Application Route: Oral

Fertility: NOAEL: 0.126 mg/kg body weight

Result: No effects on fertility

Test Type: Fertility Species: Dog

Application Route: Oral

Fertility: LOAEL: 0.067 mg/kg body weight

Result: Effects on fertility

Test Type: Three-generation reproduction toxicity study

Species: Mouse Application Route: Oral

General Toxicity F1: LOAEL: 0.063 mg/kg body weight

Symptoms: Reduced body weight

Result: No effects on fertility and early embryonic develop-

ment were detected.

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

General Toxicity Maternal: LOAEL: 0.34 mg/kg body weight Embryo-foetal toxicity: NOAEL: 0.67 mg/kg body weight Result: No embryo-foetal toxicity, No teratogenic effects

Test Type: Embryo-foetal development

Species: Rabbit

Application Route: Oral

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

General Toxicity Maternal: NOAEL: 0.025 mg/kg body weight Embryo-foetal toxicity: NOAEL: 0.076 mg/kg body weight Result: No embryo-foetal toxicity, No teratogenic effects

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on sexual function and

fertility, based on animal experiments.

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Components:**

### Halofuginone:

Target Organs : Blood

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

## **Components:**

#### Lactic acid:

Species : Rat

NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks

Remarks : Based on data from similar materials

Species : Rat

LOAEL : 886 mg/kg
Application Route : Skin contact
Exposure time : 13 Weeks

#### Halofuginone:

Species : Mouse
NOAEL : 0.07 mg/kg
LOAEL : 0.16 mg/kg
Application Route : Oral
Exposure time : 4 Weeks
Target Organs : Blood

Species : Rat

NOAEL : 0.13 mg/kg
LOAEL : 0.88 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Liver

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Species : Dog

NOAEL : 0.067 mg/kg LOAEL : 0.134 mg/kg

Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Blood

Species : Dog

NOAEL : 0.075 mg/kg
LOAEL : 0.16 mg/kg
Application Route : Oral
Exposure time : 26 Weeks
Target Organs : Blood

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

Halofuginone:

General Information : No human information is available.

Inhalation : Remarks: May cause irritation of respiratory tract.
Skin contact : Remarks: May cause skin irritation and/or dermatitis.

May cause sensitisation by skin contact.

Can be absorbed through skin.

Eye contact : Remarks: May irritate eyes.

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

Lactic acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to GB/T 16483 and GB/T 17519



## **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 10 - 100 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Halofuginone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.8 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

LC50 (Cyprinus carpio (Carp)): 0.3 mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.12 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.02 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EC50 (Chlorella pyrenoidosa (algae)): 46 mg/l

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

city)

M-Factor (Chronic aquatic

toxicity)

10

10

Persistence and degradability

**Components:** 

Lactic acid:

Biodegradability : Result: Not readily biodegradable.

Remarks: Based on data from similar materials

Halofuginone:

Biodegradability : Result: Not readily biodegradable.

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

### **Bioaccumulative potential**

## **Components:**

Lactic acid:

Partition coefficient: n-

octanol/water

log Pow: -0.62

Halofuginone:

Partition coefficient: n-

octanol/water

log Pow: 1.18

Mobility in soil

**Components:** 

Halofuginone:

Distribution among environ-

mental compartments

log Koc: 3.87 Method: FDA 3.08

Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

### **International Regulations**

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen: :

ger aircraft)

Not applicable

**IMDG-Code** 

Not applicable UN number Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Labels Not applicable EmS Code Not applicable Marine pollutant Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **National Regulations**

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

## National regulatory information

Law on the Prevention and Control of Occupational Diseases

### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## **16. OTHER INFORMATION**

Revision Date : 2023/09/30

**Further information** 

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 4.2 2023/09/30 845713-00019 Date of first issue: 2016/08/26

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet

cy, http://echa.europa.eu/

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to GB/T 16483 and GB/T 17519



# **Halofuginone Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/04/04

 4.2
 2023/09/30
 845713-00019
 Date of first issue: 2016/08/26

CN / EN