according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2023/09/30 632243-00016 Date of first issue: 2016/05/02 3.13

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Imidocarb Injection Formulation

Manufacturer or supplier's details

Company MSD

Address No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone +1-908-740-4000

Emergency telephone number: 86-571-87268110

E-mail address EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use Veterinary product Restrictions on use Not applicable

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

**Appearance** liquid Colour clear

Odour No data available

Suspected of damaging the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

**GHS Classification** 

Reproductive toxicity Category 2

Specific target organ toxicity - :

single exposure

Category 1

Specific target organ toxicity - : Category 1

repeated exposure

**GHS** label elements

Hazard pictograms

Signal word

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

Hazard statements : H361d Suspected of damaging the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated

exposure.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### Physical and chemical hazards

Not classified based on available information.

#### **Health hazards**

Suspected of damaging the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

#### **Environmental hazards**

Not classified based on available information.

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
imidocarb	27885-92-3	>= 10 -< 20
Propionic acid	79-09-4	>= 3 -< 5

#### 4. FIRST AID MEASURES

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and Suspected of damaging the unborn child. Causes damage to organs.

delayed

Causes damage to organs through prolonged or repeated

exposure.

First Aid responders should pay attention to self-protection, Protection of first-aiders

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

None known.

media

Specific hazards during fire-

fighting

Hazardous combustion prod: :

Exposure to combustion products may be a hazard to health.

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling

Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Use only with adequate ventilation.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
imidocarb	27885-92-3	TWA	40 μg/m3 (OEB 3)	Internal
		Wipe limit	400 μg/100 cm <sup>2</sup>	Internal
Propionic acid	79-09-4	PC-TWA	30 mg/m3	CN OEL
		TWA	10 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).

Minimize open handling.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear

Odour : No data available

Odour Threshold : No data available

pH : 4.5

Melting point/freezing point : 100 °C

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

iono

tions

: Can react with strong oxidizing ag

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation

Skin contact Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

#### **Components:**

imidocarb:

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg

LD50 (Mouse): 544 - 702 mg/kg

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 32.7 mg/kg

Application Route: Intravenous

LD50 (Mouse): 22.3 mg/kg Application Route: Intravenous

Propionic acid:

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat, female): 3,235 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

imidocarb:

Remarks : No data available

Propionic acid:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

imidocarb:

Remarks : No data available

Propionic acid:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2023/09/30 3.13 632243-00016 Date of first issue: 2016/05/02

#### Respiratory sensitisation

Not classified based on available information.

#### **Components:**

imidocarb:

Remarks No data available

Propionic acid:

Test Type **Maximisation Test** Exposure routes Skin contact Species Guinea pig Result negative

Remarks Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

imidocarb:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Test Type: Mammalian erythrocyte micronucleus test (in vivo Genotoxicity in vivo

> cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Application Route: Oral Result: negative

Propionic acid:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

> cytogenetic assay) Species: Hamster

Application Route: Intraperitoneal injection

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### Components:

#### imidocarb:

**Species** Rat Application Route Oral Exposure time

104 weeks

LOAEL : 240 mg/kg body weight

Result : negative

Target Organs Mammary gland

Remarks The mechanism or mode of action may not be relevant in hu-

mans.

#### Propionic acid:

**Species** Rat Application Route Ingestion 2 Years Exposure time Result : negative

### Reproductive toxicity

Suspected of damaging the unborn child.

#### Components:

#### imidocarb:

Effects on fertility Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 135 mg/kg body weight

Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 45 mg/kg body weight

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 76 mg/kg body weight Result: Effects on foetal development, No teratogenic effects

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Propionic acid:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs.

Components:

imidocarb:

Target Organs : Central nervous system Assessment : Causes damage to organs.

Propionic acid:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

imidocarb:

Target Organs : Liver, Kidney

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Propionic acid:

Assessment : No significant health effects observed in animals at concentra-

tions of 200 mg/kg bw or less.

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

#### Repeated dose toxicity

### **Components:**

#### imidocarb:

Species : Rat
LOAEL : 125 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver

Species : Rat
NOAEL : 76 mg/kg
LOAEL : 415 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver

Species : Dog
LOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 90 Days
Target Organs : Liver, Kidney

Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat

NOAEL : 15 mg/kg

LOAEL : 60 mg/kg

Application Route : Oral

Exposure time : 104 Weeks

Target Organs : Liver, Kidney, Blood

Species : Monkey
NOAEL : 5 mg/kg
Application Route : Oral
Exposure time : 30 Days

Remarks : No significant adverse effects were reported

Propionic acid:

Species : Dog

NOAEL : 733.4 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 409

Species : Mouse, female LOAEL : 136.9 mg/kg
Application Route : Skin contact Exposure time : 90 Days

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

#### **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

#### **Components:**

imidocarb:

Inhalation : Target Organs: Central nervous system

Symptoms: Salivation, muscle twitching, Tremors, Lachry-

mation, ataxia, lethargy

Remarks: Based on Animal Evidence

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

#### **Components:**

Propionic acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 96 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EbC50 (Desmodesmus subspicatus (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 44.6 mg/l

Exposure time: 17 h Method: DIN 38 412 Part 8

#### Persistence and degradability

#### Components:

Propionic acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 30 d

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

#### **Bioaccumulative potential**

### **Components:**

imidocarb:

Partition coefficient: n-

octanol/water

log Pow: 3.88

Propionic acid:

Partition coefficient: n-

octanol/water

log Pow: 0.33

Mobility in soil

No data available

Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

#### International Regulations

**UNRTDG** 

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

IATA-DGR

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

ancian)

Packing instruction (passen:

ger aircraft)

Not applicable

**IMDG-Code** 

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

**UN** number Not applicable Not applicable Proper shipping name Class Not applicable Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

GB 6944/12268

UN number Not applicable Proper shipping name Not applicable Not applicable Class Subsidiary risk Not applicable Packing group Not applicable Not applicable Labels

#### Special precautions for user

Not applicable

#### 15. REGULATORY INFORMATION

#### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

#### Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

#### The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

#### 16. OTHER INFORMATION

**Revision Date** 2023/09/30

**Further information** 

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format yyyy/mm/dd

according to GB/T 16483 and GB/T 17519



## **Imidocarb Injection Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3.13 2023/09/30 632243-00016 Date of first issue: 2016/05/02

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the

workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

according to GB/T 16483 and GB/T 17519



# **Imidocarb Injection Formulation**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 2023/04/04

 3.13
 2023/09/30
 632243-00016
 Date of first issue: 2016/05/02

CN / EN