According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 9372705-00008 Date of first issue: 27.08.2021 3.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Imidocarb Injection Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions Not applicable

on use

1.3 Details of the supplier of the safety data sheet

Company **MSD**

Walton Manor, Walton

MK7 7AJ Milton Keynes - United Kingdom

Telephone +1-908-740-4000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Reproductive toxicity, Category 2 H361d: Suspected of damaging the unborn child. H370: Causes damage to organs.

Specific target organ toxicity - single ex-

posure, Category 1

Specific target organ toxicity - repeated H372: Causes damage to organs through pro-

exposure, Category 1

longed or repeated exposure.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

Hazard pictograms :

Signal word : Danger

Hazard statements : H361d Suspected of damaging the unborn child.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or

repeated exposure.

Precautionary statements : Prevention:

P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this prod-

uct.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label: imidocarb

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
imidocarb	27885-92-3 248-711-7	Acute Tox. 4; H302 Repr. 2; H361d STOT SE 1; H370 (Central nervous system) STOT RE 1; H372 (Liver, Kidney)	>= 10 - < 20
Propionic acid	79-09-4	Flam. Liq. 3; H226	>= 3 - < 5

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372705-00008		ast issue: 06.04.2024 rst issue: 27.08.2021
		201-176-3 607-089-00	-0	Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335 —— specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 % STOT SE 3; H335 >= 10 %

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 9372705-00008 Date of first issue: 27.08.2021 3.4

Risks Suspected of damaging the unborn child.

Causes damage to organs.

Causes damage to organs through prolonged or repeated

exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

ucts

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

barriers).

Retain and dispose of contaminated wash water.

If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorband.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation. Advice on safe handling : Do not breathe mist or vapours.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep in properly labelled containers. Store locked up. Store in

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

areas and containers accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
imidocarb	27885-92-3	TWA	40 μg/m3 (OEB 3)	Internal
		Wipe limit	400 μg/100 cm ²	Internal
Propionic acid	79-09-4	STEL	15 ppm 46 mg/m3	GB EH40
		TWA	10 ppm 31 mg/m3	GB EH40
		STEL	20 ppm 62 mg/m3	2000/39/EC
	Further inform	Further information: Indicative		
		TWA	10 ppm 31 mg/m3	2000/39/EC
	Further information: Indicative			

Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value
Propionic acid	Workers	Inhalation	Long-term systemic effects	73 mg/m3
	Workers	Inhalation	Long-term local ef- fects	31 mg/m3
	Workers	Inhalation	Acute local effects	62 mg/m3
	Workers	Skin contact	Long-term systemic effects	20.9 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	18.3 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	3.7 mg/m3
	Consumers	Inhalation	Acute local effects	30.8 mg/m3
	Consumers	Skin contact	Long-term systemic effects	10.5 mg/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

Consumers Ingestion Long-term systemic 10.5 mg/kg effects bw/day

Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
Propionic acid	Fresh water	0.5 mg/l
	Freshwater - intermittent	5 mg/l
	Marine water	0.05 mg/l
	Sewage treatment plant	5 mg/l
	Fresh water sediment	1.86 mg/kg dry weight (d.w.)
	Marine sediment	0.186 mg/kg dry weight (d.w.)
	Soil	0.126 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 9372705-00008 Date of first issue: 27.08.2021 3.4

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance liquid Colour clear

Odour No data available Odour Threshold No data available

pН 4.5

Melting point/freezing point 100 °C

Initial boiling point and boiling

range

No data available Flash point

No data available Evaporation rate

Flammability (solid, gas) Not applicable

Upper explosion limit / Upper

flammability limit

No data available

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

Density No data available

Solubility(ies)

Water solubility soluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature No data available

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

9.2 Other information

Flammability (liquids) No data available

Molecular weight No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.4 28.09.2024 9372705-00008 Date of first issue: 27.08.2021

Particle size : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

imidocarb:

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg

LD50 (Mouse): 544 - 702 mg/kg

LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity : Remarks: No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of :

administration)

LD50 (Rat): 32.7 mg/kg

Application Route: Intravenous

LD50 (Mouse): 22.3 mg/kg Application Route: Intravenous

Propionic acid:

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat, female): 3,235 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

imidocarb:

Remarks : No data available

Propionic acid:

Species : Rabbit

Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Components:

imidocarb:

Remarks : No data available

Propionic acid:

Species : Rabbit

Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.4 28.09.2024 9372705-00008 Date of first issue: 27.08.2021

Components:

imidocarb:

Remarks : No data available

Propionic acid:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative

Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

imidocarb:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: equivocal

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: Oral

Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Application Route: Oral Result: negative

Propionic acid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro sister chromatid exchange assay in mam-

malian cells Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Hamster

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

imidocarb:

Species : Rat Application Route : Oral

Exposure time : 104 weeks

LOAEL : 240 mg/kg body weight

Result : negative

Target Organs : Mammary gland

Remarks : The mechanism or mode of action may not be relevant in hu-

mans.

Propionic acid:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

imidocarb:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: LOAEL: 135 mg/kg body weight

Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Oral

Fertility: NOAEL: 45 mg/kg body weight

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 76 mg/kg body weight Result: Effects on foetal development, No teratogenic effects

Test Type: Embryo-foetal development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 19 mg/kg body weight

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 9372705-00008 Date of first issue: 27.08.2021 3.4

Test Type: Embryo-foetal development

Species: Rabbit Application Route: Oral

Developmental Toxicity: NOAEL: 20 mg/kg body weight

Result: No effects on foetal development

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

Propionic acid:

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs.

Components:

imidocarb:

Target Organs Central nervous system Assessment Causes damage to organs.

Propionic acid:

Assessment May cause respiratory irritation.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Components:

imidocarb:

Target Organs Liver, Kidney

Causes damage to organs through prolonged or repeated Assessment

exposure.

Propionic acid:

Assessment No significant health effects observed in animals at concentra-

tions of 200 mg/kg bw or less.

Repeated dose toxicity

Components:

imidocarb:

Species Rat LOAEL

125 mg/kg

Application Route Oral

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.4 28.09.2024 9372705-00008 Date of first issue: 27.08.2021

Exposure time 90 Days **Target Organs** Liver

Species Rat NOAEL 76 mg/kg LOAEL 415 mg/kg Application Route Oral Exposure time 90 Days Target Organs Liver

Species Dog LOAEL 5 mg/kg Application Route Oral 90 Days Exposure time Target Organs Liver, Kidney

Symptoms muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species Rat NOAEL 15 mg/kg 60 mg/kg LOAEL : Application Route Oral Exposure time 104 Weeks

Target Organs Liver, Kidney, Blood

Species Monkey **NOAEL** 5 mg/kg Application Route Oral

30 Days Remarks No significant adverse effects were reported

Propionic acid:

Exposure time

Species Dog

NOAEL 733.4 mg/kg Application Route : Ingestion Exposure time : 90 Days

Method : OECD Test Guideline 409

Species Mouse, female LOAEL 136.9 mg/kg Application Route Skin contact Exposure time 90 Days

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

imidocarb:

Inhalation Target Organs: Central nervous system

Symptoms: Salivation, muscle twitching, Tremors, Lachry-

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.4 28.09.2024 9372705-00008 Date of first issue: 27.08.2021

mation, ataxia, lethargy

Remarks: Based on Animal Evidence

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propionic acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 96 h Method: DIN 38412

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EbC50 (Desmodesmus subspicatus (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): 44.6 mg/l

Exposure time: 17 h Method: DIN 38 412 Part 8

12.2 Persistence and degradability

Components:

Propionic acid:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 74 % Exposure time: 30 d

12.3 Bioaccumulative potential

Components:

imidocarb:

Partition coefficient: n-

log Pow: 3.88

octanol/water

Propionic acid:

Partition coefficient: n-

log Pow: 0.33

octanol/water

12.4 Mobility in soil

No data available

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting poten-

tial

This substance/mixture does not contain components considered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
3.4	28.09.2024	9372705-00008	Date of first issue: 27.08.2021

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

not.

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) on substances that deplete the ozone

Not applicable

Not applicable

Not applicable

.

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 3.4
 28.09.2024
 9372705-00008
 Date of first issue: 27.08.2021

layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations 2015 (COMAH)

Quantity 1 Quantity 2

H3 STOT SPECIFIC TARGET 50 t 200 t

ORGAN TOXICITY – SINGLE EXPOSURE

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H226 : Flammable liquid and vapour.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

H361d : Suspected of damaging the unborn child. H370 : Causes damage to organs if swallowed.

H372 : Causes damage to organs through prolonged or repeated

exposure if swallowed.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Eye Dam. : Serious eye damage
Flam. Liq. : Flammable liquids
Repr. : Reproductive toxicity

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 3.4 28.09.2024 9372705-00008 Date of first issue: 27.08.2021

Skin Corr. : Skin corrosion

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Repr. 2 H361d Calculation method

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



Imidocarb Injection Formulation

Version 3.4	Revision Date: 28.09.2024	SDS Number: 9372705-00008	Date of last issue: 06.04.2024 Date of first issue: 27.08.2021	
STOT	SE 1	H370	Calculation method	
STOT	RE 1	H372	Calculation method	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN