

## Imidocarb Injection Formulation

Version 4.0      Revision Date: 2023/09/30      SDS Number: 632249-00016      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/02

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Imidocarb Injection Formulation

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 1 (Central nervous system)

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Liver, Kidney)

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H361d Suspected of damaging the unborn child.  
H370 Causes damage to organs (Central nervous system) if swallowed.  
H372 Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

Precautionary statements : **Prevention:**

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
imidocarb	27885-92-3	>= 10 - < 20	
Propionic acid	79-09-4	>= 3 - < 5	2-602

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

Most important symptoms and effects, both acute and delayed	:	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Suspected of damaging the unborn child. Causes damage to organs if swallowed. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

## Imidocarb Injection Formulation

Version 4.0	Revision Date: 2023/09/30	SDS Number: 632249-00016	Date of last issue: 2023/04/04 Date of first issue: 2016/05/02
----------------	------------------------------	-----------------------------	---

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 7. HANDLING AND STORAGE

#### Handling

- |                         |   |  |
|-------------------------|---|--|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.  |
| Local/Total ventilation | : | Use only with adequate ventilation.  |
| Advice on safe handling | : | Do not breathe mist or vapours.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment.   |
| Avoidance of contact    | : | Oxidizing agents   |
| Hygiene measures        | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.<br>When using do not eat, drink or smoke.<br>Wash contaminated clothing before re-use.<br>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

#### Storage

- |                             |   |  |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.<br>Store locked up.<br>Store in accordance with the particular national regulations. |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents  |
| Packaging material          | : | Unsuitable material: None known.   |

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Imidocarb Injection Formulation

Version 4.0      Revision Date: 2023/09/30      SDS Number: 632249-00016      Date of last issue: 2023/04/04  
 Date of first issue: 2016/05/02

		(Form of exposure)	ters / Reference concentration / Permissible concentration	
imidocarb	27885-92-3	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Propionic acid	79-09-4	TWA	10 ppm	ACGIH

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Colour : clear

Odour : No data available

Odour Threshold : No data available

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

Melting point/freezing point : 100 °C

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Decomposition temperature : No data available

pH : 4.5

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density and / or relative density

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

## Imidocarb Injection Formulation

Version 4.0      Revision Date: 2023/09/30      SDS Number: 632249-00016      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/02

---

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****imidocarb:**

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg  
LD50 (Mouse): 544 - 702 mg/kg  
LD50 (Rabbit): 317 mg/kg  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available  
Acute toxicity (other routes of administration) : LD50 (Rat): 32.7 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 22.3 mg/kg  
Application Route: Intravenous

**Propionic acid:**

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

**Imidocarb Injection Formulation**

Version 4.0      Revision Date: 2023/09/30      SDS Number: 632249-00016      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/02

---

Acute dermal toxicity : LD50 (Rat, female): 3,235 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****imidocarb:**

Remarks : No data available

**Propionic acid:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****imidocarb:**

Remarks : No data available

**Propionic acid:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****imidocarb:**

Remarks : No data available

**Propionic acid:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Germ cell mutagenicity**

Not classified based on available information.



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

### Components:

#### **imidocarb:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative
		Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral Result: negative

#### **Propionic acid:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Hamster Application Route: Intraperitoneal injection Result: negative

### **Carcinogenicity**

Not classified based on available information.

### Components:

#### **imidocarb:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	104 weeks
LOAEL	:	240 mg/kg body weight
Result	:	negative
Target Organs	:	Mammary gland

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

Remarks : The mechanism or mode of action may not be relevant in humans.

**Propionic acid:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****imidocarb:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Fertility: LOAEL: 135 mg/kg body weight  
 Result: Adverse neonatal effects.

Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 45 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 76 mg/kg body weight  
 Result: Effects on foetal development, No teratogenic effects

Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 19 mg/kg body weight

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 20 mg/kg body weight  
 Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**Propionic acid:**

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

Remarks: Based on data from similar materials

### STOT - single exposure

Causes damage to organs (Central nervous system) if swallowed.

#### Components:

##### imidocarb:

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs.

##### Propionic acid:

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

### STOT - repeated exposure

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

#### Components:

##### imidocarb:

Target Organs	:	Liver, Kidney
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

##### Propionic acid:

Assessment	:	No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.
------------	---	--

### Repeated dose toxicity

#### Components:

##### imidocarb:

Species	:	Rat
LOAEL	:	125 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver

Species	:	Rat
NOAEL	:	76 mg/kg
LOAEL	:	415 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver

Species	:	Dog
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

Target Organs : Liver, Kidney  
Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat  
NOAEL : 15 mg/kg  
LOAEL : 60 mg/kg  
Application Route : Oral  
Exposure time : 104 Weeks  
Target Organs : Liver, Kidney, Blood

Species : Monkey  
NOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 30 Days  
Remarks : No significant adverse effects were reported

**Propionic acid:**

Species : Dog  
NOAEL : 733.4 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 409

Species : Mouse, female  
LOAEL : 136.9 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****imidocarb:**

Inhalation : Target Organs: Central nervous system  
Symptoms: Salivation, muscle twitching, Tremors, Lachrymation, ataxia, lethargy  
Remarks: Based on Animal Evidence

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propionic acid:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l  
Exposure time: 96 h

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

		Method: DIN 38412
		Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EbC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC10 (Pseudomonas putida): 44.6 mg/l Exposure time: 17 h Method: DIN 38 412 Part 8

**Persistence and degradability****Components:****Propionic acid:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 74 % Exposure time: 30 d
------------------	---	---

**Bioaccumulative potential****Components:****imidocarb:**

Partition coefficient: n-octanol/water	:	log Pow: 3.88
--	---	---------------

**Propionic acid:**

Partition coefficient: n-octanol/water	:	log Pow: 0.33
--	---	---------------

**Mobility in soil**

No data available

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations.
---------------------	---	--

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

Contaminated packaging : Do not dispose of waste into sewer.  
 : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
 : If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable

##### IATA-DGR

UN/ID No. : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 Packing instruction (cargo aircraft) : Not applicable  
 Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

UN number : Not applicable  
 Proper shipping name : Not applicable  
 Class : Not applicable  
 Subsidiary risk : Not applicable  
 Packing group : Not applicable  
 Labels : Not applicable  
 EmS Code : Not applicable  
 Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

---

### 15. REGULATORY INFORMATION

#### Related Regulations

##### Fire Service Law

Not applicable to dangerous materials / designated flammables.

## Imidocarb Injection Formulation

Version 4.0      Revision Date: 2023/09/30      SDS Number: 632249-00016      Date of last issue: 2023/04/04  
Date of first issue: 2016/05/02

### Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

#### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propionic acid	$\geq 1 - < 10$	-

#### Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Propionic acid	-

#### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

#### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

#### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

#### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

#### Poisonous and Deleterious Substances Control Law

Not applicable

#### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

|| Not applicable

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Not regulated as a dangerous good

### Aviation Law

Not regulated as a dangerous good

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Not classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/04/04
4.0	2023/09/30	632249-00016	Date of first issue: 2016/05/02

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN