

## Imidocarb Injection Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 632253-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.05.2016

---

### Section 1: Identification

Product name : Imidocarb Injection Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure (Oral) : Category 1 (Central nervous system)

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Liver, Kidney)

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H361d Suspected of damaging the unborn child.  
H370 Causes damage to organs (Central nervous system) if swallowed.  
H372 Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

Precautionary statements :

**Prevention:**  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
imidocarb	27885-92-3	>= 10 -< 20
Propionic acid	79-09-4	>= 3 -< 5

### Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

		Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Suspected of damaging the unborn child. Causes damage to organs if swallowed. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

## Imidocarb Injection Formulation

Version 3.1      Revision Date: 30.09.2023      SDS Number: 632253-00016      Date of last issue: 04.04.2023  
 Date of first issue: 02.05.2016

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### Section 7: Handling and storage

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
imidocarb	27885-92-3	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal
Propionic acid	79-09-4	WES-TWA	10 ppm 30 mg/m <sup>3</sup>	NZ OEL

## Imidocarb Injection Formulation

Version 3.1	Revision Date: 30.09.2023	SDS Number: 632253-00016	Date of last issue: 04.04.2023 Date of first issue: 02.05.2016
----------------	------------------------------	-----------------------------	---

		TWA	10 ppm	ACGIH
--	--	-----	--------	-------

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

### Section 9: Physical and chemical properties

**Appearance** : liquid

**Colour** : clear

**Odour** : No data available

**Odour Threshold** : No data available

**pH** : 4.5

**Melting point/freezing point** : 100 °C

**Initial boiling point and boiling** : No data available

**Imidocarb Injection Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

range

Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	No data available

---

**Section 10: Stability and reactivity**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents

**Imidocarb Injection Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

Hazardous decomposition products : No hazardous decomposition products are known.

---

**Section 11: Toxicological information**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****imidocarb:**

Acute oral toxicity : LD50 (Rat): 1,216 - 1,652 mg/kg  
LD50 (Mouse): 544 - 702 mg/kg  
LD50 (Rabbit): 317 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 32.7 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 22.3 mg/kg  
Application Route: Intravenous

**Propionic acid:**

Acute inhalation toxicity : LC50 (Rat): > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat, female): 3,235 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****imidocarb:**

Remarks : No data available

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

**Propionic acid:**

Species : Rabbit  
Result : Corrosive after 3 minutes to 1 hour of exposure

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****imidocarb:**

Remarks : No data available

**Propionic acid:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****imidocarb:**

Remarks : No data available

**Propionic acid:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative  
Remarks : Based on data from similar materials

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****imidocarb:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative



## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

- Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Result: equivocal
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Oral  
Result: negative
- Propionic acid:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative
- Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Hamster  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **imidocarb:**

- Species : Rat  
Application Route : Oral  
Exposure time : 104 weeks  
LOAEL : 240 mg/kg body weight  
Result : negative  
Target Organs : Mammary gland  
Remarks : The mechanism or mode of action may not be relevant in humans.

#### **Propionic acid:**

- Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

**Imidocarb Injection Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 632253-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.05.2016

---

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****imidocarb:**

- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 135 mg/kg body weight  
Result: Adverse neonatal effects.
- Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 45 mg/kg body weight
- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 76 mg/kg body weight  
Result: Effects on foetal development, No teratogenic effects
- Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 19 mg/kg body weight
- Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 20 mg/kg body weight  
Result: No effects on foetal development
- Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**Propionic acid:**

- Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**STOT - single exposure**

Causes damage to organs (Central nervous system) if swallowed.

**Components:****imidocarb:**

- Target Organs : Central nervous system  
Assessment : Causes damage to organs.

**Imidocarb Injection Formulation**

Version 3.1      Revision Date: 30.09.2023      SDS Number: 632253-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.05.2016

---

**Propionic acid:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.

**Components:****imidocarb:**

Target Organs : Liver, Kidney  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Propionic acid:**

Assessment : No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

**Repeated dose toxicity****Components:****imidocarb:**

Species : Rat  
LOAEL : 125 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Rat  
NOAEL : 76 mg/kg  
LOAEL : 415 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver

Species : Dog  
LOAEL : 5 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Target Organs : Liver, Kidney  
Symptoms : muscle twitching, Salivation, recumbency, ataxia, splayed legs

Species : Rat  
NOAEL : 15 mg/kg  
LOAEL : 60 mg/kg  
Application Route : Oral  
Exposure time : 104 Weeks  
Target Organs : Liver, Kidney, Blood

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

Species	:	Monkey
NOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported

### Propionic acid:

Species	:	Dog
NOAEL	:	733.4 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 409

Species	:	Mouse, female
LOAEL	:	136.9 mg/kg
Application Route	:	Skin contact
Exposure time	:	90 Days

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### imidocarb:

Inhalation	:	Target Organs: Central nervous system Symptoms: Salivation, muscle twitching, Tremors, Lachry- mation, ataxia, lethargy Remarks: Based on Animal Evidence
------------	---	--

---

## Section 12: Ecological information

### Ecotoxicity

#### Components:

#### Propionic acid:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 96 h Method: DIN 38412 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EbC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h

**Imidocarb Injection Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): 44.6 mg/l  
Exposure time: 17 h  
Method: DIN 38 412 Part 8

**Persistence and degradability****Components:****Propionic acid:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 30 d

**Bioaccumulative potential****Components:****imidocarb:**

Partition coefficient: n-  
octanol/water : log Pow: 3.88

**Propionic acid:**

Partition coefficient: n-  
octanol/water : log Pow: 0.33

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable

---

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

Packing group : Not applicable  
Labels : Not applicable

### IATA-DGR

UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

### IMDG-Code

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Hazchem Code : Not applicable

### Special precautions for user

Not applicable

---

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### HSNO Approval Number

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

#### HSW Controls

Certified handler certificate not required.  
Tracking hazardous substance not required.

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

**Section 16: Other information**

Revision Date : 30.09.2023

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average  
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

## Imidocarb Injection Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.1	30.09.2023	632253-00016	Date of first issue: 02.05.2016

---

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN