

# Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
14.1	2024/09/28	25528-00029	Date of first issue: 2014/10/24

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name	:	Indoxacarb Formulation						
Supplier's company name, address and phone number								
Company name of supplier	:	MSD						
Address	:	Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd. Menuma factory						
Telephone	:	048-588-8411						
E-mail address	:	EHSDATASTEWARD@msd.com						
Emergency telephone number	:	+1-908-423-6000						

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Veterinary product
Restrictions on use	:	Not applicable

#### 2. HAZARDS IDENTIFICATION

#### **GHS** classification of chemical product

Flammable liquids	:	Category 2
Acute toxicity (Oral)	:	Category 4
Serious eye damage/eye irri- tation	:	Category 2A
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3
Specific target organ toxicity - repeated exposure	:	Category 1 (Blood, Nervous system, Heart)
Short-term (acute) aquatic hazard	:	Category 2
Long-term (chronic) aquatic hazard	:	Category 2

#### GHS label elements



Version 14.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
Hazar	d pictograms		
Signa	l word	: Danger	$\mathbf{v}$ $\mathbf{v}$ $\mathbf{v}$
Hazard statements		H302 Harmfu H317 May ca H319 Causes H336 May ca H372 Causes Heart) throug	ilammable liquid and vapour. I if swallowed. use an allergic skin reaction. s serious eye irritation. use drowsiness or dizziness. damage to organs (Blood, Nervous system, h prolonged or repeated exposure. o aquatic life with long lasting effects.
Preca	utionary statements		way from heat, hot surfaces, sparks, open flame
		P233 Keep co P241 Use exp ment. P242 Use non P243 Take ac P260 Do not P264 Wash s P270 Do not P271 Use on P272 Contam the workplace P273 Avoid re	elease to the environment. rotective gloves/ protective clothing/ eye protec-
		P $301 + P312$ CENTER/ doc P $303 + P361$ ly all contamin P $304 + P340$ and keep con doctor if you f P $305 + P351$ for several min easy to do. C P $314$ Get me P $333 + P313$ vice/ attention P $337 + P313$ tention. P $362 + P364$ reuse.	<ul> <li>+ P338 IF IN EYES: Rinse cautiously with water inutes. Remove contact lenses, if present and ontinue rinsing.</li> <li>dical advice/ attention if you feel unwell.</li> <li>If skin irritation or rash occurs: Get medical ad- n.</li> <li>If eye irritation persists: Get medical advice/ at- Take off contaminated clothing and wash it before</li> </ul>
		P391 Collect	spillage.



### Indoxacarb Formulation

Version	Revision Date:
14.1	2024/09/28

SDS Number: 25528-00029 Date of last issue: 2024/07/06 Date of first issue: 2014/10/24

#### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Important symptoms and out- : Vapours may form explosive mixture with air. lines of the emergency assumed

#### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Comp	onents

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Propan-2-ol	67-63-0	35.4	2-207
Ethyl Acetoacetate	141-97-9	>= 20 - < 30	2-1475
Indoxacarb (ISO)	173584-44-6	>= 10 - < 20	-

#### 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek me vice immediately. When symptoms persist or in all cases of doubt seel advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	In case of contact, immediately flush skin with plenty Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.	of water.
In case of eye contact	In case of contact, immediately flush eyes with plent for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.	y of water
If swallowed	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious per	rson.
Most important symptoms and effects, both acute and	Harmful if swallowed. May cause an allergic skin reaction.	



# Indoxacarb Formulation

Versi 14.1	ion	Revision Date: 2024/09/28	-	0S Number: 528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
		d ion of first-aiders o physician	:	Causes damage exposure. First Aid respond and use the reco when the potentia	ye irritation. iness or dizziness. to organs through prolonged or repeated ers should pay attention to self-protection, mmended personal protective equipment al for exposure exists (see section 8). ically and supportively.
5. FI	REFIG	HTING MEASURES			
	Suitabl	e extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide (( Dry chemical	
	Unsuita media	able extinguishing	:	High volume wate	er jet
	Specific fighting	c hazards during fire-	:	fire. Flash back possil Vapours may forr	d water stream as it may scatter and spread ble over considerable distance. n explosive mixtures with air. bustion products may be a hazard to health.
	Hazard ucts	lous combustion prod-	:	Carbon oxides	
	Specific ods	c extinguishing meth-	:	cumstances and Use water spray	g measures that are appropriate to local cir- the surrounding environment. to cool unopened containers. ged containers from fire area if it is safe to do
	Specia for firef	l protective equipment ighters	:		e, wear self-contained breathing apparatus. tective equipment.
6. AC	CCIDE	NTAL RELEASE MEA	SUF	RES	
	tive equ	al precautions, protec- uipment and emer- procedures	:	Follow safe hand	
	Enviror	nmental precautions	:		he environment. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

barriers).



Version 14.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24			
		cannot be	contained.			
Methods and materials for containment and cleaning up		<ul> <li>Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>				
	ING AND STORAGE					
Hand	nical measures	: See Engin	eering measures under EXPOSURE			
Tech	nical measures		S/PERSONAL PROTECTION section.			
Local/Total ventilation		ventilation.	ventilation is unavailable, use with local exhaust sion-proof electrical, ventilating and lighting equip-			
Advic	e on safe handling	: Do not get Do not bre Do not swa Do not get Wash skin Handle in a practice, b sessment Non-spark Keep conta Keep away other igniti Take preca Do not eat	in eyes. thoroughly after handling. accordance with good industrial hygiene and safety ased on the results of the workplace exposure as- ing tools should be used. ainer tightly closed. / from heat, hot surfaces, sparks, open flames and on sources. No smoking. autionary measures against static discharges. , drink or smoke when using this product. to prevent spills, waste and minimize release to the			
	lance of contact ene measures	: Oxidizing a : If exposure flushing sy place. When usin	agents e to chemical is likely during typical use, provide ey stems and safety showers close to the working g do not eat, drink or smoke. Ited work clothing should not be allowed out of the			



Version 14.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24	
_		Wash contamina	ted clothing before re-use.	
Stora	ge			
Conditions for safe storage		<ul> <li>Keep in properly labelled containers.</li> <li>Store locked up.</li> <li>Keep tightly closed.</li> <li>Keep in a cool, well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>		
Materials to avoid		<ul> <li>Keep away from heat and sources of ignition.</li> <li>Do not store with the following product types: Oxidizing solids Oxidizing liquids</li> </ul>		
Packa	ging material	: Unsuitable mater	ial: None known.	

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
Propan-2-ol	67-63-0	ACL	200 ppm	JP OEL ISHL
		OEL-C	400 ppm	JP OEL
			980 mg/m3	JSOH
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	50 µg/m3 (OEB 3)	Internal
	Further information	ation: DSEN		ſ
		Wipe limit	100 µg/100 cm2	Internal

#### **Biological occupational exposure limits**

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

#### Engineering measures

# Minimize workplace exposure concentrations. If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip-

Use explosion-proof electrical, ventilating and lighting equipment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-



ersion 4.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
	ter type protection	ommended gu	ent demonstrates exposures outside the rec- idelines, use respiratory protection. iculates and organic vapour type
Ma	aterial	: Chemical-resis	tant gloves
Re	emarks	on the concent stance and spe determined for applications, w chemicals of th glove manufac which may imp hands before b Impermeable p	to protect hands against chemicals depending tration and quantity of the hazardous sub- ecific to place of work. Breakthrough time is not the product. Change gloves often! For special re recommend clarifying the resistance to the aforementioned protective gloves with the turer. Take note that the product is flammable to be act the selection of hand protection. Wash preaks and at the end of workday.
Еуе р	rotection		ving personal protective equipment:
Skin a	and body protection	: Select appropri- resistance data potential. Wear the follow If assessment atmospheres of protective cloth Skin contact m	iate protective clothing based on chemical a and an assessment of the local exposure ving personal protective equipment: demonstrates that there is a risk of explosive or flash fires, use flame retardant antistatic

Physical state	:	liquid
Colour	:	White to light yellow
Odour	:	sweet
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and uppe Upper explosion limit / Up- per flammability limit		xplosion limit / flammability limit No data available



	evision Date: )24/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
	explosion limit / flammability limit	: No data availa	ble
Flash poin	t	: 18 °C	
Decompos	sition temperature	: No data availa	ble
pН		: No data availa	ble
Evaporatio	on rate	: No data availa	ble
Auto-igniti	on temperature	: No data availa	ble
Viscosity Viscosi	ty, kinematic	: No data availa	ble
Solubility(i Water s	es) solubility	: No data availa	ble
Partition co	oefficient: n- ater	: Not applicable	
Vapour pre	essure	: No data availa	ble
	nd / or relative dens e density	ity : No data availa	ble
Density	/	: 1.12 g/cm <sup>3</sup>	
Relative va	apour density	: No data availa	ble
Explosive	properties	: Not explosive	
Oxidizing (	oroperties	: The substance	or mixture is not classified as oxidizing.
Molecular	weight	: No data availa	ble
Particle ch Particle	aracteristics size	: Not applicable	

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.



Incompatible materials : Oxidizing agents Hazardous decomposition : No hazardous decomposition products are known. products <b>11.TOXICOLOGICAL INFORMATION</b> Information on likely routes of : Inhalation exposure : Skin contact Ingestion : Eye contact <b>Acute toxicity</b> Harmful if swallowed. <b>Product:</b> Acute oral toxicity : Acute toxicity estimate: 916.54 mg/kg Method: Calculation method Acute inhalation toxicity : Acute toxicity estimate: 916.54 mg/kg Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method <b>Components:</b> <b>Propan-2-0i:</b> Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg <b>Ethyl Acetoacetate:</b> Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 5,000 mg/kg Acute oral toxicity : LD50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 0,000 mg/kg Acute oral toxicity : LD50 (Rat): > 0,000 mg/kg Acute inhalation toxicity : LD50 (Rat): > 0,000 mg/kg Acute oral toxicity : LD50 (Rat): > 0,000 mg/kg Acute dermal toxicity : LD50 (Rat): > 1,000 mg/kg Acute oral toxicity : L	Version 14.1	Revision Date: 2024/09/28	-	0S Number: 528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
Information on likely routes of :       Inhalation         skin contact       Ingestion         Eye contact       Acute toxicity         Harmful if swallowed.       Produce:         Acute oral toxicity       :         Acute oral toxicity       :         Acute inhalation toxicity       :         Acute inhalation toxicity       :         Acute oral toxicity       :         Acute inhalation toxicity       :         Acute oral toxicity       :         Acute inhalation toxicity       :         Acute oral toxicity       :         Acute oral toxicity       :         Acute oral toxicity       :         Acute oral toxicity       :         Dependents:       Propan-2-0:         Acute inhalation toxicity       :         LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       :         LD50 (Rat): > 25 mg/l         Exposure time: 6 h         Test atmosphere: vapour         Acute dermal toxicity       :         LD50 (Rat): > 10,800 mg/kg         Acute oral toxicity       :         LD50 (Rat): > 2,000 mg/kg         Acute oral toxicity       :         LD50 (Rat): > 2,000 mg/kg </td <td>Haza</td> <td>rdous decomposition</td> <td>:</td> <td></td> <td></td>	Haza	rdous decomposition	:		
exposure       Skin contact Ingestion Eye contact         Acute toxicity       Harmful if swallowed.         Product:       Acute oral toxicity       : Acute toxicity estimate: 916.54 mg/kg Method: Calculation method         Acute onal toxicity       : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method         Components:       Propan-2-ol: Acute oral toxicity       : LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       : LD50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       : LD50 (Rat): > 5,000 mg/kg         Ethyl Acetoacetate:       :         Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LD50 (Rat): 10,800 mg/kg         Acute oral toxicity       : LD50 (Rat): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):       :         Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	11. TOXIC	COLOGICAL INFORMAT	101	N	
Harmful if swallowed.         Product:         Acute oral toxicity       : Acute toxicity estimate: 916.54 mg/kg Method: Calculation method         Acute inhalation toxicity       : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method         Components:       Propan-2-ol:         Acute oral toxicity       : LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       : LD50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       : LD50 (Rat): > 5,000 mg/kg         Ethyl Acetoacetate:       .         Acute inhalation toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LD50 (Rat): 10,800 mg/kg         Acute dermal toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LD50 (Rat): 2,2000 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):       .         Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg		-	:	Skin contact Ingestion	
Acute oral toxicity       : Acute toxicity estimate: 916.54 mg/kg Method: Calculation method         Acute inhalation toxicity       : Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method         Components:       Propan-2-ol: Acute oral toxicity       : LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       : LD50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       : LD50 (Rat): > 5,000 mg/kg         Ethyl Acetoacetate:		•			
Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method         Components:         Propan-2-ol:         Acute oral toxicity       : LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       : LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       : LD50 (Rat): > 5,000 mg/kg         Ethyl Acetoacetate:         Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LD50 (Rat): 2,000 mg/kg         Acute inhalation toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):       : LD50 (Rat, female): 179 mg/kg	-		:		
Propan-2-ol:         Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       :       LD50 (Rabbit): > 5,000 mg/kg         Ethyl Acetoacetate:       .         Acute oral toxicity       :       LD50 (Rat): 10,800 mg/kg         Acute oral toxicity       :       LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): 10,800 mg/kg         Acute oral toxicity       :       LD50 (Rat): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO): Acute oral toxicity       :       LD50 (Rat, female): 179 mg/kg	Acute	e inhalation toxicity	:	Exposure time: 4 Test atmosphere:	h dust/mist
Acute oral toxicity       : LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       : LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       : LD50 (Rabbit): > 5,000 mg/kg         Ethyl Acetoacetate: Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LD50 (Rat): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO): Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	Com	ponents:			
Acute oral toxicity       :       LD50 (Rat): > 5,000 mg/kg         Acute inhalation toxicity       :       LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       :       LD50 (Rat): > 5,000 mg/kg         Ethyl Acetoacetate:       .         Acute oral toxicity       :       LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       :       LC50 (Rabbit): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       :       LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):       .         Acute oral toxicity       :         LD50 (Rat, female): 179 mg/kg	Prop	an-2-ol:			
Exposure time: 6 h Test atmosphere: vapour         Acute dermal toxicity       : LD50 (Rabbit): > 5,000 mg/kg         Ethyl Acetoacetate: Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LC50 (Rabbit): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO): Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	-		:	LD50 (Rat): > 5,0	00 mg/kg
Ethyl Acetoacetate:         Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LC50 (Rabbit): > 40 mg/l         Exposure time: 4 h       Test atmosphere: vapour         Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402         Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):         Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	Acute	e inhalation toxicity	:	Exposure time: 6	h
Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LC50 (Rabbit): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO): Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	Acute	e dermal toxicity	:	LD50 (Rabbit): >	5,000 mg/kg
Acute oral toxicity       : LD50 (Rat): 10,800 mg/kg         Acute inhalation toxicity       : LC50 (Rabbit): > 40 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO): Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	Ethv	Acetoacetate:			
Exposure time: 4 h         Test atmosphere: vapour         Remarks: Based on data from similar materials         Acute dermal toxicity       : LD50 (Rat): > 2,000 mg/kg         Method: OECD Test Guideline 402         Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):         Acute oral toxicity         : LD50 (Rat, female): 179 mg/kg	-		:	LD50 (Rat): 10,80	00 mg/kg
Method: OECD Test Guideline 402         Assessment: The substance or mixture has no acute derm toxicity         Indoxacarb (ISO):         Acute oral toxicity       : LD50 (Rat, female): 179 mg/kg	Acute	e inhalation toxicity	:	Exposure time: 4 Test atmosphere:	h vapour
Acute oral toxicity : LD50 (Rat, female): 179 mg/kg	Acute	e dermal toxicity	:	Method: OECD T Assessment: The	est Guideline 402
Acute oral toxicity : LD50 (Rat, female): 179 mg/kg	Indo	xacarb (ISO):			
			:		



rsion 1	Revision Date: 2024/09/28		DS Number: 528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
			LD50 (Rat, ma	le): 843 ma/ka
•				
Acute	inhalation toxicity	:	LC50 (Rat, fen Exposure time Test atmosphe	: 4 h
Acute	dermal toxicity	:	LD50 (Rat, ma	le and female): > 5,000 mg/kg
-	corrosion/irritation assified based on ava	vilabla	information	
	onents:	allable	iniornation.	
Speci	an-2-ol:		Rabbit	
Resul		:	No skin irritatio	n
Ethyl	Acetoacetate:			
Speci		:	Rabbit	
Metho Resul		:	OECD Test Gu No skin irritatio	
Indox	acarb (ISO):			
Resul	t	:	No skin irritatio	on
Serio	us eye damage/eye i	irritati	ion	
Cause	es serious eye irritatio	n.		
<u>Comp</u>	oonents:			
Propa	an-2-ol:			
Speci Resul		:	Rabbit Irritation to eye	es, reversing within 21 days
Ethyl	Acetoacetate:			
Speci		:	Rabbit	
Resul Metho		:	No eye irritatio OECD Test Gu	
Indox	acarb (ISO):			
Resul		:	No eye irritatio	n
Resp	iratory or skin sensi	tisatio	on	
Skin s	sensitisation			
-	ause an allergic skin	reaction	on	



ersion 1.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
-	<b>iratory sensitisatio</b> lassified based on av		
	oonents:		
	an-2-ol:		
Test <sup>-</sup>	Type sure routes es od	: Buehler Tes : Skin contac : Guinea pig : OECD Test : negative	
Ethyl	Acetoacetate:		
Test <sup>-</sup>	Type sure routes es od	: Skin contac : Guinea pig	mplete adjuvant test t Guideline 406
Indox	(acarb (ISO):		
Test Speci Resu	Type les	: Maximisatio : Guinea pig : positive	n Test
	<b>cell mutagenicity</b> lassified based on av	vailable information.	
<u>Com</u>	oonents:		
Propa	an-2-ol:		
Geno	toxicity in vitro		Bacterial reverse mutation assay (AMES)
		Result: neg	ative
		C C	In vitro mammalian cell gene mutation test
Geno	toxicity in vivo	Test Type: I Result: neg : Test Type: I cytogenetic Species: Mo	In vitro mammalian cell gene mutation test ative Mammalian erythrocyte micronucleus test (in vivo assay) ouse Route: Intraperitoneal injection
	·	Test Type: I Result: neg : Test Type: I cytogenetic Species: Mo Application	In vitro mammalian cell gene mutation test ative Mammalian erythrocyte micronucleus test (in vive assay) ouse Route: Intraperitoneal injection
Ethyl	toxicity in vivo <b>Acetoacetate:</b> toxicity in vitro	Test Type: I Result: neg: : Test Type: I cytogenetic Species: Mo Application Result: neg: : Test Type: I	In vitro mammalian cell gene mutation test ative Mammalian erythrocyte micronucleus test (in vive assay) ouse Route: Intraperitoneal injection ative Bacterial reverse mutation assay (AMES) ECD Test Guideline 471





<b>rb (ISO):</b> sity in vitro	:	Method: OECD Result: negative Test Type: Bac Result: negative Test Type: Chri Test system: m Result: negative Test Type: In vi	eterial reverse mutation assay (AMES) e omosomal aberration ammalian cells e itro mammalian cell gene mutation test hinese hamster ovary cells e ronucleus test e marrow
sity in vitro	:	Method: OECD Result: negative Test Type: Bac Result: negative Test Type: Chr Test system: m Result: negative Test Type: In v Test system: C Result: negative Test Type: Micr Species: Mouse Cell type: Bone	e Test Guideline 473 e eterial reverse mutation assay (AMES) e omosomal aberration ammalian cells e itro mammalian cell gene mutation test hinese hamster ovary cells e ronucleus test e marrow
sity in vitro	:	Result: negative Test Type: Chro Test system: m Result: negative Test Type: In ve Test system: C Result: negative Test Type: Mice Species: Mouse Cell type: Bone	e omosomal aberration ammalian cells e itro mammalian cell gene mutation tes hinese hamster ovary cells e ronucleus test e marrow
sity in vivo	:	Result: negative Test Type: Chro Test system: m Result: negative Test Type: In ve Test system: C Result: negative Test Type: Mice Species: Mouse Cell type: Bone	e omosomal aberration ammalian cells e itro mammalian cell gene mutation tes hinese hamster ovary cells e ronucleus test e marrow
	:	Test system: m Result: negative Test Type: In v Test system: C Result: negative Test Type: Mice Species: Mouse Cell type: Bone	ammalian cells e itro mammalian cell gene mutation test hinese hamster ovary cells e ronucleus test e marrow
	:	Test system: C Result: negative Test Type: Mice Species: Mouse Cell type: Bone	hinese hamster ovary cells e ronucleus test e e marrow
	:	Species: Mouse Cell type: Bone	e e marrow
			e
enicity			
fied based on ava	ailable	information.	
ents:			
-ol:			
_	:	Rat	
n Route time	:	inhalation (vapo 104 weeks	our)
une	÷	OECD Test Gu	ideline 451
	:	negative	
rb (ISO):			
_	:	Rat, male and f	female
	:		
y or redunion	:	negative	
	:	Mouse, male a	nd female
n Route	:	oral (feed)	
	:		
y of freatment	:	negative	
	n Route time y of Treatment n Route time y of Treatment	n Route time : y of Treatment : n Route : time :	<ul> <li>Rat, male and t</li> <li>oral (feed)</li> <li>2 Years</li> <li>y of Treatment</li> <li>daily</li> <li>negative</li> <li>Mouse, male at</li> <li>oral (feed)</li> <li>ined</li> <li>oral (feed)</li> <li>18 Months</li> <li>y of Treatment</li> <li>daily</li> <li>negative</li> </ul>



Versi 14.1	ion	Revision Date: 2024/09/28	-	9S Number: 528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
<u>(</u>	Compo	nents:			
I	Propan	-2-ol:			
I	Effects	on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
	Effects ment	on foetal develop-	:	Test Type: Embry Species: Rat Application Route Result: negative	o-foetal development : Ingestion
	Ethvl A	cetoacetate:			
	-	on fertility	:	Test Type: Repro- test Species: Rat Application Route Method: OECD To Result: negative	
	Effects ment	on foetal develop-	:	Test Type: Repro- test Species: Rat Application Route Method: OECD To Result: negative	
	Indova	carb (ISO):			
		carb (ISO): on fertility	:	Test Type: Two-g Species: Rat Application Route General Toxicity F Result: negative	·
				General Toxicity F	: Oral Parent: NOAEL: 1.3 mg/kg body weight 1: NOAEL: > 6.7 mg/kg body weight kic effects and adverse effects on the off-
	Effects ment	on foetal develop-	:	Test Type: Develo Species: Rat Developmental To Result: No teratog	oxicity: NOAEL: 2 mg/kg body weight
				Test Type: Develo Species: Rabbit Application Route	



ersion 4.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
		Developmenta Result: No adv	al Toxicity: NOAEL: 500 mg/kg body weight verse effects
		Test Type: De Species: Rat Application Ro Developmenta	
		Test Type: De Species: Rat Application Ro Developmenta	
	- single exposure	1	
-	ause drowsiness or o	dizziness.	
	oonents:		
-	an-2-ol: ssment	: May cause dro	owsiness or dizziness.
sure.		(Blood, Nervous syste	em, Heart) through prolonged or repeated expo
	oonents:		
Targe	x <b>acarb (ISO):</b> et Organs ssment		is system, Heart ge to organs through prolonged or repeated
Repe	ated dose toxicity		
Comp	oonents:		
Propa	an-2-ol:		
		: Rat : 12.5 mg/l : inhalation (vap : 104 Weeks	pour)
Ethyl	Acetoacetate:		
Speci NOAE Applic	es EL cation Route sure time	: Rat : >= 1,000 mg/k : Ingestion : 28 Days : OECD Test G	
_	acarb (ISO):		



# Indoxacarb Formulation

ersion .1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
Speci	es	: Rat, male and	female
NOAE		: 1.7 mg/kg	
LOAE		: 4.1 mg/kg	
	cation Route	: Oral	
	sure time et Organs	: 90 d : Blood, Central	nervous system
Speci		: Rat, male and	female
NOAE		: 50 mg/kg	
LOAE	cation Route	: 500 mg/kg : Dermal	
	sure time	: 28 d	
	et Organs	: Blood	
Speci		: Rat	
NOAE LOAE		: 4.6 mg/m3	
	cation Route	: 23 mg/m3 : Inhalation	
	sure time	: 4 Weeks	
	et Organs	: Blood, Lungs	
Speci		: Rat, male and	female
NOAE LOAE		: 1 mg/kg	
	cation Route	: 2 mg/kg : Oral	
	sure time	: 1 yr	
	et Organs	: Blood	
Speci		: Dog	
NOAE LOAE		: 1 mg/kg	
	cation Route	: 2 mg/kg : Oral	
	sure time	: 1 yr	
	et Organs	: Blood	
Speci		: Mouse	
NOAE LOAE		: 3 mg/kg : 14 mg/kg	
	cation Route	: oral (feed)	
	sure time	: 18 Months	
	et Organs	: Nervous system	n, Heart
Aspir	ation toxicity		
-	assified based on ava	ailable information.	

#### Experience with human exposure

#### Components:

#### Indoxacarb (ISO):

General Information

: No human information is available.



Version 14.1	Revision Date: 2024/09/28		9S Number: 528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
12 5001	OGICAL INFORMATION			
12. EUUL		N		
Ecot	oxicity			
<u>Com</u>	ponents:			
Prop	an-2-ol:			
Toxic	sity to fish	:	LC50 (Pimephale Exposure time: 96	s promelas (fathead minnow)): 9,640 mg/l 5 h
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 24	agna (Water flea)): > 10,000 mg/l ł h
Toxic	ity to microorganisms	:	EC50 (Pseudomo Exposure time: 16	nas putida): > 1,050 mg/l S h
Ethy	Acetoacetate:			
-	ty to fish	:	LC50 (Danio rerio Exposure time: 96 Method: OECD Te	
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Toxic plant	sity to algae/aquatic s	:	ErC50 (Desmode Exposure time: 72 Method: OECD Te	
			EC10 (Desmodes Exposure time: 72 Method: OECD Te	
Toxic	to microorganisms	:	EC50: > 3,000 mg Exposure time: 24	
Indo	xacarb (ISO):			
	sity to fish	:	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
			LC50 (Lepomis m Exposure time: 96 Method: OECD Te	
	tity to daphnia and other tic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxic	to algae/aquatic	:	EC50 (Pseudokiro	chneriella subcapitata (green algae)): > 0.6



rsion 1	Revision Date: 2024/09/28		OS Number: 528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24	
plants			mg/I Exposure time: 7	2 h	
			NOEC (Pseudoki mg/l Exposure time: 72	rchneriella subcapitata (green algae)): 0. 2 h	
	ctor (Acute aquatic tox-	:	1		
	ty to daphnia and other c invertebrates (Chron-	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.09 mg/l 1 d	
	ctor (Chronic aquatic	:	1		
Persis	stence and degradabili	ity			
<u>Comp</u>	onents:				
-	<b>ın-2-ol:</b> gradability	:	Result: rapidly degradable		
BOD/COD		:	BOD: 1,19 (BOD5) COD: 2,23 BOD/COD: 53 %		
Ethyl	Acetoacetate:				
Biodegradability		:	Result: Readily b Biodegradation: Exposure time: 20 Method: OECD T	66 %	
Bioac	cumulative potential				
<u>Comp</u>	onents:				
Propa	ın-2-ol:				
	on coefficient: n- bl/water	:	log Pow: 0.05		
-	Acetoacetate:				
	on coefficient: n- ol/water	:	: log Pow: 0.8		
	acarb (ISO):				
Partition coefficient: n- : log Pow: 4.65 octanol/water					
Mobil	ity in soil				
<u>Comp</u>	onents:				





Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2024/07/06 Date of first issue: 2014/10/24
ution among environ- I compartments	: log Koc: 3.9	
dous to the ozone lay	ver	
<b>adverse effects</b> ta available		
SAL CONSIDERATIO	NS	
sal methods		
from residues		cordance with local regulations.
minated packaging	<ul> <li>Empty containers should be taken to an approved waste I dling site for recycling or disposal.</li> <li>Empty containers retain residue and can be dangerous.</li> <li>Do not pressurize, cut, weld, braze, solder, drill, grind, or pose such containers to heat, flame, sparks, or other sour of ignition. They may explode and cause injury and/or dea If not otherwise specified: Dispose of as unused product.</li> </ul>	
	2024/09/28 ution among environ- l compartments dous to the ozone lay oplicable adverse effects ta available SAL CONSIDERATION sal methods from residues	2024/09/28 25528-00029 ution among environ- i compartments dous to the ozone layer oplicable adverse effects ta available SAL CONSIDERATIONS sal methods from residues from residues i Dispose of in ac Do not dispose of minated packaging Empty container Do not pressuriz pose such conta

#### 14. TRANSPORT INFORMATION

### International Regulations

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels Environmentally hazardous	:	UN 1219 ISOPROPANOL SOLUTION 3 II 3 no
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	:	UN 1219 Isopropanol solution 3 II Flammable Liquids 364 353
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code	:	UN 1219 ISOPROPANOL SOLUTION (Indoxacarb (ISO)) 3 II 3 F-E, S-D



### Indoxacarb Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
14.1	2024/09/28	25528-00029	Date of first issue: 2014/10/24

Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **National Regulations**

Refer to section 15 for specific national regulation.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**ERG Code** : 129

#### **15. REGULATORY INFORMATION**

#### **Related Regulations**

#### Fire Service Law

Group 4, Type 1 petroleums, Water insoluble liquid, (200 litre), Hazardous rank II

#### Chemical Substance Control Law

Priority Assessment Chemical Substance	
Chemical name	Number
Isopropyl alcohol	102

#### Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacture

Not applicable

#### Harmful Substances Required Permission for Manufacture

Not applicable

#### Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

#### Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Propyl alcohol	35.4	-
ethyl acetoacetate	>=20 - <30	From April 1st, 2026
Methyl (S)-7-chloro-2,3,4a,5-tetrahydro- 2-[methoxycarbonyl(4-	>=10 - <20	From April 1st, 2025



/ersion 4.1	Revision Date: 2024/09/28	SDS Number: 25528-00029	Date of last issue: 2 Date of first issue: 2	
pher	promethoxy- hyl)carbamoyl]indeno[ 3,4]oxadiazine-4a-cai			
	tances Subject to be e 57 (Enforcement Or			
	nical name			Remarks
	yl alcohol			-
ethyl	acetoacetate			From April 1st, 2026
triflue		i,5-tetrahydro-2-[metho rbamoyl]indeno[1,2-e][		From April 1st, 2025
Meth trifluc carbo Carci tions	bromethoxyphenyl)ca oxylate (S:R = 75:25) nogenic Substance )	a,5-tetrahydro-2-[metho rbamoyl]indeno[1,2-e] s (Article 577-2 of the		and Safety Regula-
Ordir	pplicable nance on Prevention pplicable	of Hazards Due to S	pecified Chemical Sub	stances
	nance on Prevention	of Lead Poisoning		
	nance on Prevention	of Tetraalkyl Lead P	oisoning	
		of Organic Solvent F	Poisoning	
Enfo	nic Solvents Class 2 rcement Order of the tances)	e Industrial Safety an	d Health Law - Attache	ed table 1 (Dangerous
	mable Substance			
Poise	onous and Deleterio	us Substances Contr	ol Law	

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

**Explosive Control Law** 

Not applicable

#### Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)



Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
14.1	2024/09/28	25528-00029	Date of first issue: 2014/10/24

#### **Aviation Law**

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

#### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation :		Noxious liquid substance(Category Z)
-----------------------	--	--------------------------------------

Pack transportation : Classified as marine pollutant

#### **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission) Not applicable Specific Narcotic or Psychotropic Raw Material (Export / Import permission) Not applicable

#### Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

#### **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/		
Date format	:	yyyy/mm/dd		
Full text of other abbreviations				
ACGIH ACGIH BEI JP OEL ISHL JP OEL JSOH		USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) Japan. Administrative Control Levels Japan. The Japan Society for Occupational Health. Recom- mendation of Occupational Exposure Limits		
ACGIH / TWA ACGIH / STEL JP OEL ISHL / ACL JP OEL JSOH / OEL-C	: : : :	8-hour, time-weighted average Short-term exposure limit Administrative Control level Occupational Exposure Limit-Ceiling		

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for



### **Indoxacarb Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/07/06
14.1	2024/09/28	25528-00029	Date of first issue: 2014/10/24

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature: SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN