

Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Section 1: Identification

Product identifier : Indoxacarb Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive

Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irri-

tation

Category 2

Skin sensitisation : Category 1

Specific target organ toxicity - :

single exposure

Category 3

Specific target organ toxicity - :

repeated exposure

Category 1 (Blood, Nervous system, Heart)

Long-term (chronic) aquatic

hazard

: Category 2

GHS Label elements, including precautionary statements

Hazard pictograms :









Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H372 Causes damage to organs (Blood, Nervous system,

Heart) through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

Vapours may form explosive mixture with air.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Propan-2-ol	67-63-0	>= 30 -< 50
Indoxacarb (ISO)	173584-44-6	>= 10 -< 20

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.

Causes damage to organs through prolonged or repeated

exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Do not use a solid water stream as it may scatter and spread

fire

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Special protective actions for fire-fighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.

Ventilate the area.

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Methods and materials for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

Section 7: Handling and storage

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable gases Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Poisonous gases Explosives

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis		
Propan-2-ol	67-63-0	PEL (long term)	400 ppm 983 mg/m3	SG OEL		
		PEL (short	500 ppm	SG OEL		
		term)	1,230 mg/m3			
		TWA	200 ppm	ACGIH		
		STEL	400 ppm	ACGIH		
Indoxacarb (ISO)	173584-44-6	TWA	50 μg/m3 (OEB 3)	Internal		
	Further information: DSEN					
		Wipe limit	100 μg/100 cm2	Internal		

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Appropriate engineering control measures

: Minimize workplace exposure concentrations.

If sufficient ventilation is unavailable, use with local exhaust

ventilation.



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Skin protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic

protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

Chemical-resistant gloves

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash

hands before breaks and at the end of workday.

Section 9: Physical and chemical properties

Appearance : liquid

Colour : White to light yellow

Odour : sweet

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 18 °C



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure No data available

Relative vapour density No data available

No data available Relative density

1.12 g/cm³ Density

Solubility(ies)

Water solubility No data available

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature No data available

No data available Decomposition temperature

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

Section 10: Stability and reactivity

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions.

Possibility of hazardous reac-

tions

Highly flammable liquid and vapour.

Vapours may form explosive mixture with air. Can react with strong oxidizing agents.



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents
Hazardous decomposition : No hazardous de

products

ion : No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 916.54 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Components:

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l

Exposure time: 6 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, female): 179 mg/kg

Symptoms: Loss of reflexes, Breathing difficulties, Tremors

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Components:

Propan-2-ol:

Species : Rabbit

Result : No skin irritation

Indoxacarb (ISO):

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propan-2-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Indoxacarb (ISO):

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Propan-2-ol:

Test Type : Buehler Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Indoxacarb (ISO):

Test Type : Maximisation Test

Species : Guinea pig Result : positive

Germ cell mutagenicity

Not classified based on available information.

Components:

Propan-2-ol:



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: mammalian cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster ovary cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species : Rat

Application Route : inhalation (vapour)

Exposure time : 104 weeks

Method : OECD Test Guideline 451

Result : negative

Indoxacarb (ISO):

Species : Rat, male and female

Application Route : oral (feed)
Exposure time : 2 Years
Frequency of Treatment : daily
Result : negative

Species : Mouse, male and female

Application Route : oral (feed) Exposure time : 18 Months



Indoxacarb Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 5.0
 06.07.2024
 25538-00026
 Date of first issue: 24.10.2014

Frequency of Treatment : daily Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

Indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity F1: NOAEL: 1.3 mg/kg body weight

Result: negative

Test Type: Two-generation study

Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: 1.3 mg/kg body weight General Toxicity F1: NOAEL: > 6.7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the off-

spring were detected.

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Developmental Toxicity: NOAEL: 2 mg/kg body weight

Result: No teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 500 mg/kg body weight

Result: No adverse effects

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 100 mg/kg body weight

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Propan-2-ol:

Assessment : May cause drowsiness or dizziness.

STOT - repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:

Indoxacarb (ISO):

Target Organs : Blood, Nervous system, Heart

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Propan-2-ol:

Species : Rat NOAEL : 12.5 mg/l

Application Route : inhalation (vapour)

Exposure time : 104 Weeks

Indoxacarb (ISO):

Species : Rat, male and female

NOAEL : 1.7 mg/kg LOAEL : 4.1 mg/kg Application Route : Oral Exposure time : 90 d

Target Organs : Blood, Central nervous system

Species : Rat, male and female

NOAEL : 50 mg/kg
LOAEL : 500 mg/kg
Application Route : Dermal
Exposure time : 28 d
Target Organs : Blood

 Species
 : Rat

 NOAEL
 : 4.6 mg/m3

 LOAEL
 : 23 mg/m3



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Application Route : Inhalation
Exposure time : 4 Weeks
Target Organs : Blood, Lungs

Species : Rat, male and female

NOAEL : 1 mg/kg LOAEL : 2 mg/kg Application Route : Oral Exposure time : 1 yr Target Organs : Blood

Species : Dog
NOAEL : 1 mg/kg
LOAEL : 2 mg/kg
Application Route : Oral
Exposure time : 1 yr
Target Organs : Blood

Species : Mouse
NOAEL : 3 mg/kg
LOAEL : 14 mg/kg
Application Route : oral (feed)
Exposure time : 18 Months

Target Organs : Nervous system, Heart

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Indoxacarb (ISO):

General Information : No human information is available.

Section 12: Ecological information

Toxicity

Components:

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Indoxacarb (ISO):



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6

mg/

Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46

mg/I

1

Exposure time: 72 h

M-Factor (Acute aquatic tox- :

city)

ity)

aquatic invertebrates (Chron-

Toxicity to daphnia and other :

ic toxicity)

M-Factor (Chronic aquatic

toxicity)

NOEC (Daphnia magna (Water flea)): 0.09 mg/l

Exposure time: 21 d

Persistence and degradability

Components:

Propan-2-ol:

Biodegradability : Result: rapidly degradable

BOD/COD : BOD: 1,19 (BOD5)

COD: 2,23 BOD/COD: 53 %

Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n-

log Pow: 0.05

octanol/water

Indoxacarb (ISO):

Partition coefficient: n-

octanol/water

: log Pow: 4.65

15 / 18



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Mobility in soil

Components:

Indoxacarb (ISO):

Distribution among environmental compartments

: log Koc: 3.9

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : UN 1219

UN proper shipping name : ISOPROPANOL SOLUTION

Transport hazard class(es) : 3
Packing group : II
Labels : 3
Environmental hazards : no

IATA-DGR

UN/ID No. : UN 1219

UN proper shipping name : Isopropanol solution

Transport hazard class(es) : 3
Packing group : II

Labels : Flammable Liquids

Packing instruction (cargo

aircraft)

Packing instruction (passen: 353

ger aircraft)

IMDG-Code

UN number : UN 1219

Proper shipping name : ISOPROPANOL SOLUTION

364

(Indoxacarb (ISO))

Transport hazard class(es) : 3 Packing group : II



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

Labels : 3

EmS Code : F-E, S-D Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Isopropanol

Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Section 16: Other information

Revision Date : 06.07.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Not applicable

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)



Indoxacarb Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 5.0 06.07.2024 25538-00026 Date of first issue: 24.10.2014

SG OEL : Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term SG OEL / PEL (short term) : Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk, IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN