

**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name : Indoxacarb / Permethrin Formulation

**Supplier's company name, address and phone number**

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

---

**2. HAZARDS IDENTIFICATION****GHS classification of chemical product**

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitisation : Category 1

Specific target organ toxicity -  
single exposure : Category 3

Specific target organ toxicity -  
repeated exposure : Category 1 (Blood, Nervous system, Heart)

Short-term (acute) aquatic  
hazard : Category 1

Long-term (chronic) aquatic  
hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

---

## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

---

H302 + H332 Harmful if swallowed or if inhaled.  
 H317 May cause an allergic skin reaction.  
 H336 May cause drowsiness or dizziness.  
 H372 Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.  
 H410 Very toxic to aquatic life with long lasting effects.

## Precautionary statements

:

**Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 Keep container tightly closed.  
 P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
 P242 Use non-sparking tools.  
 P243 Take action to prevent static discharges.  
 P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P314 Get medical advice/ attention if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

**Storage:**

P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Important symptoms and out- : Vapours may form explosive mixture with air.  
 lines of the emergency as-  
 sumed

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
 Date of first issue: 2014/11/04

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Permethrin (ISO)	52645-53-1	43.81	3-4010
1-Methoxy-2-propanol	107-98-2	>= 40 - < 50	7-97, 2-404
Indoxacarb (ISO)	173584-44-6	13.69	

**4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 If not breathing, give artificial respiration.  
 If breathing is difficult, give oxygen.  
 Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.  
 Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.  
 May cause an allergic skin reaction.  
 May cause drowsiness or dizziness.  
 Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.

## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

---

Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products	:	Carbon oxides Chlorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE****Handling**

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	If sufficient ventilation is unavailable, use with local exhaust ventilation.

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
 Date of first issue: 2014/11/04

- Advice on safe handling : Use explosion-proof electrical, ventilating and lighting equipment.  
 Do not get on skin or clothing.  
 Do not breathe mist or vapours.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Non-sparking tools should be used.  
 Keep container tightly closed.  
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 Take precautionary measures against static discharges.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.
- Storage**
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.  
 Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
 Oxidizing solids  
 Oxidizing liquids
- Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Permethrin (ISO)	52645-53-1	TWA	80 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	800 µg/100 cm <sup>2</sup>	Internal
1-Methoxy-2-propanol	107-98-2	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	50 µg/m <sup>3</sup> (OEB 3)	Internal

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
 Date of first issue: 2014/11/04

		Further information: DSEN		
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.  
 Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
 Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
 Wear the following personal protective equipment:  
 If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing.  
 Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Colour : Clear white to yellow.

Odour : ether-like

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

Flammability (liquids) : No data available

Lower explosion limit and upper explosion limit / flammability limit  
Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : 33.5 °C

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Density and / or relative density  
Relative density : 1.096

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics  
Particle size : Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reac- : Flammable liquid and vapour.





**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

LD50 (Rat, male): 843 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**1-Methoxy-2-propanol:**

Species : Rabbit  
Result : No skin irritation

**Indoxacarb (ISO):**

Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Species : Rabbit  
Result : No eye irritation

**1-Methoxy-2-propanol:**

Species : Rabbit  
Result : No eye irritation

**Indoxacarb (ISO):**

Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

**Components:****Permethrin (ISO):**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

**1-Methoxy-2-propanol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Indoxacarb (ISO):**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : positive

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Result: negative

## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

---

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Intraperitoneal injection  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**1-Methoxy-2-propanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: equivocal

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OECD Test Guideline 482  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Indoxacarb (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: mammalian cells  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Species : Rat  
Result : negative

Species : Mouse  
Result : negative

**1-Methoxy-2-propanol:**

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : negative

**Indoxacarb (ISO):**

Species : Rat, male and female  
Application Route : oral (feed)  
Exposure time : 2 Years  
Frequency of Treatment : daily  
Result : negative

Species : Mouse, male and female  
Application Route : oral (feed)  
Exposure time : 18 Months  
Frequency of Treatment : daily  
Result : negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Permethrin (ISO):**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat

## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

---

Application Route: Ingestion  
Result: negative

**1-Methoxy-2-propanol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 416  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**Indoxacarb (ISO):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity F1: NOAEL: 1.3 mg/kg body weight  
Result: negative

Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 1.3 mg/kg body weight  
General Toxicity F1: NOAEL: > 6.7 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Effects on foetal development : Test Type: Development  
Species: Rat  
Developmental Toxicity: NOAEL: 2 mg/kg body weight  
Result: No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 500 mg/kg body weight  
Result: No adverse effects

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight

Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 100 mg/kg body weight

**STOT - single exposure**

May cause drowsiness or dizziness.

**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

**Components:****1-Methoxy-2-propanol:**

Assessment : May cause drowsiness or dizziness.

**STOT - repeated exposure**

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

**Components:****Indoxacarb (ISO):**

Target Organs : Blood, Nervous system, Heart  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Permethrin (ISO):**

Species : Rat  
NOAEL : 0.2201 mg/l  
Application Route : Inhalation  
Exposure time : 90 Days

Species : Rat  
NOAEL : 175 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**1-Methoxy-2-propanol:**

Species : Rat  
NOAEL : 919 mg/kg  
Application Route : Ingestion  
Exposure time : 35 Days

Species : Rat  
NOAEL : 1.1 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 2 yr  
Method : OECD Test Guideline 453

Species : Rabbit  
NOAEL : 1,838 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

**Indoxacarb (ISO):**

Species : Rat, male and female  
NOAEL : 1.7 mg/kg  
LOAEL : 4.1 mg/kg  
Application Route : Oral

**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

Exposure time : 90 d  
Target Organs : Blood, Central nervous system

Species : Rat, male and female  
NOAEL : 50 mg/kg  
LOAEL : 500 mg/kg  
Application Route : Dermal  
Exposure time : 28 d  
Target Organs : Blood

Species : Rat  
NOAEL : 4.6 mg/m<sup>3</sup>  
LOAEL : 23 mg/m<sup>3</sup>  
Application Route : Inhalation  
Exposure time : 4 Weeks  
Target Organs : Blood, Lungs

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Blood

Species : Dog  
NOAEL : 1 mg/kg  
LOAEL : 2 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Blood

Species : Mouse  
NOAEL : 3 mg/kg  
LOAEL : 14 mg/kg  
Application Route : oral (feed)  
Exposure time : 18 Months  
Target Organs : Nervous system, Heart

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Indoxacarb (ISO):**

General Information : No human information is available.

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
 Date of first issue: 2014/11/04

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Permethrin (ISO):**

- Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.00079 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0001 mg/l  
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1.13 mg/l  
 Exposure time: 72 h
- EC10 (*Pseudokirchneriella subcapitata* (green algae)): 0.0023 mg/l  
 Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 10,000
- Toxicity to fish (Chronic toxicity) : NOEC (*Danio rerio* (zebra fish)): 0.00041 mg/l  
 Exposure time: 35 d  
 Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.0047 µg/l  
 Exposure time: 21 d  
 Method: OECD Test Guideline 211
- M-Factor (Chronic aquatic toxicity) : 10,000
- Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 3 h

**1-Methoxy-2-propanol:**

- Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 6,812 mg/l  
 Exposure time: 96 h  
 Method: DIN 38412
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 23,300 mg/l  
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (*Skeletonema costatum* (marine diatom)): 6,745 mg/l  
 Exposure time: 72 h  
 Method: ISO 10253
- Toxicity to microorganisms : IC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Method: OECD Test Guideline 209

**Indoxacarb (ISO):**



## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

---

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.9 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.6 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.6 mg/l  
Exposure time: 72 h
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.46 mg/l  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.09 mg/l  
Exposure time: 21 d
- M-Factor (Chronic aquatic toxicity) : 1

**Persistence and degradability****Components:****Permethrin (ISO):**

- Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F

**1-Methoxy-2-propanol:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 96 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

**Bioaccumulative potential****Components:****Permethrin (ISO):**

- Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 570

- Partition coefficient: n-octanol/water : log Pow: 4.67

**1-Methoxy-2-propanol:**

- Partition coefficient: n- : log Pow: < 1

**Indoxacarb / Permethrin Formulation**

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
Date of first issue: 2014/11/04

---

octanol/water

**Indoxacarb (ISO):**

Partition coefficient: n-octanol/water : log Pow: 4.65

**Mobility in soil****Components:****Indoxacarb (ISO):**

Distribution among environmental compartments : log Koc: 3.9

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3092  
Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION  
Class : 3  
Packing group : III  
Labels : 3

**IATA-DGR**

UN/ID No. : UN 3092  
Proper shipping name : 1-Methoxy-2-propanol solution  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 3092  
Proper shipping name : 1-METHOXY-2-PROPANOL SOLUTION

---

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
 Date of first issue: 2014/11/04

(Permethrin (ISO), Indoxacarb (ISO))  
 Class : 3  
 Packing group : III  
 Labels : 3  
 EmS Code : F-E, S-D  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

Refer to section 15 for specific national regulation.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Group 4, Type 2 petroleum, Water insoluble liquid, (1000 litre), Hazardous rank III

**Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Harmful Substances Required Permission for Manufacture**

Not applicable

**Substances Prevented From Impairment of Health**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

**Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Number	Concentration (%)
Propylene glycol monomethyl ether	496	>=40 - <50

**Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Number
---------------	--------

## Indoxacarb / Permethrin Formulation

Version 6.0      Revision Date: 2021/11/16      SDS Number: 27892-00020      Date of last issue: 2021/11/03  
 Date of first issue: 2014/11/04

Propylene glycol monomethyl ether	496
-----------------------------------	-----

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Inflammable Substance

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof****Class I Designated Chemical Substances**

Chemical name	Number	Concentration (%)
3-phenoxybenzyl 3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	350	44
Indoxacarb	430	14

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

**Aviation Law**

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Specially Controlled Industrial Waste

**The components of this product are reported in the following inventories:**

## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

**16. OTHER INFORMATION****Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

## Indoxacarb / Permethrin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2021/11/03
6.0	2021/11/16	27892-00020	Date of first issue: 2014/11/04

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN