

## Isoeugenol Formulation

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
Date of first issue: 2019/08/13

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Isoeugenol Formulation

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.  
Menuuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use :  
Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Warning

## Isoeugenol Formulation

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
 Date of first issue: 2019/08/13

Hazard statements : H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H401 Toxic to aquatic life.  
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
 P261 Avoid breathing vapours.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Isoeugenol	97-54-1	>= 50 - < 60	3-637

**4. FIRST AID MEASURES**

## Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention if symptoms occur.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
Harmful if inhaled.  
May cause respiratory irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

**5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**6. ACCIDENTAL RELEASE MEASURES**

## Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.

## Isoeugenol Formulation

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
 Date of first issue: 2019/08/13

Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Storage**

- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Reference concentration / Permissible concentration	Basis
Isoeugenol	97-54-1	TWA	250 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Laboratory operations do not require special containment.

**Personal protective equipment**

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hand protection  
 Material : Chemical-resistant gloves
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat.

**Isoeugenol Formulation**

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
Date of first issue: 2019/08/13

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	:	viscous liquid
Colour	:	yellow
Odour	:	floral
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	266 °C
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Lower explosion limit and upper explosion limit / flammability limit		
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	soluble Solvent: Ethanol
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	< 0.02 mmHg (25 °C)
Density and / or relative density		
Relative density	:	No data available
Density	:	No data available

**Isoeugenol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics Particle size	:	Not applicable

---

**10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Harmful if inhaled.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Acute inhalation toxicity	:	Acute toxicity estimate: 3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---	---

Acute dermal toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
-----------------------	---	--

**Components:****Isoeugenol:**

Acute oral toxicity	:	LD50 (Rat): 1,290 mg/kg
---------------------	---	-------------------------

Acute inhalation toxicity	:	Acute toxicity estimate: > 1 - 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
---------------------------	---	---

---

## Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 1,912 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Isoeugenol:**

Species : Rabbit  
Result : Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Isoeugenol:**

Result : Irritation to eyes, reversing within 21 days

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Isoeugenol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Humans  
Method : OECD Test Guideline 406  
Result : positive

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : positive

Assessment : Probability or evidence of high skin sensitisation rate in humans

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Isoeugenol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)



## Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

	Result: negative
	Test Type: Chromosome aberration test in vitro
	Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Ingestion
	Result: negative

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**Components:****Isoeugenol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study
	Species: Rat
	Application Route: Ingestion
	Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development
	Species: Rat
	Application Route: Ingestion
	Result: negative

**STOT - single exposure**

May cause respiratory irritation.

**Components:****Isoeugenol:**

Assessment	: May cause respiratory irritation.
Remarks	: Based on data from similar materials

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Isoeugenol:**

Species	: Rat
NOAEL	: 75 mg/kg
LOAEL	: 150 mg/kg
Application Route	: Ingestion
Exposure time	: 14 Weeks

## Isoeugenol Formulation

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
Date of first issue: 2019/08/13

---

### Aspiration toxicity

Not classified based on available information.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Isoeugenol:**

Toxicity to fish	:	EC50 (Oncorhynchus mykiss (rainbow trout)): 5.1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 7.5 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 3.76 mg/l Exposure time: 72 h  NOEC (Skeletonema costatum (marine diatom)): 1.7 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.4 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **Isoeugenol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 79 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

### Bioaccumulative potential

#### Components:

##### **Isoeugenol:**

Partition coefficient: n-octanol/water	:	log Pow: 3.04
--	---	---------------

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

No data available

## Isoeugenol Formulation

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
Date of first issue: 2019/08/13

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.
- 

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

- UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable

##### IATA-DGR

- UN/ID No. : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
Packing instruction (cargo aircraft) : Not applicable  
Packing instruction (passenger aircraft) : Not applicable

##### IMDG-Code

- UN number : Not applicable  
Proper shipping name : Not applicable  
Class : Not applicable  
Subsidiary risk : Not applicable  
Packing group : Not applicable  
Labels : Not applicable  
EmS Code : Not applicable  
Marine pollutant : Not applicable

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

#### Special precautions for user

Not applicable

## Isoeugenol Formulation

Version 8.0      Revision Date: 2023/04/04      SDS Number: 4741412-00012      Date of last issue: 2022/10/01  
 Date of first issue: 2019/08/13

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

**Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Harmful Substances Required Permission for Manufacture**

Not applicable

**Substances Prevented From Impairment of Health**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

**Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
isoeugenol	>=50 - <60	From April 1st, 2025

**Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
isoeugenol	From April 1st, 2025

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Isoeugenol Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof****Until March 31st, 2023**

Not applicable

**From April 1st, 2023**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Not regulated as a dangerous good

**Aviation Law**

Not regulated as a dangerous good

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Noxious liquid substance(Category Y)

Pack transportation : Not classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION****Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

## Isoeugenol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2022/10/01
8.0	2023/04/04	4741412-00012	Date of first issue: 2019/08/13

---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN