

# Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

---

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ivermectin (with Isopropyl Alcohol) Formulation

### Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use :  
Not applicable

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Skin irritation : Category 3

Eye irritation : Category 2A

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Specific target organ toxicity - : Category 3  
single exposure

Short-term (acute) aquatic : Category 1  
hazard

Long-term (chronic) aquatic : Category 1  
hazard

# Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

## GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.  
H303 + H313 May be harmful if swallowed or in contact with skin.  
H316 Causes mild skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H341 Suspected of causing genetic defects.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P391 Collect spillage.

## Other hazards which do not result in classification

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
2-(2-Butoxyethoxy)ethanol	112-34-5	Acute toxicity (Oral), Category 5 Acute toxicity (Dermal), Category 5 Skin irritation, Category 3 Eye irritation, Category 2A	>= 50 -< 70
Propan-2-ol	67-63-0	Flammable liquids, Category 2 Eye irritation, Category 2A	>= 30 -< 50

## Ivermectin (with Isopropyl Alcohol) Formula- tion

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

		Specific target organ toxicity - single exposure, Category 3	
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -(1-oxotetradecyl)- $\omega$ -(phenylmethoxy)-	642443-86-5	Skin irritation, Category 3	$\geq 10$ -< 20
7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate	2386-87-0	Acute toxicity (Oral), Category 5 Skin sensitization, Category 1 Germ cell mutagenicity, Category 2 Specific target organ toxicity - repeated exposure (nasal cavity), Category 2 Short-term (acute) aquatic hazard, Category 3 Long-term (chronic) aquatic hazard, Category 3	$\geq 1$ -< 2,5
Ivermectin	70288-86-7	Acute toxicity (Oral), Category 2 Acute toxicity (Dermal), Category 3 Specific target organ toxicity - single exposure (Oral) (Central nervous system), Category 1 Specific target organ toxicity - repeated exposure (Oral) (Central nervous system), Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	$\geq 0,25$ -< 1
2,6-Di-tert-butyl-p-cresol	128-37-0	Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1	$\geq 0,25$ -< 1

## Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

---

### SECTION 4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed or in contact with skin.  
Causes mild skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
Suspected of causing genetic defects.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
- 

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapors may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.
-

## Ivermectin (with Isopropyl Alcohol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g., by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapors/mists with a water spray jet.  
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapors.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

## Ivermectin (with Isopropyl Alcohol) Formula- tion

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

- assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Flammable solids  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Substances and mixtures which in contact with water emit flammable gases  
Explosives  
Gases  
Very acutely toxic substances and mixtures

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Propan-2-ol	67-63-0	LT	310 ppm 765 mg/m <sup>3</sup>	BR OEL

# Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
 Date of first issue: 29.03.2017

	Further information: Absorption through the skin, Degree of harmfulness: medium			
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Ivermectin	70288-86-7	TWA	30 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	300 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH

## Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of workday at end of work-week	40 mg/l	BR BEI
		Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.  
 Use explosion-proof electrical, ventilating and lighting equipment.

## Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is flammable, which may impact the selection of hand

## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

---

Eye protection	: protection. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: yellow
Odor	: solvent
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 28 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 0,855 - 0,905 g/cm <sup>3</sup>



## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

---

Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

May be harmful if swallowed or in contact with skin.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 2.985 mg/kg Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 4.924 mg/kg Method: Calculation method

---

## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

### Components:

#### **2-(2-Butoxyethoxy)ethanol:**

Acute oral toxicity : LD50 (Mouse): 2.410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2.764 mg/kg

#### **Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

#### **Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -(1-oxotetradecyl)- $\omega$ -(phenylmethoxy)-:**

Acute oral toxicity : LD50 (Rat): > 16.000 mg/kg

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Acute oral toxicity : LD50 (Rat, male): > 2.959 - 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat):  $\geq$  5,19 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 436  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Ivermectin:**

Acute oral toxicity : LD50 (Rat): 50 mg/kg

LD50 (Mouse): 25 mg/kg

LD50 (Monkey): > 24 mg/kg  
Target Organs: Central nervous system  
Symptoms: Vomiting, Dilatation of the pupil  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): 5,11 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 406 mg/kg

## Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

---

LD50 (Rat): > 660 mg/kg

### 2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity : LD50 (Rat): > 6.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Causes mild skin irritation.

### Components:

#### 2-(2-Butoxyethoxy)ethanol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

#### Propan-2-ol:

Species : Rabbit  
Result : No skin irritation

#### Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -(1-oxotetradecyl)- $\omega$ -(phenylmethoxy)-:

Species : Rabbit  
Result : Mild skin irritation

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### Ivermectin:

Species : Rabbit  
Result : No skin irritation

#### 2,6-Di-tert-butyl-p-cresol:

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye irritation.

# Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

---

## Components:

### **2-(2-Butoxyethoxy)ethanol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

### **Propan-2-ol:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

### **Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -(1-oxotetradecyl)- $\omega$ -(phenylmethoxy)-:**

Species	:	Rabbit
Result	:	No eye irritation

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

### **Ivermectin:**

Species	:	Rabbit
Result	:	Mild eye irritation

### **2,6-Di-tert-butyl-p-cresol:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

## **Respiratory or skin sensitization**

### **Skin sensitization**

May cause an allergic skin reaction.

### **Respiratory sensitization**

Not classified based on available information.

## Components:

### **2-(2-Butoxyethoxy)ethanol:**

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

### **Propan-2-ol:**

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig

## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

Method : OECD Test Guideline 406  
Result : negative

### **Poly[oxy(methyl-1,2-ethanediyl)], α-(1-oxotetradecyl)-ω-(phenylmethoxy)-:**

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Result : negative

### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : positive

Assessment : Probability or evidence of skin sensitization in humans

### **Ivermectin:**

Routes of exposure : Dermal  
Species : Humans  
Result : Does not cause skin sensitization.

### **2,6-Di-tert-butyl-p-cresol:**

Test Type : Human repeat insult patch test (HRIPT)  
Routes of exposure : Skin contact  
Species : Humans  
Result : negative

### **Germ cell mutagenicity**

Suspected of causing genetic defects.

### **Components:**

#### **2-(2-Butoxyethoxy)ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Propan-2-ol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

## Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2	Revision Date: 04.04.2023	SDS Number: 1496922-00020	Date of last issue: 09.02.2023 Date of first issue: 29.03.2017
----------------	------------------------------	------------------------------	---

- Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative
- Poly[oxy(methyl-1,2-ethanediyl)], α-(1-oxotetradecyl)-ω-(phenylmethoxy)-:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: positive
- Test Type: In vitro mammalian cell gene mutation test  
Result: positive
- Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive
- Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive
- Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative
- Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative
- Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 488  
Result: positive
- Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

---

### Ivermectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: human diploid fibroblasts  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

### 2,6-Di-tert-butyl-p-cresol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Species : Rat  
Application Route : inhalation (vapor)  
Exposure time : 104 weeks  
Method : OECD Test Guideline 451  
Result : negative

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Mouse  
Application Route : Skin contact  
Exposure time : 29 Months  
Result : negative

### Ivermectin:

Species : Rat  
Application Route : Oral

## Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
 Date of first issue: 29.03.2017

NOAEL : 1,5 mg/kg body weight  
 Result : negative  
 Remarks : Based on data from similar materials

Species : Mouse  
 Application Route : Oral  
 NOAEL : 2,0 mg/kg body weight  
 Result : negative  
 Remarks : Based on data from similar materials

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 22 Months  
 Result : negative

### Reproductive toxicity

Not classified based on available information.

### Components:

#### 2-(2-Butoxyethoxy)ethanol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 415  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### Propan-2-ol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Result: negative

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414  
 Result: negative



**Ivermectin (with Isopropyl Alcohol) Formula-  
tion**

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

---

**Ivermectin:**

- Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 0,6 mg/kg body weight  
Result: Animal testing did not show any effects on fertility.
- Effects on fetal development : Test Type: Development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: NOAEL: 0,2 mg/kg body weight  
Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
- Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 0,4 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected.  
Remarks: The mechanism or mode of action may not be relevant in humans.
- Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**2,6-Di-tert-butyl-p-cresol:**

- Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT-single exposure**

May cause drowsiness or dizziness.

**Components:****Propan-2-ol:**

- Assessment : May cause drowsiness or dizziness.

**Ivermectin:**

- Target Organs : Central nervous system

# Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

---

Assessment : Causes damage to organs.

## STOT-repeated exposure

Not classified based on available information.

### Components:

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Routes of exposure : Ingestion  
Target Organs : nasal cavity  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

#### Ivermectin:

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

#### 2,6-Di-tert-butyl-p-cresol:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

## Repeated dose toxicity

### Components:

#### 2-(2-Butoxyethoxy)ethanol:

Species : Rat  
NOAEL : 250 mg/kg  
LOAEL : 1.000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : >= 0,094 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 90 Days  
Method : OECD Test Guideline 413

Species : Rat  
NOAEL : >= 2.000 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

#### Propan-2-ol:

Species : Rat  
NOAEL : 12,5 mg/l  
Application Route : inhalation (vapor)  
Exposure time : 104 Weeks

## Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

---

### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

### Ivermectin:

Species : Dog  
NOAEL : 0,5 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system  
Symptoms : Dilatation of the pupil, Tremors, Lack of coordination, anorexia

Species : Monkey  
NOAEL : 1,2 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks  
Remarks : No significant adverse effects were reported

Species : Rat  
NOAEL : 0,4 mg/kg  
LOAEL : 0,8 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : spleen, Bone marrow, Kidney

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

### Components:

#### Ivermectin:

Skin contact : Remarks: Can be absorbed through skin.  
Eye contact : Remarks: May irritate eyes.  
Ingestion : Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vomiting, anorexia, Lack of coordination

# Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
 Date of first issue: 29.03.2017

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **2-(2-Butoxyethoxy)ethanol:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.300 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
 Exposure time: 48 h  
 Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 201
- NOEC (Desmodesmus subspicatus (green algae)): >= 100 mg/l  
 Exposure time: 96 h  
 Method: OECD Test Guideline 201
- Toxicity to microorganisms : EC10: > 1.995 mg/l  
 Exposure time: 30 min

##### **Propan-2-ol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l  
 Exposure time: 24 h
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.050 mg/l  
 Exposure time: 16 h

##### **Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -(1-oxotetradecyl)- $\omega$ -(phenylmethoxy)-:**

- Toxicity to fish : LC50 : 540 mg/l  
 Exposure time: 96 h  
 Test substance: Water Accommodated Fraction
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 221 mg/l  
 Exposure time: 48 h  
 Test substance: Water Accommodated Fraction
- Toxicity to algae/aquatic plants : NOEC (Selenastrum capricornutum (fresh water algae)): 78 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201

##### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 24 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 40 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 110 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 30 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC10 (activated sludge): 409 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Ivermectin:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,003 mg/l Exposure time: 96 h
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0048 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,000025 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity)	:	10.000
M-Factor (Chronic aquatic toxicity)	:	10.000

### 2,6-Di-tert-butyl-p-cresol:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0,57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 0,48 mg/l

## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

aquatic invertebrates		Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0,24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0,053 mg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,316 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 10.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

#### **2-(2-Butoxyethoxy)ethanol:**

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 85 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	---	---

#### **Propan-2-ol:**

Biodegradability	:	Result: rapidly degradable
BOD/COD	:	BOD: 1.19 (BOD5)COD: 2.23BOD/COD: 53 %

#### **7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 71 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---	---

#### **Ivermectin:**

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

## Ivermectin (with Isopropyl Alcohol) Formulation

Version 7.2      Revision Date: 04.04.2023      SDS Number: 1496922-00020      Date of last issue: 09.02.2023  
Date of first issue: 29.03.2017

---

Biodegradation: 50 %  
Exposure time: 240 d

### 2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4,5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

#### 2-(2-Butoxyethoxy)ethanol:

Partition coefficient: n-octanol/water : log Pow: 1

#### Propan-2-ol:

Partition coefficient: n-octanol/water : log Pow: 0,05

#### 7-Oxabicyclo[4.1.0]hept-3-ylmethyl 7-oxabicyclo[4.1.0]heptane-3-carboxylate:

Partition coefficient: n-octanol/water : log Pow: 1,34  
Method: OECD Test Guideline 107

#### Ivermectin:

Bioaccumulation : Bioconcentration factor (BCF): 74

Partition coefficient: n-octanol/water : log Pow: 3,22

#### 2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1.800

Partition coefficient: n-octanol/water : log Pow: 5,1

#### Mobility in soil

No data available

#### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.

# Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.

If not otherwise specified: Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1993  
 Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
 (Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : 3

#### IATA-DGR

UN/ID No. : UN 1993  
 Proper shipping name : Flammable liquid, n.o.s.  
 (Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : Flammable Liquids  
 Packing instruction (cargo aircraft) : 366  
 Packing instruction (passenger aircraft) : 355

#### IMDG-Code

UN number : UN 1993  
 Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
 (Propan-2-ol, Ivermectin, 2,6-Di-tert-butyl-p-cresol)  
 Class : 3  
 Packing group : III  
 Labels : 3  
 EmS Code : F-E, S-E  
 Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

#### ANTT

UN number : UN 1993  
 Proper shipping name : FLAMMABLE LIQUID, N.O.S.  
 (Propan-2-ol)  
 Class : 3  
 Packing group : III  
 Labels : 3  
 Hazard Identification Number : 30



## Ivermectin (with Isopropyl Alcohol) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Propan-2-ol

### The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## SECTION 16. OTHER INFORMATION

Revision Date : 04.04.2023  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
BR BEI : Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents  
BR OEL : Brazil. NR 15 - Unhealthy activities and operations  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
BR OEL / LT : Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

## Ivermectin (with Isopropyl Alcohol) Formula- tion

Version	Revision Date:	SDS Number:	Date of last issue: 09.02.2023
7.2	04.04.2023	1496922-00020	Date of first issue: 29.03.2017

---

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8