

Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ivermectin (with Propylene Glycol) Formulation

Manufacturer or supplier's details

Company name of supplier : MSD

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 5

Serious eye damage/eye

irritation

Category 2A

Specific target organ toxicity

- single exposure (Oral)

Category 1 (Central nervous system)

Specific target organ toxicity

- repeated exposure (Oral)

Orall

Category 1 (Central nervous system)

Aspiration hazard : Category 2

GHS label elements

Hazard pictograms :







Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.

H303 May be harmful if swallowed.

H305 May be harmful if swallowed and enters airways.

H319 Causes serious eye irritation.

H370 Causes damage to organs (Central nervous system) if

swallowed.

H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Precautionary Statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER or doctor/ physician.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P337 + P313 If eye irritation persists: Get medical advice/ atten-

tion.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
1,3-Dioxan-5-ol	4740-78-7	>= 30 -< 50
Butanone	78-93-3	>= 10 -< 20
Ivermectin	70288-86-7	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

In case of skin contact : Remove contaminated clothing and shoes.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control center immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

May be harmful if swallowed.

May be harmful if swallowed and enters airways.

Causes serious eye irritation.

Causes damage to organs if swallowed.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire

fighting

Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : Remove all sources of ignition.



Ivermectin (with Propylene Glycol) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 7.2
 28.09.2024
 4710370-00018
 Date of first issue: 30.07.2019

tive equipment and emer-

Ventilate the area.

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapors/mists with a water spray

jet.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material

can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Use explosion-proof electrical, ventilating and lighting equip-

ment.

Advice on safe handling : Do not breathe mist or vapors.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure

assessment

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Conditions for safe storage : Keep in properly labeled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives Gases

Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Value type Control parame-				
		(Form of	ters / Permissible				
		exposure)	concentration				
Butanone	78-93-3	VLE-PPT	200 ppm	NOM-010-			
				STPS-2014			
		VLE-CT	300 ppm	NOM-010-			
				STPS-2014			
		TWA	75 ppm	ACGIH			
		STEL	150 ppm	ACGIH			
Ivermectin	70288-86-7	TWA	30 μg/m3 (OEB 3)	Internal			
	Further information: Skin						
		Wipe limit	300 μg/100 cm2	Internal			



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling	Permissible concentra-	Basis
				time	tion	
Butanone	78-93-3	MEK	Urine	End of shift	2 mg/l	MX BEI
		methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face

containment devices). Minimize open handling.

Use explosion-proof electrical, ventilating and lighting

equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type
Hand protection

: Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks : Consider double gloving. Take note that the product is

flammable, which may impact the selection of hand

protection.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets,

disposable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : Colorless to pale yellow

Odor : characteristic

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : < -66 °C

Initial boiling point and boiling

range

81.5 °C

Flash point : 16 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.04 - 1.08

Density : No data available

Solubility(ies)

Water solubility : slightly soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive



Ivermectin (with Propylene Glycol) Formulation

Version **Revision Date:** SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle characteristics

Particle size Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Highly flammable liquid and vapor.

Possibility of hazardous reac-

tions

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute toxicity estimate: 4,167 mg/kg Acute oral toxicity

Method: Calculation method

Acute dermal toxicity Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

1,3-Dioxan-5-ol:

Acute oral toxicity LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity LD50 (Rat): > 2,000 mg/kg

Remarks: Based on data from similar materials

Butanone:

Acute oral toxicity LD50 (Rat): > 2,000 - 5,000 mg/kg

Remarks: Based on data from similar materials



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Acute inhalation toxicity : LC50 (Rat): > 25.5 mg/l

Exposure time: 4 h
Test atmosphere: vapor

Method: OECD Test Guideline 436

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Ivermectin:

Acute oral toxicity : LD50 (Rat): 50 mg/kg

LD50 (Mouse): 25 mg/kg

LD50 (Monkey): > 24 mg/kg

Target Organs: Central nervous system Symptoms: Vomiting, Dilatation of the pupil Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): 5.11 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 406 mg/kg

LD50 (Rat): > 660 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

1,3-Dioxan-5-ol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Butanone:

Assessment : Repeated exposure may cause skin dryness or cracking.

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on data from similar materials

Ivermectin:

Species : Rabbit

Result : No skin irritation



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

1,3-Dioxan-5-ol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Remarks : Based on data from similar materials

Butanone:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Method : OECD Test Guideline 405

Ivermectin:

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

1,3-Dioxan-5-ol:

Test Type : Maximization Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Remarks : Based on data from similar materials

Butanone:

Test Type : Buehler Test Routes of exposure : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Ivermectin:

Routes of exposure : Dermal Species : Humans

Result : Does not cause skin sensitization.



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Germ cell mutagenicity

Not classified based on available information.

Components:

1,3-Dioxan-5-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse Result: negative

Remarks: Based on data from similar materials

Butanone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)

Result: negative

Test Type: Saccharomyces cerevisiae, gene mutation assay

(in vitro)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Ivermectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: DNA damage and repair, unscheduled DNA syn-

thesis in mammalian cells (in vitro)
Test system: human diploid fibroblasts

Result: negative

Test Type: Mouse Lymphoma



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Ivermectin:

Species : Rat Application Route : Oral

NOAEL : 1.5 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

Species : Mouse Application Route : Oral

NOAEL : 2.0 mg/kg body weight

Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Butanone:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Inhalation Method: OECD Test Guideline 414

Result: negative

Ivermectin:

Effects on fertility : Test Type: Fertility

Species: Rat

Application Route: Oral

Fertility: NOAEL: 0.6 mg/kg body weight

Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Test Type: Development

Species: Mouse Application Route: Oral

Developmental Toxicity: NOAEL: 0.2 mg/kg body weight Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally

toxic doses



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Test Type: Development

Species: Rat

Application Route: Oral

Developmental Toxicity: LOAEL: 0.4 mg/kg body weight Result: Embryotoxic effects and adverse effects on the

offspring were detected.

Remarks: The mechanism or mode of action may not be rele-

vant in humans.

Test Type: Development

Species: Rabbit Application Route: Oral

Result: Teratogenic effects., Embryotoxic effects and adverse effects on the offspring were detected only at high maternally

toxic doses

STOT-single exposure

Causes damage to organs (Central nervous system) if swallowed.

Components:

Butanone:

Assessment : May cause drowsiness or dizziness.

Ivermectin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure if swallowed.

Components:

Ivermectin:

Target Organs : Central nervous system

Assessment : Causes damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Butanone:

Species : Rat
NOAEL : 14.84 mg/l
Application Route : inhalation (vapor)

Exposure time : 90 Days

Method : OECD Test Guideline 413



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Ivermectin:

Species : Dog
NOAEL : 0.5 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 14 Weeks

Target Organs : Central nervous system

Symptoms : Dilatation of the pupil, Tremors, Lack of coordination, anorexia

Species : Monkey
NOAEL : 1.2 mg/kg
Application Route : Oral
Exposure time : 2 Weeks

Remarks : No significant adverse effects were reported

Species : Rat

NOAEL : 0.4 mg/kg

LOAEL : 0.8 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : spleen, Bone marrow, Kidney

Aspiration toxicity

May be harmful if swallowed and enters airways.

Components:

Butanone:

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Ivermectin:

Skin contact : Remarks: Can be absorbed through skin.

Eye contact : Remarks: May irritate eyes.

Ingestion : Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vom-

iting, anorexia, Lack of coordination

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

1,3-Dioxan-5-ol:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Remarks: Based on data from similar materials



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Remarks: Based on data from similar materials

Toxicity to algae/aquatic

plants

EL50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1

mg/l

Exposure time: 72 h

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Butanone:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2,993 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 308 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 2,029

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,240

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Ivermectin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.003 mg/l

Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.0048 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.000025 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 9.1

ma/l

Exposure time: 72 h

Method: OECD Test Guideline 201



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

NOEC (Pseudokirchneriella subcapitata (green algae)): 9.1

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Components:

1,3-Dioxan-5-ol:

Biodegradability : Result: Inherently biodegradable.

Remarks: Based on data from similar materials

Butanone:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 98 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Ivermectin:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 50 % Exposure time: 240 d

Bioaccumulative potential

Components:

1,3-Dioxan-5-ol:

Partition coefficient: n-

octanol/water

log Pow: -0.65

Butanone:

Partition coefficient: n-

octanol/water

log Pow: 0.3

Ivermectin:

Bioaccumulation : Bioconcentration factor (BCF): 74

Partition coefficient: n-

octanol/water

: log Pow: 3.22

Mobility in soil
No data available

Other adverse effects

No data available



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 4710370-00018 Date of first issue: 30.07.2019 7.2

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other

sources of ignition. They may explode and cause injury and/or

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number UN 1193

METHYL ETHYL KETONE SOLUTION Proper shipping name

Class 3 Ш Packing group Labels 3 Environmentally hazardous

IATA-DGR

UN/ID No. UN 1193

Proper shipping name Ethyl methyl ketone solution

Class 3 Packing group Ш

Labels Flammable Liquids

Packing instruction (cargo

aircraft)

Packing instruction (passen-353

ger aircraft)

364

IMDG-Code

UN number UN 1193

ETHYL METHYL KETONE SOLUTION Proper shipping name

yes

(Ivermectin)

Class 3 Ш Packing group Labels 3 **EmS Code** F-E, S-D

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

Marine pollutant

UN number **UN 1193**



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

Proper shipping name : METHYL ETHYL KETONE, SOLUTION

Class : 3
Packing group : II
Labels : 3

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Butanone

essential chemical products and machinery for

producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 28.09.2024 Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

MX BEI : Official Mexican Norm NOM-047-SSA1-2011, Environmental

Health - Biological exposure indices for workers occupational-

ly exposed to chemical agents

NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting

the Work Environment - Identification, Assessment and Con-

trol - Appendix 1 Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

NOM-010-STPS-2014 / VLE- : Time weighted average limit value

PP1

NOM-010-STPS-2014 / VLE- : Short term exposure limit value

CT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with



Ivermectin (with Propylene Glycol) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 7.2 28.09.2024 4710370-00018 Date of first issue: 30.07.2019

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8