




## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
 Date of first issue: 09.01.2017

- Hazard pictograms : 
- Signal word : Danger
- Hazard statements : H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H335 May cause respiratory irritation.  
 H360D May damage the unborn child.  
 H371 May cause damage to organs.  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
 P201 Obtain special instructions before use.  
 P264 Wash skin thoroughly after handling.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response:**  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
 P391 Collect spillage.

Hazardous components which must be listed on the label:

N-Methyl-2-pyrrolidone  
 Ivermectin

**Additional Labelling**

Restricted to professional users.

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N-Methyl-2-pyrrolidone	872-50-4 212-828-1 606-021-00-7	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360D STOT SE 3; H335	>= 10 - < 20

## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
 Date of first issue: 09.01.2017

Ivermectin	70288-86-7 274-536-0	Acute Tox. 2; H300 Acute Tox. 3; H311 STOT SE 1; H370 (Central nervous system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 <hr/> M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000	>= 1 - < 2,5
------------	-------------------------	--	--------------

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.



## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

---

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
 Date of first issue: 09.01.2017

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
 Strong oxidizing agents  
 Self-reactive substances and mixtures  
 Organic peroxides  
 Explosives  
 Gases

**7.3 Specific end use(s)**

Specific use(s) : No data available

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N-Methyl-2-pyrrolidone	872-50-4	TWA	10 ppm 40 mg/m <sup>3</sup>	2009/161/EU
		STEL	20 ppm 80 mg/m <sup>3</sup>	2009/161/EU
		TWA	10 ppm 40 mg/m <sup>3</sup>	2004/37/EC
		STEL	20 ppm 80 mg/m <sup>3</sup>	2004/37/EC
Ivermectin	70288-86-7	TWA	30 µg/m <sup>3</sup> (OEB 3)	Internal
Further information: Skin				
		Wipe limit	300 µg/100 cm <sup>2</sup>	Internal

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:**

Substance name	End Use	Exposure routes	Potential health effects	Value
N-Methyl-2-pyrrolidone	Workers	Inhalation	Long-term systemic effects	14,4 mg/m <sup>3</sup>
	Workers	Inhalation	Long-term local effects	40 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	4,8 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	3,6 mg/m <sup>3</sup>

## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
 Date of first issue: 09.01.2017

	Consumers	Inhalation	Long-term local effects	4,5 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	2,4 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,85 mg/kg bw/day

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:**

Substance name	Environmental Compartment	Value
N-Methyl-2-pyrrolidone	Fresh water	0,25 mg/l
	Freshwater - intermittent	5 mg/l
	Marine water	0,025 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	1,09 mg/kg dry weight (d.w.)
	Marine sediment	1,09 mg/kg dry weight (d.w.)
	Soil	0,07 mg/kg dry weight (d.w.)

**8.2 Exposure controls****Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

**Personal protective equipment**

- Eye/face protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Skin and body protection : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type (A-P)

**Ivermectin Liquid Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04.04.2023  
6.1                30.09.2023                1204380-00024            Date of first issue: 09.01.2017

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	:	liquid
Colour	:	light yellow
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,90 - 0,92 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

**9.2 Other information**

Flammability (liquids)	:	No data available
Molecular weight	:	No data available





## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
Date of first issue: 09.01.2017

---

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

**Ivermectin:**

Acute oral toxicity : LD50 (Rat): 50 mg/kg  
LD50 (Mouse): 25 mg/kg  
LD50 (Monkey): > 24 mg/kg  
Target Organs: Central nervous system  
Symptoms: Vomiting, Dilatation of the pupil  
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat): 5,11 mg/l  
Exposure time: 1 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 406 mg/kg  
LD50 (Rat): > 660 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****N-Methyl-2-pyrrolidone:**

Result : Skin irritation

**Ivermectin:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**Ivermectin:**

Species : Rabbit  
Result : Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
Date of first issue: 09.01.2017

---

**Respiratory sensitisation**

Not classified based on available information.

**Components:****N-Methyl-2-pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Ivermectin:**

Exposure routes : Dermal  
Species : Humans  
Result : Does not cause skin sensitisation.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****N-Methyl-2-pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Hamster  
Application Route: Ingestion  
Method: OECD Test Guideline 475  
Result: negative

**Ivermectin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

---

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Test system: human diploid fibroblasts

Result: negative

Test Type: Mouse Lymphoma

Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****N-Methyl-2-pyrrolidone:**

Species : Rat  
 Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

Species : Rat  
 Application Route : inhalation (vapour)  
 Exposure time : 2 Years  
 Result : negative

**Ivermectin:**

Species : Rat  
 Application Route : Oral  
 NOAEL : 1,5 mg/kg body weight  
 Result : negative  
 Remarks : Based on data from similar materials

Species : Mouse  
 Application Route : Oral  
 NOAEL : 2,0 mg/kg body weight  
 Result : negative  
 Remarks : Based on data from similar materials

**Reproductive toxicity**

May damage the unborn child.

**Components:****N-Methyl-2-pyrrolidone:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 416  
 Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
 Species: Rat  
 Application Route: Ingestion  
 Method: OECD Test Guideline 414

## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

---

Result: positive

Test Type: Fertility/early embryonic development  
 Species: Rat  
 Application Route: inhalation (vapour)  
 Result: positive

Test Type: Embryo-foetal development  
 Species: Rabbit  
 Application Route: Ingestion  
 Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

**Ivermectin:**

Effects on fertility : Test Type: Fertility  
 Species: Rat  
 Application Route: Oral  
 Fertility: NOAEL: 0,6 mg/kg body weight  
 Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Test Type: Development  
 Species: Mouse  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 0,2 mg/kg body weight  
 Result: Teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: LOAEL: 0,4 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected.  
 Remarks: The mechanism or mode of action may not be relevant in humans.

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Result: Teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**STOT - single exposure**

May cause respiratory irritation.  
 May cause damage to organs.

**Components:****N-Methyl-2-pyrrolidone:**

Assessment : May cause respiratory irritation.

**Ivermectin Liquid Formulation**

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
Date of first issue: 09.01.2017

---

**Ivermectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Components:****Ivermectin:**

Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****N-Methyl-2-pyrrolidone:**

Species : Rat, male  
NOAEL : 169 mg/kg  
LOAEL : 433 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : 0,5 mg/l  
LOAEL : 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 96 Days  
Method : OECD Test Guideline 413

Species : Rabbit  
NOAEL : 826 mg/kg  
LOAEL : 1.653 mg/kg  
Application Route : Skin contact  
Exposure time : 20 Days

**Ivermectin:**

Species : Dog  
NOAEL : 0,5 mg/kg  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 14 Weeks  
Target Organs : Central nervous system  
Symptoms : Dilatation of the pupil, Tremors, Lack of coordination, anorexia

Species : Monkey  
NOAEL : 1,2 mg/kg  
Application Route : Oral  
Exposure time : 2 Weeks

## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

Remarks : No significant adverse effects were reported

Species : Rat

NOAEL : 0,4 mg/kg

LOAEL : 0,8 mg/kg

Application Route : Oral

Exposure time : 3 Months

Target Organs : spleen, Bone marrow, Kidney

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****N-Methyl-2-pyrrolidone:**

Skin contact : Symptoms: Skin irritation

**Ivermectin:**

Skin contact : Remarks: Can be absorbed through skin.

Eye contact : Remarks: May irritate eyes.

Ingestion : Symptoms: Drowsiness, Dilatation of the pupil, Tremors, Vomiting, anorexia, Lack of coordination

**SECTION 12: Ecological information****12.1 Toxicity****Components:****N-Methyl-2-pyrrolidone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l  
Exposure time: 24 h  
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 600,5 mg/l  
Exposure time: 72 h  
  
EC10 (Desmodesmus subspicatus (green algae)): 92,6 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 : > 600 mg/l  
Exposure time: 30 min  
Method: ISO 8192

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 12,5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
 Date of first issue: 09.01.2017

**Ivermectin:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,003 mg/l  
 Exposure time: 96 h
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,0048 mg/l  
 Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,000025 mg/l  
 Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 9,1 mg/l  
 Exposure time: 72 h  
 Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 10.000
- M-Factor (Chronic aquatic toxicity) : 10.000

**12.2 Persistence and degradability****Components:****N-Methyl-2-pyrrolidone:**

- Biodegradability : Result: Readily biodegradable.  
 Biodegradation: 73 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301C

**Ivermectin:**

- Biodegradability : Result: Not readily biodegradable.  
 Biodegradation: 50 %  
 Exposure time: 240 d

**12.3 Bioaccumulative potential****Components:****N-Methyl-2-pyrrolidone:**

- Partition coefficient: n-octanol/water : log Pow: -0,46  
 Method: OECD Test Guideline 107

**Ivermectin:**

- Bioaccumulation : Bioconcentration factor (BCF): 74
- Partition coefficient: n-octanol/water : log Pow: 3,22



## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
Date of first issue: 09.01.2017

---

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ivermectin)  
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ivermectin)

## Ivermectin Liquid Formulation

Version 6.1      Revision Date: 30.09.2023      SDS Number: 1204380-00024      Date of last issue: 04.04.2023  
 Date of first issue: 09.01.2017

**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ivermectin)

**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ivermectin)

**IATA** : Environmentally hazardous substance, liquid, n.o.s. (Ivermectin)

**14.3 Transport hazard class(es)**

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

**14.4 Packing group**

**ADN**  
 Packing group : III  
 Classification Code : M6  
 Hazard Identification Number : 90  
 Labels : 9

**ADR**  
 Packing group : III  
 Classification Code : M6  
 Hazard Identification Number : 90  
 Labels : 9  
 Tunnel restriction code : (-)

**RID**  
 Packing group : III  
 Classification Code : M6  
 Hazard Identification Number : 90  
 Labels : 9

**IMDG**  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F

**IATA (Cargo)**  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (LQ) : Y964  
 Packing group : III  
 Labels : Miscellaneous

**IATA (Passenger)**  
 Packing instruction (passenger aircraft) : 964  
 Packing instruction (LQ) : Y964

## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

---

Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

**ADN**

Environmentally hazardous : yes

**ADR**

Environmentally hazardous : yes

**RID**

Environmentally hazardous : yes

**IMDG**

Marine pollutant : yes

**IATA (Passenger)**

Environmentally hazardous : yes

**IATA (Cargo)**

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of H-Statements**

H300 : Fatal if swallowed.

H311 : Toxic in contact with skin.

---

## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

---

H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H360D	:	May damage the unborn child.
H370	:	Causes damage to organs if swallowed.
H372	:	Causes damage to organs through prolonged or repeated exposure if swallowed.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
Skin Irrit.	:	Skin irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
STOT SE	:	Specific target organ toxicity - single exposure
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2009/161/EU	:	Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Commission Directive 2000/39/EC
2004/37/EC / STEL	:	Short term exposure limit
2004/37/EC / TWA	:	Long term exposure limit
2009/161/EU / TWA	:	Limit Value - eight hours
2009/161/EU / STEL	:	Short term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

## Ivermectin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.1	30.09.2023	1204380-00024	Date of first issue: 09.01.2017

---

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Classification of the mixture:**

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Repr. 1B	H360D
STOT SE 2	H371
STOT SE 3	H335
STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

**Classification procedure:**

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN