

Version 2.1	Revision Date: 30.09.2023		9S Number: 76789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
SECTION	1. IDENTIFICATION			
Produ	Product name		Ketamine (10%)	Formulation
Manu	facturer or supplier's	s deta	ils	
Comp	bany	:	MSD	
Addre	ess	:		, 6th floor, Ciudad Autonoma rgentina C1013AAP
Telep	Telephone		908-740-4000	
Emer	Emergency telephone		1-908-423-6000	
E-ma	il address	:	EHSDATASTEV	VARD@msd.com
Reco	mmended use of the	chem	nical and restriction	ons on use
	mmended use ictions on use	:	Veterinary produ Not applicable	lct

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Acute toxicity (Oral)	:	Category 5
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irritation	:	Category 2B
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure (Dermal)	:	Category 2 (Kidney, Liver, Brain)
GHS label elements		
Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	 H303 May be harmful if swallowed. H315 + H320 Causes skin and eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

SAFETY DATA SHEET



Ketamine (10%) Formulation

Version 2.1	Revision Date: 30.09.2023	SDS Number: 3976789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019			
Preca	autionary Statements	P202 Do not h and understoo P260 Do not b P264 Wash sk	reathe mist or vapors. in thoroughly after handling. otective gloves/ protective clothing/ eye protec-			
		P305 + P351 - for several mir easy to do. Co P312 Call a P0 P332 + P313 I tion. P337 + P313 I tention.	F ON SKIN: Wash with plenty of water. + P338 IF IN EYES: Rinse cautiously with water hutes. Remove contact lenses, if present and ontinue rinsing. DISON CENTER/ doctor if you feel unwell. f skin irritation occurs: Get medical advice/ atten- f eye irritation persists: Get medical advice/ at- Take off contaminated clothing and wash it before			
		Storage: P405 Store locked up.				
		Disposal:	of contents/ container to an approved waste			
Addi	tional Labeling					
	ollowing percentage of tic environment: 10 %	the mixture consists of	of ingredient(s) with unknown hazards to the			
Othe	r hazards which do n	ot result in classifica	ition			
None	known.					
SECTION	3. COMPOSITION/IN	FORMATION ON ING	REDIENTS			
Subs	tance / Mixture	: Mixture				

Components

· · · ·		
Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 10 -< 20

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.

SAFETY DATA SHEET



Ketamine (10%) Formulation

Version 2.1	Revision Date: 30.09.2023	SDS Number: 3976789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
In cas	se of skin contact	for at least 15 and shoes. Get medical Wash clothin	ntact, immediately flush skin with plenty of water 5 minutes while removing contaminated clothing attention. g before reuse. lean shoes before reuse.
In cas	se of eye contact	: In case of co for at least 1	ntact, immediately flush eyes with plenty of water 5 minutes. remove contact lens, if worn.
lf swa	allowed	: If swallowed, Get medical	DO NOT induce vomiting.
	important symptoms ffects, both acute and ed	Causes skin Suspected of May cause d	Iful if swallowed. and eye irritation. f damaging the unborn child. amage to organs through prolonged or repeated contact with skin.
Prote	ction of first-aiders	: First Aid resp and use the r	ponders should pay attention to self-protection, recommended personal protective equipment ential for exposure exists (see section 8).
Notes	s to physician		matically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical None known.
media Specific hazards during fire	:	Exposure to combustion products may be a hazard to health.
fighting Hazardous combustion prod- ucts	:	Carbon oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.
Special protective equipment for fire-fighters	:	Evacuate area. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or



Version 2.1	Revision Date: 30.09.2023	SDS Number: 3976789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
			se of contaminated wash water. should be advised if significant spillages ned.
	Methods and materials for : containment and cleaning up		t absorbent material. rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and haterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
		Do not breathe mist or vapors.
		Do not swallow.
		Do not get in eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure assessment
		Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers.
C C		Store locked up.
		Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types:
		Strong oxidizing agents
		Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Ketamine hydrochloride	1867-66-9	TWA	10 µg/m3 (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 µg/100 cm²	Internal

Engineering measures

: Use appropriate engineering controls and manufacturing



Version 2.1	Revision Date: 30.09.2023	SDS Number: 3976789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
		less quick cor All engineerin design and or protect produc Containment are required t	g controls should be implemented by facility berated in accordance with GMP principles to cts, workers, and the environment. technologies suitable for controlling compounds o control at source and to prevent migration of d to uncontrolled areas (e.g., open-face devices).
Perso	onal protective equip	ment	
Fil	iratory protection Iter type protection	exposure ass	cal exhaust ventilation is not available or essment demonstrates exposures outside the d guidelines, use respiratory protection. /pe
M	aterial	: Chemical-res	stant gloves
	emarks protection	If the work en mists or aeros Wear a faces	ble gloving. lasses with side shields or goggles. vironment or activity involves dusty conditions, sols, wear the appropriate goggles. hield or other full face protection if there is a irect contact to the face with dusts, mists, or
Skin a	and body protection	: Work uniform Additional boo task being pe disposable su	or laboratory coat. dy garments should be used based upon the rformed (e.g., sleevelets, apron, gauntlets, its) to avoid exposed skin surfaces. ate degowning techniques to remove potentially clothing
Hygie	ene measures	: If exposure to eye flushing s working place When using d Wash contam The effective engineering c appropriate de industrial hygi	chemical is likely during typical use, provide ystems and safety showers close to the

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available

SAFETY DATA SHEET



Ketamine (10%) Formulation

Vers 2.1	ion	Revision Date: 30.09.2023		S Number: 6789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
	Meltina	point/freezing point	:	No data available	
	-		-		
	Initial bo range	piling point and boiling	:	No data available	
	Flash p	oint	:	No data available	
	Evapora	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Flamma	ability (liquids)	:	No data available	
		explosion limit / Upper bility limit	:	No data available	
		explosion limit / Lower bility limit	:	No data available	
	Vapor p	oressure	:	No data available	
	Relative	e vapor density	:	No data available	
	Relative	e density	:	No data available	
	Density		:	No data available	
	Solubilit Wate	ty(ies) er solubility	:	soluble	
		n coefficient: n-	:	Not applicable	
	octanol/ Autoign	ition temperature	:	No data available	
	Decomp	position temperature	:	No data available	
	Viscosit Visco	y osity, kinematic	:	No data available	
	Explosiv	ve properties	:	Not explosive	
	Oxidizin	ng properties	:	The substance or	mixture is not classified as oxidizing.
	Molecul	ar weight	:	No data available	
	Particle	size	:	Not applicable	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.



rsion	Revision Date: 30.09.2023		S Number: 76789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
tions Conditio Incomp	lity of hazardous reac- ons to avoid atible materials ous decomposition	:	None known. Oxidizing agents	rong oxidizing agents. composition products are known.
CTION 1	1. TOXICOLOGICAL I	NFC	ORMATION	
Informa exposu	ation on likely routes of re	:	Inhalation Skin contact Ingestion Eye contact	
	t oxicity harmful if swallowed.			
Produc Acute c	<u>:t:</u> oral toxicity	:	Acute toxicity estir Method: Calculation	
Compo	onents:			
Ketami	ine hydrochloride:			
Acute c	oral toxicity	:	LD50 (Rat): 447 m	ng/kg
			LD50 (Mouse): 61	7 mg/kg
Acute to adminis	oxicity (other routes of stration)	:	LD50 (Rat): 59 mg Application Route	
			LD50 (Mouse): 59 Application Route	
			LD50 (Mouse): 35 Application Route	
			LD50 (Guinea pig) Application Route	
			LD50 (Rat): 224 m Application Route	
	orrosion/irritation			
Compo	onents:			
Ketami	ine hydrochloride:			
Species	6	:	Rabbit irritating	



ersion .1	Revision Date: 30.09.2023	SDS Number: 3976789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
<u>Com</u> r	oonents:		
Ketar	nine hydrochloride:		
Speci		: Rabbit	
Resul	lt	: irritating	
Resp	iratory or skin sensit	ization	
Skin	sensitization		
Not cl	assified based on ava	ilable information.	
Resp	iratory sensitization		
Not cl	lassified based on ava	ilable information.	
	cell mutagenicity		
Not cl	lassified based on ava	ilable information.	
	nogenicity		
Not cl	assified based on ava	ilable information.	
Repro	oductive toxicity		
Suspe	ected of damaging the	unborn child.	
Comp	oonents:		
Ketar	nine hydrochloride:		
	s on fetal developmen	t : Test Type: Dev	relopment
		Species: Rat	
			ute: Intramuscular Toxicity: NOAEL: 120 mg/kg body weigh
			Kidney, Liver, Heart
		Result: No tera	
		Test Type: Dev	relopment
		Species: Rabbi	t
			ute: Intramuscular Toxicity: LOAEL: 20 mg/kg body weight
			eletal and visceral variations .
			on prenatal and postnatal growth.
		Test Type: Dev	relopment
		Species: Rat	
			ute: Intramuscular
			eletal and visceral variations . on prenatal and postnatal growth.
		Test Type: Dev	relopment
		Species: Rabbi	
			ute: Intramuscular
			Toxicity: LOAEL: 60 mg/kg body weight eletal and visceral variations.
			on prenatal and postnatal growth.
		Test Turner Dev	relonment
		Test Type: Dev Species: Monke	
			ute: Intramuscular
		8 / 12	



ersion 1	Revision Date: 30.09.2023	SDS Number: 3976789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
		Target Organ Result: Effect	s: Brain s on prenatal and postnatal growth.
Repro sessr	oductive toxicity - As- nent	: Suspected of	damaging the unborn child.
STOT	-single exposure		
	lassified based on ava	lable information.	
STO	-repeated exposure		
May o		ns (Kidney, Liver, Bra	ain) through prolonged or repeated exposure ir
Com	oonents:		
Ketar	nine hydrochloride:		
Route Targe	es of exposure et Organs ssment	 Skin contact Kidney, Liver, May cause da exposure. 	Brain mage to organs through prolonged or repeated
Repe	ated dose toxicity		
	oonents:		
	nine hydrochloride:		
Speci		: Mouse	
LOAE		: 30 mg/kg	
Applic	cation Route	: Intraperitonea	l
	sure time	: 3 Months	
	et Organs	: Kidney, Liver,	
Rema	arks	: Significant to	cicity observed in testing
Speci	es	: Mouse	
LÒAE		: 30 mg/kg	
	cation Route	: Intraperitonea	l
	sure time	: 6 Months	Distillar
Rema	et Organs	: Kidney, Liver,	Bladder kicity observed in testing
Reme		. Orginineant to	icity observed in testing
Speci		: Mouse	
LOAE		: 30 mg/kg	
	cation Route	: Intraperitonea	
	sure time	: 28 Weeks	
Rema	et Organs arks	: Kidney : Significant to	icity observed in testing
Neme		. Orginicant to	icity observed in testing
Speci		: Mouse	
LOAE		: 30 mg/kg	
	cation Route	: Intraperitonea	ll in the second se
	sure time et Organs	: 30 Days : Brain, Liver	
Rema			icity observed in testing
Space		-	-
Speci LOAE		: Monkey : 1 mg/kg	
LOAD		. i my/ky	



ersion .1	Revision Date: 30.09.2023		OS Number: 76789-00009	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
Expo	cation Route sure time et Organs arks	:	Intraperitoneal 6 Months Brain Significant toxici	ty observed in testing
Aspi	ration toxicity			
Not c	lassified based on availa	able	information.	
Expe	erience with human exp	osi	ıre	
Com	ponents:			
Keta	mine hydrochloride:			
Inges	stion	:		most common side effects are:, central nerv ts, hypertension, Dizziness, Headache, Nar
Com	ponents:			
Keta	mine hydrochloride:			
	inne nyurochionue.			
	oxicology Assessment	:		
Ecot	-	:	Toxic effects car	not be excluded
Ecot Acute	oxicology Assessment		Toxic effects car Toxic effects car	
Ecoto Acute Chroi	oxicology Assessment e aquatic toxicity	:		
Ecoto Acute Chroi Persi No da	oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabil ata available	:		
Ecoto Acute Chroi Persi No da	oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabil	:		
Ecoto Acute Chroi Persi No da Bioa	oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabil ata available	:		
Ecoto Acute Chroi Persi No da Bioa Ecom Keta Partit	oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabil ata available ccumulative potential	:		
Ecoto Acute Chron Persi No da Bioa Com Keta Partit octar Mobi	oxicology Assessment e aquatic toxicity nic aquatic toxicity istence and degradabil ata available ccumulative potential ponents: mine hydrochloride: tion coefficient: n-	:	Toxic effects car	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer.
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste
		handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.





Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	3976789-00009	Date of first issue: 14.02.2019

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry.	:	Not applicable
Control of precursors and essential chemicals for the preparation of drugs.	:	Not applicable

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	: 30.09.2023	
Date format	: dd.mm.yyyy	/

Further information

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	3976789-00009	Date of first issue: 14.02.2019

Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8