according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ketamine (10%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number: +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2B

Reproductive toxicity : Category 2

Specific target organ toxicity - :

repeated exposure (Dermal)

Category 2 (Kidney, Liver, Brain)

GHS label elements

Hazard pictograms



Signal word : Warning

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Hazard statements : H303 May be harmful if swallowed.

H315 + H320 Causes skin and eye irritation. H361d Suspected of damaging the unborn child.

H373 May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Precautionary statements : Prevention:

P203 Obtain, read and follow all safety instructions before use.

P260 Do not breathe mist or vapours.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P301 + P332 + P317 IF SWALLOWED or if skin irritation oc-

curs: Get medical help.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P318 IF exposed or concerned, get medical advice. P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 10 - < 20

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to the Globally Harmonized System



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 28.09.2024 3976791-00010 Date of first issue: 14.02.2019

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of contact, immediately flush skin with plenty of water In case of skin contact

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms

and effects, both acute and

delayed

May be harmful if swallowed. Causes skin and eye irritation.

Suspected of damaging the unborn child.

May cause damage to organs through prolonged or repeated

exposure in contact with skin.

Protection of first-aiders First Aid responders should pay attention to self-protection,

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

5. FIREFIGHTING MEASURES

Water spray Suitable extinguishing media

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

according to the Globally Harmonized System



Ketamine (10%) Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 2.0 28.09.2024 3976791-00010 Date of first issue: 14.02.2019

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Advice on safe handling

Use only with adequate ventilation. Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow.

Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	------------------------	----------------------------------	-------

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

		exposure)	concentration			
Ketamine hydrochloride	1867-66-9	TWA	10 μg/m3 (OEB 3)	Internal		
	Further information: Skin					
		Wipe limit	100 μg/100 cm ²	Internal		

Engineering measures : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-less

quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face contain-

ment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Particulates type

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known. Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 4,470 mg/kg

Method: Calculation method

Components:

Ketamine hydrochloride:

Acute oral toxicity : LD50 (Rat): 447 mg/kg

LD50 (Mouse): 617 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 59 mg/kg

Application Route: Intravenous

LD50 (Mouse): 59 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 356 mg/kg Application Route: Intramuscular

LD50 (Guinea pig): 361 mg/kg Application Route: Intramuscular

LD50 (Rat): 224 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Components:

Ketamine hydrochloride:

Species : Rabbit Result : irritating

Serious eye damage/eye irritation

Causes eye irritation.

Components:

Ketamine hydrochloride:

Species : Rabbit Result : irritating

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Ketamine hydrochloride:

Effects on foetal develop- : Test Type: Development

ment Species: Rat

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Target Organs: Kidney, Liver, Heart

Result: No teratogenic effects

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 20 mg/kg body weight

Symptoms: Skeletal and visceral variations
Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Rat

Application Route: Intramuscular

Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 60 mg/kg body weight

Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Monkey

Application Route: Intramuscular

Target Organs: Brain

Result: Effects on prenatal and postnatal growth.

Reproductive toxicity - As-

sessment

: Suspected of damaging the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Components:

Ketamine hydrochloride:

Exposure routes : Skin contact
Target Organs : Kidney, Liver, Brain

Assessment : May cause damage to organs through prolonged or repeated

exposure.

Repeated dose toxicity

Components:

Ketamine hydrochloride:

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 3 Months

Target Organs : Kidney, Liver, Bladder

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 6 Months

Target Organs : Kidney, Liver, Bladder

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 28 Weeks
Target Organs : Kidney

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 30 Days
Target Organs : Brain, Liver

Remarks : Significant toxicity observed in testing

Species : Monkey
LOAEL : 1 mg/kg
Application Route : Intraperitoneal
Exposure time : 6 Months
Target Organs : Brain

Remarks : Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ketamine hydrochloride:

Ingestion : Symptoms: The most common side effects are:, central nerv-

ous system effects, hypertension, Dizziness, Headache, Nau-

sea, Drowsiness

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ketamine hydrochloride:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Ketamine hydrochloride:

Partition coefficient: n-

octanol/water

: log Pow: 2.18

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

according to the Globally Harmonized System



Ketamine (10%) Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 2.0
 28.09.2024
 3976791-00010
 Date of first issue: 14.02.2019

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN