



Vers 2.0	ion	Revision Date: 06.04.2024		S Number: 76796-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019	
Sect	tion 1: I	dentification				
	Produc	t identifier	:	Ketamine (10%)	Formulation	
	Recom	mended use of the ch	em	ical and restriction	ons on use	
		mended use	: Veterinary product			
	Restrict	tions on use	•	Not applicable		
	Manufa	acturer or supplier's d	etai	ls		
	Compa	ny	:	MSD		
	Addres	S	:	50 Tuas West Dr	ive	
				Singapore - Sing	gapore 638408	
	Telepho	one	:	+1-908-740-4000)	
	Emerae	ency telephone number	:	65 6697 2111 (24	4/7/365)	
	- 0-			,	· · · · · · ,	
	E-mail a	address	:	EHSDATASTEW	/ARD@msd.com	

Section 2: Hazard identification

Classification	of the substance or mixture
-----------------------	-----------------------------

Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity -		Category 2 (Kidney, Liver, Brain)

GHS Label elements, including precautionary statements

Hazard pictograms	
Signal word	: Warning
Hazard statements	 H315 Causes skin irritation. H319 Causes serious eye irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

SAFETY DATA SHEET



Ketamine (10%) Formulation

Version 2.0	Revision Date: 06.04.2024	SDS Number: 3976796-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019
Preca	uutionary statements	P202 Do not h and understoo P260 Do not b P264 Wash sk P280 Wear pro	pecial instructions before use. andle until all safety precautions have been read d. reathe mist or vapours. in thoroughly after handling. otective gloves/ protective clothing/ eye protec- ection/ hearing protection.
		Response: P302 + P352 I P305 + P351 + for several min easy to do. Co P308 + P313 I attention. P332 + P313 I tion.	F ON SKIN: Wash with plenty of water. P338 IF IN EYES: Rinse cautiously with water outes. Remove contact lenses, if present and
		Storage: P405 Store loc	ked up.
		Disposal: P501 Dispose	of contents/ container to an approved waste

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture	:	Mixture
---------------------	---	---------

Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 10 -< 20

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.



Ketamine (10%) Formulation

/ersion 2.0	Revision Date: 06.04.2024	-	OS Number: 76796-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019	
lf inha	aled	:	If inhaled, remo Get medical att		
In cas	se of skin contact	:	for at least 15 n and shoes. Get medical att Wash clothing b	pefore reuse.	
In cas	se of eye contact	:	In case of conta for at least 15 n If easy to do, re	move contact lens, if worn.	
lf swa	allowed	:	Get medical att	O NOT induce vomiting.	
Most	important symptoms a	and	effects, both ac	ute and delayed	
Risks Protection of first-aiders		:	May cause dan exposure in cor	eye irritation. amaging the unborn child. hage to organs through prolonged or repeated	
		and use the recommended personal protective equipment when the potential for exposure exists (see section 8).			
Treat	-	· me		and special treatment needed atically and supportively.	
ection 5	: Fire-fighting measure	S			
Exting	guishing media				
Suital	ble extinguishing media	:	Water spray Alcohol-resistar Carbon dioxide Dry chemical		
Unsui media	itable extinguishing	:	None known.		
Spec	ial hazards arising fron	n th	e substance or	mixture	
fightir		:		mbustion products may be a hazard to health	
Haza ucts	rdous combustion prod-	:	Carbon oxides Chlorine compo Nitrogen oxides		
Spec	ial protective actions fo	or f	ire-fighters		
for fire	al protective equipment efighters fic extinguishing meth-	:	Use personal p	ire, wear self-contained breathing apparatus. rotective equipment. ng measures that are appropriate to local cir-	

Use water spray to cool unopened containers.



Version 2.0	Revision Date: 06.04.2024	SDS Number: 3976796-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019
		Remove und so. Evacuate are	amaged containers from fire area if it is safe to d ea.
Section 6	: Accidental release	measures	
	precautions, protect anal precautions	: Use persona Follow safe h	emergency procedures I protective equipment. landling advice (see section 7) and personal pro- ment recommendations (see section 8).
	ental precautions onmental precautions	Prevent furth Prevent spre barriers). Retain and d	e to the environment. er leakage or spillage if safe to do so. ading over a wide area (e.g. by containment or o ispose of contaminated wash water. ties should be advised if significant spillages ntained.
	and materials for cor ods for cleaning up	: Soak up with For large spil ment to keep be pumped, s Clean up ren bent. Local or nation posal of this employed in mine which r Sections 13 a	ning up inert absorbent material. Is, provide dyking or other appropriate contain- material from spreading. If dyked material can store recovered material in appropriate container naining materials from spill with suitable absor- onal regulations may apply to releases and dis- material, as well as those materials and items the cleanup of releases. You will need to deter- egulations are applicable. and 15 of this SDS provide information regarding or national requirements.

Precautions for safe handling

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
-		Do not breathe mist or vapours.
		Do not swallow.
		Do not get in eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety
		practice, based on the results of the workplace exposure as- sessment
		Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye





Version 2.0	Revision Date: 06.04.2024		DS Number: 76796-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019
			flushing systems and safety showers close to the w place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include re engineering controls, proper personal protective eq appropriate degowning and decontamination procee industrial hygiene monitoring, medical surveillance a use of administrative controls.	
Cond	litions for safe storage	e, ind	cluding any inc	ompatibilities
Cond	itions for safe storage	:	Store locked up	ly labelled containers. p. lance with the particular national regulations.
Mate	rials to avoid	:		ith the following product types:

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ketamine hydrochloride	1867-66-9	TWA	10 µg/m3 (OEB 3)	Internal
	Further inforn	nation: Skin		
		Wipe limit	100 µg/100 cm ²	Internal

Appropriate engineering : control measures	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con- tainment devices). Minimize open handling.
Individual protection measure	s, such as personal protective equipment (PPE)
Eye/face protection :	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin protection :	Work uniform or laboratory coat. Additional body garments should be used based upon the



Version 2.0	Revision Date: 06.04.2024	SDS Ni 397679	umber: 6-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019
Fi	iratory protection Iter type I protection	pos Use con : If ac sure omr	able suits) to appropriate taminated clo dequate local assessment	exhaust ventilation is not available or expo- t demonstrates exposures outside the rec- elines, use respiratory protection.
M	aterial	: Che	mical-resista	nt gloves
Re	emarks	: Cor	sider double	gloving.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available

Version



Date of last issue: 30.09.2023

Ketamine (10%) Formulation

Revision Date:

SDS Number:

	06.04.2024	3976796-00009	Date of first issue: 14.02.2019
	ility(ies) ater solubility	: soluble	
	on coefficient: n- ol/water	: Not applicable	
	gnition temperature	: No data availat	le
Decor	mposition temperature	: No data availat	le
Visco: Vis	sity scosity, kinematic	: No data availat	le
Explo	sive properties	: Not explosive	
Oxidiz	zing properties	: The substance	or mixture is not classified as oxidizing.
Molec	ular weight	: No data availat	le
	le characteristics le size	: Not applicable	
React Chem	D: Stability and reactiv ivity ical stability bility of hazardous reac-	: Not classified a : Stable under no	s a reactivity hazard. ormal conditions. strong oxidizing agents.
React Chem Possi tions Condi Incorr	ivity lical stability bility of hazardous reac- tions to avoid lipatible materials dous decomposition	 Not classified a Stable under no Can react with None known. Oxidizing agent 	ormal conditions. strong oxidizing agents.
React Chem Possil tions Condi Incom Hazar produ	ivity lical stability bility of hazardous reac- tions to avoid lipatible materials dous decomposition	 Not classified a Stable under not Can react with None known. Oxidizing agent No hazardous of 	ormal conditions. strong oxidizing agents. s
React Chem Possi tions Condi Incom Hazar produ	ivity ical stability bility of hazardous reac- tions to avoid patible materials dous decomposition cts I: Toxicological inform nation on likely routes of	 Not classified a Stable under not Can react with None known. Oxidizing agent No hazardous of 	ormal conditions. strong oxidizing agents. s
React Chem Possii tions Condi Incom Hazar produ tion 1 ⁴ Inform expose	ivity ical stability bility of hazardous reac- tions to avoid patible materials dous decomposition cts I: Toxicological inform nation on likely routes of	 Not classified a Stable under not Can react with None known. Oxidizing agent No hazardous of nation ation Skin contact Ingestion Eye contact	ormal conditions. strong oxidizing agents. s
React Chem Possii tions Condi Incom Hazar produ tion 1 ⁴ Inform expose Acute Not cl	ivity ical stability bility of hazardous reac- tions to avoid patible materials dous decomposition cts I: Toxicological inform nation on likely routes of sure toxicity assified based on availa	 Not classified a Stable under not Can react with None known. Oxidizing agent No hazardous of nation Inhalation Skin contact Ingestion Eye contact ble information.	timate: > 2,000 mg/kg
React Chem Possii tions Condi Incom Hazar produ tion 1 ⁴ Inform expose Acute Not cl <u>Produ</u> Acute	ivity ical stability bility of hazardous reac- tions to avoid patible materials dous decomposition cts I: Toxicological inform nation on likely routes of sure e toxicity assified based on availa	 Not classified a Stable under not Can react with Can react with None known. Oxidizing agent No hazardous of ration Inhalation Skin contact Ingestion Eye contact ble information. Acute toxicity es 	timate: > 2,000 mg/kg
React Chem Possii tions Condi Incom Hazar produ tion 1 ⁴ Inform expose Acute Not cl <u>Produ</u> Acute	ivity ical stability bility of hazardous reac- tions to avoid patible materials dous decomposition cts I: Toxicological inform nation on likely routes of sure toxicity assified based on availa <u>ict:</u> oral toxicity	 Not classified a Stable under not Can react with Can react with None known. Oxidizing agent No hazardous of ration Inhalation Skin contact Ingestion Eye contact ble information. Acute toxicity es 	timate: > 2,000 mg/kg tion method



Version 2.0	Revision Date: 06.04.2024		DS Number: 976796-00009	Date of last issue: 30.09.2023 Date of first issue: 14.02.2019
			LD50 (Mouse): 6 ²	17 mg/kg
	e toxicity (other routes o nistration)	f:	LD50 (Rat): 59 m Application Route	
			LD50 (Mouse): 59 Application Route	
			LD50 (Mouse): 35 Application Route	
			LD50 (Guinea pig Application Route	
			LD50 (Rat): 224 r Application Route	
-	corrosion/irritation			
	ponents:			
Keta	mine hydrochloride:			
Spec Resu		:	Rabbit irritating	
	ous eye damage/eye ir		ion	
	ponents:			
Keta	mine hydrochloride:			
Spec Resu		:	Rabbit irritating	
Resp	biratory or skin sensiti	satio	on	
•	sensitisation	able	information.	
•	biratory sensitisation classified based on avail	able	information.	
	n cell mutagenicity classified based on avail	able	information.	
	inogenicity classified based on avail	able	information.	
-	roductive toxicity bected of damaging the u	unbc	rn child.	
			8 / 1/	



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	06.04.2024	3976796-00009	Date of first issue: 14.02.2019

Components:

Ketamine hydrochloride:	
Effects on foetal develop- : ment	Test Type: Development Species: Rat Application Route: Intramuscular Developmental Toxicity: NOAEL: 120 mg/kg body weight Target Organs: Kidney, Liver, Heart Result: No teratogenic effects
	Test Type: Development Species: Rabbit Application Route: Intramuscular Developmental Toxicity: LOAEL: 20 mg/kg body weight Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.
	Test Type: Development Species: Rat Application Route: Intramuscular Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.
	Test Type: Development Species: Rabbit Application Route: Intramuscular Developmental Toxicity: LOAEL: 60 mg/kg body weight Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.
	Test Type: Development Species: Monkey Application Route: Intramuscular Target Organs: Brain Result: Effects on prenatal and postnatal growth.
Reproductive toxicity - As- : sessment	Suspected of damaging the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Components:

Ketamine hydrochloride:

Exposure routes	:	Skin contact
Target Organs	:	Kidney, Liver, Brain
Exposure routes Target Organs Assessment	:	May cause damage to organs through prolonged or repeated exposure.



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	06.04.2024	3976796-00009	Date of first issue: 14.02.2019

Repeated dose toxicity

Components:

Ketamine hydrochloride: Species LOAEL Application Route Exposure time Target Organs Remarks	 Mouse 30 mg/kg Intraperitoneal 3 Months Kidney, Liver, Bladder Significant toxicity observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks	 Mouse 30 mg/kg Intraperitoneal 6 Months Kidney, Liver, Bladder Significant toxicity observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks	 Mouse 30 mg/kg Intraperitoneal 28 Weeks Kidney Significant toxicity observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks	 Mouse 30 mg/kg Intraperitoneal 30 Days Brain, Liver Significant toxicity observed in testing
Species LOAEL Application Route Exposure time Target Organs Remarks	 Monkey 1 mg/kg Intraperitoneal 6 Months Brain Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Ketamine hydrochloride:

Ingestion

: Symptoms: The most common side effects are:, central nervous system effects, hypertension, Dizziness, Headache, Nausea, Drowsiness



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023	
2.0	06.04.2024	3976796-00009	Date of first issue: 14.02.2019	

Section 12: Ecological information

Toxicity	
Components:	
Ketamine hydrochloride:	
Ecotoxicology Assessment	
Acute aquatic toxicity :	Toxic effects cannot be excluded
Chronic aquatic toxicity :	Toxic effects cannot be excluded
Persistence and degradability No data available	
Bioaccumulative potential	
Components:	
Ketamine hydrochloride: Partition coefficient: n- : octanol/water	log Pow: 2.18
Mobility in soil No data available	
Other adverse effects No data available	

Section 13: Disposal considerations

Disposal methods		
Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRT	DG

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no



2.0 06.04.2024 3976796-00009 Date of first issue: 14.02.2	2023 2019

IATA-DGR

UN/ID No.	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations. Environmental Protection and Management Act and : Not applicable Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable Regulations

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL		not determined
IECSC	:	not determined

Section 16: Other information



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	06.04.2024	3976796-00009	Date of first issue: 14.02.2019

Revision Date	:	06.04.2024
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their





Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
2.0	06.04.2024	3976796-00009	Date of first issue: 14.02.2019

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN