

# Ketamine (5%) Formulation

Version 2.1	Revision Date: 30.09.2023		S Number: 76739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019				
SECTION	SECTION 1. IDENTIFICATION							
Prod	Product name		Ketamine (5%)	Ketamine (5%) Formulation				
	Manufacturer or supplier's de Company		ails : MSD					
Addro	Address		Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP					
Telep	Telephone		908-740-4000					
Emei	Emergency telephone		1-908-423-6000					
E-ma	E-mail address		EHSDATASTEWARD@msd.com					
Reco	Recommended use of the chemical and restrictions on use							
Recommended use Restrictions on use		:	Veterinary product Not applicable					

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 3
Reproductive toxicity	:	Category 2
GHS label elements Hazard pictograms	:	
Signal Word	:	Warning
Hazard Statements	:	H316 Causes mild skin irritation. H361d Suspected of damaging the unborn child.
Precautionary Statements	:	<ul> <li>Prevention:</li> <li>P201 Obtain special instructions before use.</li> <li>P202 Do not handle until all safety precautions have been read and understood.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>Response:</li> <li>P308 + P313 IF exposed or concerned: Get medical advice/ attention.</li> </ul>



/ersion 1	Revision Date: 30.09.2023	SDS Number: 3976739-00008		sue: 04.04.2023 sue: 14.02.2019	
		P332 + P313 tion.	3 If skin irritation oc	curs: Get medical advice/ atten	
		<b>Storage:</b> P405 Store I	ocked up.		
		<b>Disposal:</b> P501 Dispos disposal plar		ainer to an approved waste	
The f	tional Labeling following percentage of tic environment: 5 %	of the mixture consist	s of ingredient(s) wi	th unknown hazards to the	
••	<b>r hazards which do</b> i e known.	not result in classifi	cation		
ECTION	3. COMPOSITION/IN	FORMATION ON IN	IGREDIENTS		
Subs	tance / Mixture	: Mixture			
		. WIXture			
	ponents nical name		CAS-No.	Concentration (% w/w)	
	mine hydrochloride		1867-66-9	>= 5 -< 10	
	4. FIRST AID MEAS	: In the case of advice immed	diately.	eel unwell, seek medical	
		When sympto advice.	oms persist or in all	cases of doubt seek medical	
lf inha	aled		: If inhaled, remove to fresh air. Get medical attention.		
In ca	se of skin contact	Remove cont Get medical a Wash clothin	aminated clothing a		
In ca	se of eye contact	: Flush eyes w	<ul> <li>Flush eyes with water as a precaution.</li> <li>Get medical attention if irritation develops and persists.</li> </ul>		
lf swa	allowed	Get medical a	<ul> <li>If swallowed, DO NOT induce vomiting.</li> <li>Get medical attention.</li> </ul>		

and effects, both acute and<br/>delayedSuspected of damaging the unborn child.Protection of first-aiders:First Aid responders should pay attention to self-protection,<br/>and use the recommended personal protective equipment<br/>when the potential for exposure exists (see section 8).Notes to physician:Treat symptomatically and supportively.

Causes mild skin irritation.

:

Rinse mouth thoroughly with water.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Most important symptoms



# Ketamine (5%) Formulation

Ver 2.1	sion	Revision Date: 30.09.2023		9S Number: 76739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019			
	Suitable extinguishing media		:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical				
	Unsuita media	able extinguishing	:	None known.				
	Specific hazards during fire fighting		:	Exposure to combustion products may be a hazard to health.				
	Hazardous combustion prod- ucts		:	Carbon oxides Chlorine compour Nitrogen oxides (N				
	Specifi ods	c extinguishing meth-	:	<ul> <li>Use extinguishing measures that are appropriate to local ci cumstances and the surrounding environment.</li> <li>Use water spray to cool unopened containers.</li> <li>Remove undamaged containers from fire area if it is safe to so.</li> <li>Evacuate area.</li> </ul>				
		l protective equipment fighters	:	In the event of fire	e, wear self-contained breathing apparatus. ective equipment.			

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

Technical measures		See Engineering measures under EXPOSURE
		CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.



# Ketamine (5%) Formulation

Versior 2.1	n Revision Date: 30.09.2023	SDS Number: 3976739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019	
Ac	dvice on safe handling	Do not swallov Avoid contact Handle in acc practice, base assessment	e mist or vapors. w.	
Co	Store locked up.		ly labeled containers. p. dance with the particular national regulations.	
Ma	aterials to avoid		vith the following product types:	

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Material

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ketamine hydrochloride	1867-66-9	TWA	10 µg/m3 (OEB 3)	Internal
	Further informa	ation: Skin		
		Wipe limit	100 µg/100 cm²	Internal

Engineering measures :	Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip- less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.			
Personal protective equipment				
Respiratory protection :	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.			
Filter type : Hand protection	Particulates type			

	5
Remarks Eye protection	<ul> <li>Consider double gloving.</li> <li>Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or</li> </ul>
	•

: Chemical-resistant gloves



# Ketamine (5%) Formulation

Version 2.1	Revision Date: 30.09.2023	SDS Number: 3976739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019		
Skin and body protection :		<ul> <li>aerosols.</li> <li>Work uniform or laboratory coat.</li> <li>Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.</li> <li>Use appropriate degowning techniques to remove potentially contaminated clothing.</li> </ul>			
Hygiene measures		: If exposure to ch eye flushing syst working place. When using do r Wash contamina The effective op engineering cont appropriate dego	nemical is likely during typical use, provide terms and safety showers close to the not eat, drink or smoke. Inted clothing before re-use. eration of a facility should include review of trols, proper personal protective equipment, owning and decontamination procedures, e monitoring, medical surveillance and the		

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available



Ver 2.1	sion	Revision Date: 30.09.2023		S Number: 76739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
	Density	/	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n-	:	Not applicable	
		nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	9
	Explosi	ve properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance o	r mixture is not classified as oxidizing.
	Molecu	lar weight	:	No data available	9
	Particle	e size	:	Not applicable	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.
tions		
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.
products		

#### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : exposure	Inhalation Skin contact Ingestion Eye contact
Acute toxicity	
Not classified based on available	information.
Product:	
Acute oral toxicity :	Acute toxicity estimate: > 5.000 mg/kg Method: Calculation method
Components:	
Ketamine hydrochloride:	
Acute oral toxicity :	LD50 (Rat): 447 mg/kg



# Ketamine (5%) Formulation

ersion .1	Revision Date: 30.09.2023	-	DS Number: 976739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
			LD50 (Mouse): 61	I7 mg/kg
	e toxicity (other routes of nistration)	:	LD50 (Rat): 59 m Application Route	
			LD50 (Mouse): 59 Application Route	0 0
			LD50 (Mouse): 35 Application Route	
			LD50 (Guinea pig Application Route	
			LD50 (Rat): 224 r Application Route	
-	corrosion/irritation es mild skin irritation.			
Com	ponents:			
Keta	mine hydrochloride:			
Spec Resu		:	Rabbit irritating	
Not c	ous eye damage/eye irri lassified based on availa ponents:			
Keta	mine hydrochloride:			
Spec Resu		:	Rabbit irritating	
Resp	iratory or skin sensitiz	atio	on	
	sensitization lassified based on availa	able	information.	
-	<b>iratory sensitization</b> lassified based on availa	able	information.	
	n cell mutagenicity lassified based on availa	able	information.	
	<b>inogenicity</b> lassified based on availa	able	information.	
-	oductive toxicity ected of damaging the u	nbc	orn child.	
<u>Com</u>	ponents:			

#### Ketamine hydrochloride:



# Ketamine (5%) Formulation

ersion 1	Revision Date: 30.09.2023		OS Number: 76739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
Effects on fetal development :		:		e: Intramuscular oxicity: NOAEL: 120 mg/kg body weight íidney, Liver, Heart
			Symptoms: Skele	
			Symptoms: Skele	
			Test Type: Devel Species: Monkey Application Route Target Organs: B Result: Effects or	e: Intramuscular
Repro sessn	oductive toxicity - As- nent	:	Suspected of dar	naging the unborn child.
	-single exposure assified based on avail	able	information.	
STOT	-repeated exposure			
Not cl	assified based on avail	able	information.	
<u>Comp</u>	oonents:			
Ketar	nine hydrochloride:			
Targe	es of exposure t Organs ssment	:	Skin contact Kidney, Liver, Bra May cause dama exposure.	ain ge to organs through prolonged or repeated
Repe	ated dose toxicity			
<u>Comp</u>	oonents:			
Ketar	nine hydrochloride:			
Speci	es	:	Mouse	



Versio 2.1	on	Revision Date: 30.09.2023	)S Number: 76739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
A E T	İxposı	ition Route ire time Organs	 30 mg/kg Intraperitoneal 3 Months Kidney, Liver, Bla Significant toxicity	dder observed in testing
L A E T	İxposı	ition Route ire time Organs	 Mouse 30 mg/kg Intraperitoneal 6 Months Kidney, Liver, Bla Significant toxicity	dder observed in testing
L A E T	İxposı	ition Route ire time Organs	 Mouse 30 mg/kg Intraperitoneal 28 Weeks Kidney Significant toxicity	observed in testing
L A E T		ition Route ire time Organs	 Mouse 30 mg/kg Intraperitoneal 30 Days Brain, Liver Significant toxicity	observed in testing
L A E T	İxposı	ition Route ire time Organs	 Monkey 1 mg/kg Intraperitoneal 6 Months Brain Significant toxicity	observed in testing

#### Aspiration toxicity

Not classified based on available information.

#### Experience with human exposure

#### **Components:**

#### Ketamine hydrochloride:

Ingestion

: Symptoms: The most common side effects are:, central nervous system effects, hypertension, Dizziness, Headache, Nausea, Drowsiness



# Ketamine (5%) Formulation

Vers 2.1	sion	Revision Date: 30.09.2023		DS Number: 76739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
SEC	TION 1	2. ECOLOGICAL INFO	ORM	IATION	
	Ecotox	licity			
	<u>Compo</u>	onents:			
	Ketami	ine hydrochloride:			
	Ecotox	cicology Assessment			
	Acute a	aquatic toxicity	:	Toxic effects can	not be excluded
	Chronic	c aquatic toxicity	:	Toxic effects can	not be excluded
	No data	tence and degradabil a available sumulative potential	ity		
	Compo	onents:			
		<b>ine hydrochloride:</b> n coefficient: n- /water	:	log Pow: 2,18	
	Mobilit	y in soil			
	No data	a available			
		adverse effects			
	No data	a available			
SEC	TION 1	3. DISPOSAL CONSII	DEF	ATIONS	

Disposal methods		
Waste from residues	:	· · · · · · · · · · · · · · · · · ·
		Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal.
		If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.



# Ketamine (5%) Formulation

2.1	30.09.2023	SDS Number: 3976739-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019			
-	al precautions for u	ser				
SECTION '	15. REGULATORY I	NFORMATION				
Safety mixtu		nmental regulations/I	egislation specific for the substance or			
-	Argentina. Carcinogenic Substances and Agents : Not applicable Registry.					
	Control of precursors and essential chemicals for the : Not applicable preparation of drugs.					
The in	ngredients of this pr	oduct are reported in	the following inventories:			
AICS		: not determined				
DSL		: not determined				
IECSC	2	: not determined				

# Revision Date:30.09.2023Date format:dd.mm.yyyy

#### **Further information**

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect



Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.1	30.09.2023	3976739-00008	Date of first issue: 14.02.2019

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8