

**Ketamine (5%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 3976739-00008      Date of last issue: 04.04.2023  
Date of first issue: 14.02.2019

---

**SECTION 1. IDENTIFICATION**

Product name : Ketamine (5%) Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Skin corrosion/irritation : Category 3

Reproductive toxicity : Category 2

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H316 Causes mild skin irritation.  
H361d Suspected of damaging the unborn child.

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

## Ketamine (5%) Formulation

Version 2.1      Revision Date: 30.09.2023      SDS Number: 3976739-00008      Date of last issue: 04.04.2023  
 Date of first issue: 14.02.2019

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Additional Labeling**

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 5 %

**Other hazards which do not result in classification**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name          | CAS-No.   | Concentration (% w/w) |
|------------------------|-----------|-----------------------|
| Ketamine hydrochloride | 1867-66-9 | >= 5 -< 10            |

**SECTION 4. FIRST AID MEASURES**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.  
 Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.  
 Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
 Get medical attention.  
 Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : Causes mild skin irritation.  
 Suspected of damaging the unborn child.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

## Ketamine (5%) Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04.04.2023  |
| 2.1     | 30.09.2023     | 3976739-00008 | Date of first issue: 14.02.2019 |

- 
- |  |   |   |
|--|---|---|
| Suitable extinguishing media                   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                 | : | None known.   |
| Specific hazards during fire fighting          | : | Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                  | : | Carbon oxides<br>Chlorine compounds<br>Nitrogen oxides (NO <sub>x</sub> )   |
| Specific extinguishing methods                 | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |   |   |   |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).  |
| Environmental precautions   | : | Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Prevent spreading over a wide area (e.g., by containment or oil barriers).<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained.   |
| Methods and materials for containment and cleaning up               | : | Soak up with inert absorbent material.<br>For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.<br>Clean up remaining materials from spill with suitable absorbent.<br>Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.<br>Sections 13 and 15 of this SDS provide information regarding certain local or national requirements. |
- 

**SECTION 7. HANDLING AND STORAGE**

- |                         |   |   |
|-------------------------|---|---|
| Technical measures      | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation.   |

## Ketamine (5%) Formulation

Version 2.1      Revision Date: 30.09.2023      SDS Number: 3976739-00008      Date of last issue: 04.04.2023  
 Date of first issue: 14.02.2019

- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapors.  
 Do not swallow.  
 Avoid contact with eyes.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Store locked up.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

| Components                | CAS-No.   | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|---------------------------|-----------|----------------------------------|--|----------|
| Ketamine hydrochloride    | 1867-66-9 | TWA                              | 10 µg/m <sup>3</sup> (OEB 3)                   | Internal |
| Further information: Skin |           |                                  |  |          |
|                           |           | Wipe limit                       | 100 µg/100 cm <sup>2</sup>                     | Internal |

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
 Minimize open handling.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

**Ketamine (5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04.04.2023  |
| 2.1     | 30.09.2023     | 3976739-00008 | Date of first issue: 14.02.2019 |

---

- Skin and body protection : aerosols.  
: Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- 

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : liquid
- Color : No data available
- Odor : No data available
- Odor Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Flammability (solid, gas) : Not applicable
- Flammability (liquids) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapor pressure : No data available
- Relative vapor density : No data available
- Relative density : No data available

**Ketamine (5%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 3976739-00008      Date of last issue: 04.04.2023  
Date of first issue: 14.02.2019

---

Density : No data available

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

**Components:****Ketamine hydrochloride:**

Acute oral toxicity : LD50 (Rat): 447 mg/kg

---

**Ketamine (5%) Formulation**

Version            Revision Date:            SDS Number:            Date of last issue: 04.04.2023  
2.1                30.09.2023                3976739-00008            Date of first issue: 14.02.2019

---

LD50 (Mouse): 617 mg/kg

Acute toxicity (other routes of : LD50 (Rat): 59 mg/kg  
administration)                    Application Route: Intravenous

LD50 (Mouse): 59 mg/kg  
Application Route: Intramuscular

LD50 (Mouse): 356 mg/kg  
Application Route: Intramuscular

LD50 (Guinea pig): 361 mg/kg  
Application Route: Intramuscular

LD50 (Rat): 224 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Causes mild skin irritation.

**Components:****Ketamine hydrochloride:**

Species                                : Rabbit  
Result                                 : irritating

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Ketamine hydrochloride:**

Species                                : Rabbit  
Result                                 : irritating

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Ketamine hydrochloride:**

**Ketamine (5%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 3976739-00008      Date of last issue: 04.04.2023  
Date of first issue: 14.02.2019

---

Effects on fetal development : Test Type: Development  
Species: Rat  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: 120 mg/kg body weight  
Target Organs: Kidney, Liver, Heart  
Result: No teratogenic effects.

Test Type: Development  
Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 20 mg/kg body weight  
Symptoms: Skeletal and visceral variations .  
Result: Effects on prenatal and postnatal growth.

Test Type: Development  
Species: Rat  
Application Route: Intramuscular  
Symptoms: Skeletal and visceral variations .  
Result: Effects on prenatal and postnatal growth.

Test Type: Development  
Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 60 mg/kg body weight  
Symptoms: Skeletal and visceral variations .  
Result: Effects on prenatal and postnatal growth.

Test Type: Development  
Species: Monkey  
Application Route: Intramuscular  
Target Organs: Brain  
Result: Effects on prenatal and postnatal growth.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****Ketamine hydrochloride:**

Routes of exposure : Skin contact  
Target Organs : Kidney, Liver, Brain  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****Ketamine hydrochloride:**

Species : Mouse



**Ketamine (5%) Formulation**

Version 2.1      Revision Date: 30.09.2023      SDS Number: 3976739-00008      Date of last issue: 04.04.2023  
Date of first issue: 14.02.2019

---

LOAEL : 30 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 3 Months  
Target Organs : Kidney, Liver, Bladder  
Remarks : Significant toxicity observed in testing

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 6 Months  
Target Organs : Kidney, Liver, Bladder  
Remarks : Significant toxicity observed in testing

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 28 Weeks  
Target Organs : Kidney  
Remarks : Significant toxicity observed in testing

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 30 Days  
Target Organs : Brain, Liver  
Remarks : Significant toxicity observed in testing

Species : Monkey  
LOAEL : 1 mg/kg  
Application Route : Intraperitoneal  
Exposure time : 6 Months  
Target Organs : Brain  
Remarks : Significant toxicity observed in testing

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Ketamine hydrochloride:**

Ingestion : Symptoms: The most common side effects are:, central nervous system effects, hypertension, Dizziness, Headache, Nausea, Drowsiness

**Ketamine (5%) Formulation**

Version      Revision Date:      SDS Number:      Date of last issue: 04.04.2023  
2.1          30.09.2023          3976739-00008      Date of first issue: 14.02.2019

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Ketamine hydrochloride:****Ecotoxicology Assessment**

Acute aquatic toxicity      :    Toxic effects cannot be excluded

Chronic aquatic toxicity    :    Toxic effects cannot be excluded

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****Ketamine hydrochloride:**

Partition coefficient: n-      :    log Pow: 2,18  
octanol/water

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues      :    Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging    :    Empty containers should be taken to an approved waste  
handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

---

**Ketamine (5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04.04.2023  |
| 2.1     | 30.09.2023     | 3976739-00008 | Date of first issue: 14.02.2019 |

---

**Special precautions for user**

Not applicable

---

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**SECTION 16. OTHER INFORMATION**Revision Date : 30.09.2023  
Date format : dd.mm.yyyy**Further information**Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect

**Ketamine (5%) Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 04.04.2023  |
| 2.1     | 30.09.2023     | 3976739-00008 | Date of first issue: 14.02.2019 |

---

Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8