according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ketamine (5%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road

Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

Appearance : liquid

Colour: No data availableOdour: No data available

Causes mild skin irritation. Suspected of damaging the unborn child.

**GHS Classification** 

Skin corrosion/irritation : Category 3

Reproductive toxicity : Category 2

**GHS** label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : H316 Causes mild skin irritation.

H361d Suspected of damaging the unborn child.

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

Precautionary statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/

attention.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

## Physical and chemical hazards

Not classified based on available information.

#### Health hazards

Causes mild skin irritation. Suspected of damaging the unborn child.

### **Environmental hazards**

Not classified based on available information.

### **Additional Labelling**

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 5 %

### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 3 -< 10

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

If inhaled If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

Flush eyes with water as a precaution. In case of eye contact

Get medical attention if irritation develops and persists.

If swallowed If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

Causes mild skin irritation.

Suspected of damaging the unborn child.

delayed Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

#### 5. FIREFIGHTING MEASURES

Water spray Suitable extinguishing media

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Hazardous combustion prod-

ucts

Carbon oxides

Chlorine compounds Nitrogen oxides (NOx)

Specific extinguishing meth-

Use extinguishing measures that are appropriate to local cir-

Exposure to combustion products may be a hazard to health.

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : tive equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

according to GB/T 16483 and GB/T 17519



# Ketamine (5%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 3976734-00008 1.7 2023/09/30 Date of first issue: 2019/02/14

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### 7. HANDLING AND STORAGE

Handling

See Engineering measures under EXPOSURE Technical measures

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation Advice on safe handling

Do not get on skin or clothing.

Do not breathe mist or vapours.

Use only with adequate ventilation.

Do not swallow.

Avoid contact with eyes.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact Oxidizing agents

**Storage** 

Conditions for safe storage Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Packaging material Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

		exposure)	concentration			
Ketamine hydrochloride	1867-66-9	TWA	10 μg/m3 (OEB 3)	Internal		
	Further information: Skin					
		Wipe limit	100 μg/100 cm <sup>2</sup>	Internal		

**Engineering measures** : Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face con-

tainment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Particulates type

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the work-

ing place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

according to GB/T 16483 and GB/T 17519



# Ketamine (5%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 2023/09/30 3976734-00008 1.7 Date of first issue: 2019/02/14

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight No data available

Particle size Not applicable

#### 10. STABILITY AND REACTIVITY

Not classified as a reactivity hazard. Reactivity Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac- :

Conditions to avoid None known. Incompatible materials Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Inhalation Exposure routes

Skin contact Ingestion Eye contact

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

# **Components:**

Ketamine hydrochloride:

: LD50 (Rat): 447 mg/kg Acute oral toxicity

LD50 (Mouse): 617 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 59 mg/kg

Application Route: Intravenous

LD50 (Mouse): 59 mg/kg

Application Route: Intramuscular

LD50 (Mouse): 356 mg/kg Application Route: Intramuscular

LD50 (Guinea pig): 361 mg/kg Application Route: Intramuscular

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

LD50 (Rat): 224 mg/kg

Application Route: Intraperitoneal

### Skin corrosion/irritation

Causes mild skin irritation.

## **Components:**

### Ketamine hydrochloride:

Species : Rabbit Result : irritating

### Serious eye damage/eye irritation

Not classified based on available information.

### **Components:**

### Ketamine hydrochloride:

Species : Rabbit Result : irritating

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Suspected of damaging the unborn child.

#### **Components:**

### Ketamine hydrochloride:

Effects on foetal develop-

Species: Rat

ment

Application Route: Intramuscular

Developmental Toxicity: NOAEL: 120 mg/kg body weight

Target Organs: Kidney, Liver, Heart Result: No teratogenic effects

Test Type: Development

Test Type: Development

Species: Rabbit

according to GB/T 16483 and GB/T 17519



# Ketamine (5%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 20 mg/kg body weight

Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Rat

Application Route: Intramuscular

Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Rabbit

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 60 mg/kg body weight

Symptoms: Skeletal and visceral variations Result: Effects on prenatal and postnatal growth.

Test Type: Development

Species: Monkey

Application Route: Intramuscular

Target Organs: Brain

Result: Effects on prenatal and postnatal growth.

Reproductive toxicity - As-

sessment

Suspected of damaging the unborn child.

## STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

### **Components:**

## **Ketamine hydrochloride:**

Exposure routes : Skin contact
Target Organs : Kidney, Liver, Brain

Assessment : May cause damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

### **Components:**

# **Ketamine hydrochloride:**

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 3 Months

Target Organs : Kidney, Liver, Bladder

Remarks : Significant toxicity observed in testing

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 6 Months

Target Organs : Kidney, Liver, Bladder

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 28 Weeks
Target Organs : Kidney

Remarks : Significant toxicity observed in testing

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Intraperitoneal
Exposure time : 30 Days
Target Organs : Brain, Liver

Remarks : Significant toxicity observed in testing

Species : Monkey
LOAEL : 1 mg/kg
Application Route : Intraperitoneal
Exposure time : 6 Months
Target Organs : Brain

Remarks : Significant toxicity observed in testing

#### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### Components:

## Ketamine hydrochloride:

Ingestion : Symptoms: The most common side effects are:, central nerv-

ous system effects, hypertension, Dizziness, Headache, Nau-

sea, Drowsiness

### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

## **Components:**

## Ketamine hydrochloride:

### **Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

Chronic aquatic toxicity : Toxic effects cannot be excluded

## Persistence and degradability

No data available

### Bioaccumulative potential

## **Components:**

### Ketamine hydrochloride:

Partition coefficient: n-

octanol/water

: log Pow: 2.18

# Mobility in soil

No data available

### Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

# 14. TRANSPORT INFORMATION

### International Regulations

### **UNRTDG**

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

**IATA-DGR** 

UN/ID No. : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen- : Not applicable

according to GB/T 16483 and GB/T 17519



# Ketamine (5%) Formulation

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

ger aircraft)

**IMDG-Code** 

**UN** number Not applicable Proper shipping name Not applicable Not applicable Class Not applicable Subsidiary risk Not applicable Packing group Labels Not applicable **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**National Regulations** 

GB 6944/12268

UN number : Not applicable
Proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

### **National regulatory information**

Law on the Prevention and Control of Occupational Diseases

### **Yangtze River Protection Law**

This product does not contain any dangerous chemicals prohibited for inland river transport.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 2023/09/30

**Further information** 

Sources of key data used to

compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

according to GB/T 16483 and GB/T 17519



# **Ketamine (5%) Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/04/04 1.7 2023/09/30 3976734-00008 Date of first issue: 2019/02/14

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN