according to the Globally Harmonized System



Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023		S Number: 76741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019	
1. PRO	DUCT AND COMPANY ID	ENT	IFICATION		
Pro	oduct name	:	Ketamine (5%) Formulation		
Ма	anufacturer or supplier's o	leta	ils		
	ompany	:	MSD		
Ad	dress	:	Briahnager - Off Wagholi - Pune -	Pune Nagar Road India 412 207	
Те	lephone	:	+1-908-740-4000)	
En	nergency telephone number	r:	+1-908-423-6000)	
E-I	mail address	:	EHSDATASTEW	/ARD@msd.com	
Re	commended use of the cl	hem	ical and restriction	ons on use	
	ecommended use estrictions on use	:	Veterinary produ Not applicable	ct	

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification Skin corrosion/irritation	:	Category 3
Reproductive toxicity	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H316 Causes mild skin irritation. H361d Suspected of damaging the unborn child.
Precautionary statements	:	Prevention: P203 Obtain, read and follow all safety instructions before use. P280 Wear protective gloves/ protective clothing/ eye protec- tion/ face protection.

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version	Revision Date:
1.7	30.09.2023

SDS Number: 3976741-00008 Date of last issue: 04.04.2023 Date of first issue: 14.02.2019

Response:

P318 IF exposed or concerned, get medical advice. P332 + P317 If skin irritation occurs: Get medical help.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 5%

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 5 - < 10

4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes mild skin irritation. Suspected of damaging the unborn child.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023	SDS Number: 3976741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019	

5. FIREFIGHTING MEASURES

Suitable extinguishing media		Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical None known.
Unsuitable extinguishing media	•	
Specific hazards during fire- fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Chlorine compounds Nitrogen oxides (NOx)
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. For large spills, provide dyking or other appropriate contain- ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor- bent. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023	SDS Number: 3976741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
	al/Total ventilation ice on safe handling	 Use only with Do not get on Do not breath Do not swallow Avoid contact Handle in acc practice, base sessment 	
Cor	nditions for safe storage	Store locked u	•
Mat	erials to avoid		dance with the particular national regulations. vith the following product types: ng agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components with workplace control parameters						
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis		
Ketamine hydrochloride	1867-66-9	TŴA	10 µg/m3 (OEB 3)	Internal		
	Further info	ormation: Skin				
		Wipe limit	100 µg/100 cm ²	Internal		
Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip quick connections). All engineering controls should be implemented by facilit design and operated in accordance with GMP principles protect products, workers, and the environment. Containment technologies suitable for controlling comport are required to control at source and to prevent migration the compound to uncontrolled areas (e.g., open-face conment devices). Minimize open handling.				g., drip-less facility ciples to ompounds gration of		
Personal protective equipment	ent					
Respiratory protection Filter type Hand protection	sure asses	ssment demonstrat d guidelines, use re	ntilation is not available tes exposures outside espiratory protection.			
Material	: Chemical-	resistant gloves				
Remarks Eye protection	: Wear safe If the work	Consider double gloving. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.				



according to the Globally Harmonized System

Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023	SDS Number: 3976741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019					
Skin and body protection		 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task 						
Hygie	ne measures	suits) to avoid e Use appropriate contaminated c : If exposure to c	hemical is likely during typical use, provide eye					
		place. When using do Wash contamin The effective op engineering cor appropriate deg	s and safety showers close to the working not eat, drink or smoke. ated clothing before re-use. beration of a facility should include review of ntrols, proper personal protective equipment, jowning and decontamination procedures, ne monitoring, medical surveillance and the					

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023		S Number: 76741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
Rela	ative density	:	No data available	9
Density		:	No data available	9
	ubility(ies) Vater solubility	:	soluble	
	ition coefficient: n-	:	Not applicable	
	nol/water p-ignition temperature	:	No data available	9
Dec	omposition temperature	:	No data available	e
	cosity /iscosity, kinematic	:	No data available	e
Exp	losive properties	:	Not explosive	
Oxic	dizing properties	:	The substance o	r mixture is not classified as oxidizing.
Mol	ecular weight	:	No data available	e
Part	icle size	:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reac- tions	:	Not classified as a reactivity hazard. Stable under normal conditions. Can react with strong oxidizing agents.
Conditions to avoid Incompatible materials Hazardous decomposition products	:	None known. Oxidizing agents No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation
exposure		Skin contact
		Ingestion
		Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
		Method: Calculation method

Components:

Ketamine hydrochloride:

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023		DS Number: 76741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
Acu	te oral toxicity	:	LD50 (Rat): 447 r	ng/kg
			LD50 (Mouse): 61	I7 mg/kg
	te toxicity (other routes of ninistration)	:	LD50 (Rat): 59 m Application Route	
			LD50 (Mouse): 59 Application Route	
			LD50 (Mouse): 38 Application Route	
			LD50 (Guinea pig Application Route	
			LD50 (Rat): 224 r Application Route	
Ski	n corrosion/irritation			
Car	uses mild skin irritation			

Causes mild skin irritation.

Components:

Ketamine hydrochloride:

Species	:	Rabbit
Result	:	irritating

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ketamine hydrochloride:

Species	:	Rabbit
Result	:	irritating

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging the unborn child.

according to the Globally Harmonized System



Ketamine (5%) Formulation

ersion 7	Revision Date: 30.09.2023		DS Number: 76741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
<u>Com</u>	ponents:			
Ketar	mine hydrochloride:			
Effect ment	ts on foetal develop-	:	Species: Rat Application Route Developmental T	e: Intramuscular oxicity: NOAEL: 120 mg/kg body weight (idney, Liver, Heart
			Symptoms: Skele	
			Symptoms: Skele	
			Test Type: Deve Species: Monkey Application Route Target Organs: E Result: Effects of	e: Intramuscular
Repro sessr	oductive toxicity - As- nent	:	Suspected of dar	maging the unborn child.
STO	Γ - single exposure			
Not c	lassified based on avail	able	information.	
	F - repeated exposure lassified based on avail	lahla	information	
	ponents:	aule		
Expo: Targe	mine hydrochloride: sure routes et Organs ssment	: : :	Skin contact Kidney, Liver, Br May cause dama	ain Ige to organs through prolonged or repeated

exposure.

according to the Globally Harmonized System



Ketamine (5%) Formulation

rsion 7	Revision Date: 30.09.2023	SDS Number: 3976741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
Dana	ated dags to visity		
-	ated dose toxicity		
Com	oonents:		
Ketar	nine hydrochloride:		
Speci		: Mouse	
LOAE	L Cation Route	: 30 mg/kg : Intraperitone	
	sure time	: 3 Months	
	et Organs	: Kidney, Live	r, Bladder
Rema			oxicity observed in testing
Speci		: Mouse	
LOAE		: 30 mg/kg	
	cation Route	: Intraperitone : 6 Months	
	sure time et Organs	: Kidney, Live	r Bladder
Rema			oxicity observed in testing
Speci	es	: Mouse	
LOAE		: 30 mg/kg	
	cation Route	: Intraperitone	pal
	sure time	: 28 Weeks	
Rema	et Organs arks	: Kidney : Significant to	exicity observed in testing
Speci	es	: Mouse	
LÖAE		: 30 mg/kg	
	cation Route	: Intraperitone	al
	sure time	: 30 Days	
Rema	et Organs arks	: Brain, Liver : Significant to	oxicity observed in testing
Speci	es	: Monkey	
LÖAE	EL	: 1 mg/kg	
	cation Route	: Intraperitone	al
	sure time	: 6 Months	
Rema	et Organs arks	: Brain : Significant to	oxicity observed in testing
-	r ation toxicity lassified based on ava	ailable information.	
	rience with human e		
<u>Com</u>	oonents:		
Ketar	nine hydrochloride:		
Inges	tion		The most common side effects are:, central nerv- effects, hypertension, Dizziness, Headache, Nau

sea, Drowsiness

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version 1.7	Revision Date: 30.09.2023	SDS Number: 3976741-00008	Date of last issue: 04.04.2023 Date of first issue: 14.02.2019
12. ECOL	OGICAL INFORMATIO	N	
Ecot	oxicity		
Com	ponents:		
Keta	mine hydrochloride:		
	oxicology Assessment e aquatic toxicity		cannot be excluded
Chro	nic aquatic toxicity	: Toxic effects of	cannot be excluded
	istence and degradabil ata available	ity	
Bioa	ccumulative potential		
<u>Com</u>	ponents:		
Partit	mine hydrochloride: ion coefficient: n- nol/water	: log Pow: 2.18	
	lity in soil ata available		
	r adverse effects ata available		
13. DISPO	SAL CONSIDERATION	NS	
Disp	osal methods		
-	e from residues		e of waste into sewer.
Conta	aminated packaging	: Empty contain dling site for re	accordance with local regulations. lers should be taken to an approved waste ha ecycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

If not otherwise specified: Dispose of as unused product.

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.7	30.09.2023	3976741-00008	Date of first issue: 14.02.2019

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

16. OTHER INFORMATION

Revision Date		30.09.2023
Further information		
Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Globally Harmonized System



Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
1.7	30.09.2023	3976741-00008	Date of first issue: 14.02.2019

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN