

Ketamine (5%) Formulation

Version 5.1 Revision Date: 30.09.2023 SDS Number: 3976745-00010 Date of last issue: 04.04.2023
Date of first issue: 14.02.2019

Section 1: Identification

Product name : Ketamine (5%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

Section 2: Hazard identification

GHS Classification

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Dermal) : Category 2 (Kidney, Liver, Brain)

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H361d Suspected of damaging the unborn child.
H373 May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 5 %

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ketamine hydrochloride	1867-66-9	>= 1 -< 10

Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure in contact with skin.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Nitrogen oxides (NO_x)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Ketamine (5%) Formulation

Version 5.1 Revision Date: 30.09.2023 SDS Number: 3976745-00010 Date of last issue: 04.04.2023
 Date of first issue: 14.02.2019

Section 7: Handling and storage

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
 Do not breathe mist or vapours.
 Do not swallow.
 Avoid contact with eyes.
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
 Store locked up.
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
 Strong oxidizing agents

Section 8: Exposure controls/personal protection**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ketamine hydrochloride	1867-66-9	TWA	10 µg/m ³ (OEB 3)	Internal
Further information: Skin				
		Wipe limit	100 µg/100 cm ²	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
 Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

the compound to uncontrolled areas (e.g., open-face containment devices).
Minimize open handling.

Personal protective equipment

Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Particulates type
Hand protection	:	
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Eye protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Section 9: Physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle size	:	Not applicable

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion
-----------------	---	---

Ketamine (5%) Formulation

Version 5.1 Revision Date: 30.09.2023 SDS Number: 3976745-00010 Date of last issue: 04.04.2023
Date of first issue: 14.02.2019

Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Ketamine hydrochloride:**

Acute oral toxicity : LD50 (Rat): 447 mg/kg
LD50 (Mouse): 617 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 59 mg/kg
Application Route: Intravenous

LD50 (Mouse): 59 mg/kg
Application Route: Intramuscular

LD50 (Mouse): 356 mg/kg
Application Route: Intramuscular

LD50 (Guinea pig): 361 mg/kg
Application Route: Intramuscular

LD50 (Rat): 224 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:**Ketamine hydrochloride:**

Species : Rabbit
Result : irritating

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Ketamine hydrochloride:**

Species : Rabbit
Result : irritating

Ketamine (5%) Formulation

Version 5.1 Revision Date: 30.09.2023 SDS Number: 3976745-00010 Date of last issue: 04.04.2023
Date of first issue: 14.02.2019

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:**Ketamine hydrochloride:**

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Intramuscular
Developmental Toxicity: NOAEL: 120 mg/kg body weight
Target Organs: Kidney, Liver, Heart
Result: No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 20 mg/kg body weight
Symptoms: Skeletal and visceral variations
Result: Effects on prenatal and postnatal growth.

Test Type: Development
Species: Rat
Application Route: Intramuscular
Symptoms: Skeletal and visceral variations
Result: Effects on prenatal and postnatal growth.

Test Type: Development
Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 60 mg/kg body weight
Symptoms: Skeletal and visceral variations
Result: Effects on prenatal and postnatal growth.

Test Type: Development
Species: Monkey
Application Route: Intramuscular
Target Organs: Brain

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Result: Effects on prenatal and postnatal growth.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Kidney, Liver, Brain) through prolonged or repeated exposure in contact with skin.

Components:**Ketamine hydrochloride:**

Exposure routes : Skin contact
 Target Organs : Kidney, Liver, Brain
 Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Ketamine hydrochloride:**

Species : Mouse
 LOAEL : 30 mg/kg
 Application Route : Intraperitoneal
 Exposure time : 3 Months
 Target Organs : Kidney, Liver, Bladder
 Remarks : Significant toxicity observed in testing

Species : Mouse
 LOAEL : 30 mg/kg
 Application Route : Intraperitoneal
 Exposure time : 6 Months
 Target Organs : Kidney, Liver, Bladder
 Remarks : Significant toxicity observed in testing

Species : Mouse
 LOAEL : 30 mg/kg
 Application Route : Intraperitoneal
 Exposure time : 28 Weeks
 Target Organs : Kidney
 Remarks : Significant toxicity observed in testing

Species : Mouse
 LOAEL : 30 mg/kg
 Application Route : Intraperitoneal
 Exposure time : 30 Days
 Target Organs : Brain, Liver
 Remarks : Significant toxicity observed in testing

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Species	:	Monkey
LOAEL	:	1 mg/kg
Application Route	:	Intraperitoneal
Exposure time	:	6 Months
Target Organs	:	Brain
Remarks	:	Significant toxicity observed in testing

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Ketamine hydrochloride:**

Ingestion : Symptoms: The most common side effects are:, central nervous system effects, hypertension, Dizziness, Headache, Nausea, Drowsiness

Section 12: Ecological information**Ecotoxicity****Components:****Ketamine hydrochloride:****Ecotoxicology Assessment**

Acute aquatic toxicity : Toxic effects cannot be excluded

Chronic aquatic toxicity : Toxic effects cannot be excluded

Persistence and degradability

No data available

Bioaccumulative potential**Components:****Ketamine hydrochloride:**

Partition coefficient: n-octanol/water : log Pow: 2.18

Mobility in soil

No data available

Other adverse effects

No data available

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Section 13: Disposal considerations
Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Packing group : Not applicable
Labels : Not applicable
Hazchem Code : Not applicable

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

not allocated

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

Section 16: Other information

Revision Date : 30.09.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

Ketamine (5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
5.1	30.09.2023	3976745-00010	Date of first issue: 14.02.2019

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN