according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Lambda-Cyhalothrin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Veterinary product

stance/Mixture

Recommended restrictions : Not applicable

on use

1.3 Details of the supplier of the safety data sheet

Company : MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person

responsible for the SDS

EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed. Acute toxicity, Category 3 H331: Toxic if inhaled.

Eye irritation, Category 2 H319: Causes serious eye irritation. Specific target organ toxicity - single ex- H370: Causes damage to organs.

posure, Category 1

Short-term (acute) aquatic hazard, Cate- H400: Very toxic to aquatic life.

gory 1

Long-term (chronic) aquatic hazard, Cat-H410: Very toxic to aquatic life with long lasting

egory 1 effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

Hazard pictograms :







Signal word : Danger

Hazard statements : H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.P273 Avoid release to the environment.P280 Wear eye protection/ face protection.

Response:

P304 + P340 + P311 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Call a POISON

CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor. P391 Collect spillage.

Hazardous components which must be listed on the label:

lambda-cyhalothrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

	Index-No.		
	Registration number		
lambda-cyhalothrin (ISO)	91465-08-6 415-130-7 607-252-00-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Eye Irrit. 2; H319 STOT SE 1; H370 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 0,06 mg/l	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention.
Wash clothing before reuse.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.

Causes serious eye irritation.

Toxic if inhaled.

Causes damage to organs.

Contact with dust can cause mechanical irritation or drying of

the skin.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering

over the area to minimise entry of the material into the air.

Add excess liquid to allow the material to enter into solution.

Soak up with inert absorbent material.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces

with compressed air).

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust

causing an explosion.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition.

Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

		of exposure)		
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal
	Further inform	nation: Skin		
		Wipe limit	50 μg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Soybean oil, epox- idized	Workers	Inhalation	Long-term systemic effects	11,9 mg/m3
	Workers	Inhalation	Acute systemic effects	70 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,8 mg/m3
	Consumers	Inhalation	Acute systemic effects	17,5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,8 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,8 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	5 mg/kg bw/day
Tributyl O- acetylcitrate	Workers	Inhalation	Long-term systemic effects	7,04 mg/m3
	Workers	Skin contact	Long-term systemic effects	2 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,74 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

		· ,
Substance name	Environmental Compartment	Value
Soybean oil, epoxidized	Soil	6,25
Tributyl O-acetylcitrate	Fresh water	0,022 mg/l
	Marine water	0,002 mg/l
	Sewage treatment plant	100 mg/l
	Fresh water sediment	41,5 mg/kg dry weight (d.w.)
	Marine sediment	4,15 mg/kg dry weight (d.w.)
	Soil	8,29 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

	weight (d.w.)
Oral (Secondary Poisoning)	1050 mg/kg food

8.2 Exposure controls

Engineering measures

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task

being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Colour : violet

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

range

Flammability (solid, gas) : May form explosive dust-air mixture during processing, han-

dling or other means.

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

Molecular weight : No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, han-

dling or other means.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 560 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.1 28.09.2024 11273263-00003 Date of first issue: 18.09.2023

Components:

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 21. 28.09.2024 11273263-00003 Date of first issue: 18.09.2023

Components:

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

General Toxicity F1: LOAEL: 6,7 mg/kg body weight

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs.

Components:

lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2,5 mg/kg
LOAEL : 12,5 mg/kg
Application Route : oral (feed)
Exposure time : 90 d

Symptoms : reduced body weight gain, reduced food consumption

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 50 mg/kg

Application Route : Dermal

Exposure time : 21 d

Target Organs : Nervous system

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

Species : Rat

NOAEL : 0,08 mg/kg
LOAEL : 0,9 mg/kg
Application Route : Inhalation
Exposure time : 21 d

Target Organs : Nervous system

Species : Dog
NOAEL : 0,1 mg/kg
LOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 1 yr

Target Organs : Nervous system

Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Components:

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

SECTION 12: Ecological information

12.1 Toxicity

Components:

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00019 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 11273263-00003 Date of first issue: 18.09.2023 2.1

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

10.000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,000062 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0035 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10.000

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

lambda-cyhalothrin (ISO):

Bioconcentration factor (BCF): 2.240 Bioaccumulation

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7,0 (20 °C)

12.4 Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environ-

mental compartments

log Koc: 5,5

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 2811
ADR : UN 2811
RID : UN 2811
IMDG : UN 2811
IATA : UN 2811

14.2 UN proper shipping name

ADN : TOXIC SOLID, ORGANIC, N.O.S.

(lambda-cyhalothrin (ISO))

ADR : TOXIC SOLID, ORGANIC, N.O.S.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 21. 28.09.2024 11273263-00003 Date of first issue: 18.09.2023

(lambda-cyhalothrin (ISO))

RID : TOXIC SOLID, ORGANIC, N.O.S.

(lambda-cyhalothrin (ISO))

IMDG : TOXIC SOLID, ORGANIC, N.O.S.

(lambda-cyhalothrin (ISO))

IATA : Toxic solid, organic, n.o.s.

(lambda-cyhalothrin (ISO))

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 6.1
ADR : 6.1
RID : 6.1
IMDG : 6.1
IATA : 6.1

14.4 Packing group

ADN

Packing group : III
Classification Code : T2
Hazard Identification Number : 60
Labels : 6.1

ADR

Packing group : III
Classification Code : T2
Hazard Identification Number : 60
Labels : 6.1
Tunnel restriction code : (E)

RID

Packing group : III
Classification Code : T2
Hazard Identification Number : 60
Labels : 6.1

IMDG

Packing group : III
Labels : 6.1
EmS Code : F-A, S-A

IATA (Cargo)

Packing instruction (cargo : 677

aircraft)

Packing instruction (LQ) : Y645
Packing group : III
Labels : Toxic

IATA (Passenger)

Packing instruction (passen: 670

ger aircraft)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 2.1 28.09.2024 11273263-00003 Date of first issue: 18.09.2023

Packing instruction (LQ) : Y645
Packing group : III
Labels : Toxic

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

(Annex XIV)

Regulation (EC) on substances that deplete the ozone

layer

Regulation (EU) 2019/1021 on persistent organic pollu-

Not applicable

: Not applicable

: Not applicable

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia: Not applicable

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2

H2 ACUTE TOXIC 50 t 200 t

E1 ENVIRONMENTAL 100 t 200 t

HAZARDS

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H301 : Toxic if swallowed.

H311 : Toxic in contact with skin.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H370 : Causes damage to organs. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

STOT SE : Specific target organ toxicity - single exposure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Acute Tox. 4	H302	Calculation method
Acute Tox. 3	H331	Calculation method
Eye Irrit. 2	H319	Calculation method
STOT SE 1	H370	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 2.1
 28.09.2024
 11273263-00003
 Date of first issue: 18.09.2023

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN