according to the Globally Harmonized System



# **Lambda-Cyhalothrin Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin Liquid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number: +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

#### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

**GHS Classification** 

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2B

Specific target organ toxicity - :

single exposure

Category 2 (Nervous system)

Specific target organ toxicity - :

single exposure

Category 3

Aspiration hazard : Category 1

Short-term (acute) aquatic

hazard

Category 1

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Long-term (chronic) aquatic

hazard

Category 1

**GHS** label elements

Hazard pictograms







Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

H313 May be harmful in contact with skin. H315 + H320 Causes skin and eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H371 May cause damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P301 + P316 IF SWALLOWED: Get emergency medical help immediately.

P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.

Get medical help.

P304 + P340 + P317 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Get medical help.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P331 Do NOT induce vomiting.

P332 + P317 If skin irritation occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
1,2,4-Trimethylbenzene	95-63-6	>= 90 - <= 100
lambda-cyhalothrin (ISO)	91465-08-6	>= 5 - < 10

#### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms

delayed

and effects, both acute and

1

May be fatal if swallowed and enters airways.

May be harmful in contact with skin. Causes skin and eye irritation.

Harmful if inhaled.

namiliui ii iiinaleu.

May cause respiratory irritation. May cause damage to organs.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Carbon dioxide (CO2)

Dry chemical None known.

Unsuitable extinguishing

media

INOTIC KITOV

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions

Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2,4-Trimethylbenzene	95-63-6	TWA	10 ppm	ACGIH
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist,

handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type

Hand protection

Combined particulates and organic vapour type

Material : Chemical-resistant gloves

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : off-white

Odour : solvent-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

> 100 °C

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower : No data available

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Date of last issue: 01.10.2022 Version **Revision Date:** SDS Number: 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

flammability limit

No data available Vapour pressure

Relative vapour density No data available

Relative density No data available

1.036 g/cm<sup>3</sup> Density

Solubility(ies)

Water solubility dispersible

Partition coefficient: n-

octanol/water

No data available

No data available Auto-ignition temperature

Decomposition temperature No data available

Viscosity

Viscosity, kinematic No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.

Molecular weight Not applicable

Particle size Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

None known.

Conditions to avoid Incompatible materials : Oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

### **Acute toxicity**

May be harmful in contact with skin.

Harmful if inhaled.

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

**Product:** 

Acute oral toxicity : LD50(Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50(Rat): > 4.62 mg/l

Exposure time: 4 h

Acute dermal toxicity : LD50(Rat): > 2,000 mg/kg

**Components:** 

1,2,4-Trimethylbenzene:

Acute oral toxicity : LD50 (Rat): 3,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10.2 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 3,160 mg/kg

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 250 - 750 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

**Product:** 

Species : Rabbit Result : irritating

**Components:** 

1,2,4-Trimethylbenzene:

Species : Rabbit Result : Skin irritation

Remarks : Based on data from similar materials

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.10.2022

 5.8
 30.09.2023
 1135012-00016
 Date of first issue: 02.12.2016

### Serious eye damage/eye irritation

Causes eye irritation.

**Product:** 

Species : Rabbit

Result : Mild eye irritation

**Components:** 

1,2,4-Trimethylbenzene:

Species : Rabbit

Result : No eye irritation

Remarks : Based on data from similar materials

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : Weak sensitizer

**Components:** 

1,2,4-Trimethylbenzene:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

#### **Components:**

1,2,4-Trimethylbenzene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

### Carcinogenicity

Not classified based on available information.

### **Components:**

lambda-cyhalothrin (ISO):

Species : Mouse Application Route : oral (feed)

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

### Reproductive toxicity

Not classified based on available information.

#### Components:

## 1,2,4-Trimethylbenzene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 414

Result: negative

### lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

### STOT - single exposure

May cause respiratory irritation.

May cause damage to organs (Nervous system).

## **Components:**

### 1,2,4-Trimethylbenzene:

Assessment : May cause respiratory irritation.

### lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

### **Components:**

## 1,2,4-Trimethylbenzene:

Species : Rat

NOAEL : 600 mg/kg Application Route : Ingestion Exposure time : 90 Days

Method : OECD Test Guideline 408

Remarks : Based on data from similar materials

Species : Rat

NOAEL : 1230 mg/m3
Application Route : inhalation (vapour)

Exposure time : 90 Days

## lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg
Application Route : oral (feed)
Exposure time : 90 d

Symptoms : reduced body weight gain, reduced food consumption

Species : Rat
NOAEL : 10 mg/kg
LOAEL : 50 mg/kg
Application Route : Dermal
Exposure time : 21 d

Target Organs : Nervous system

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Species : Rat

NOAEL : 0.08 mg/kg
LOAEL : 0.9 mg/kg
Application Route : Inhalation
Exposure time : 21 d

Target Organs : Nervous system

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 1 yr

Target Organs : Nervous system

Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

#### **Aspiration toxicity**

May be fatal if swallowed and enters airways.

#### **Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

## **Components:**

### 1,2,4-Trimethylbenzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### **Experience with human exposure**

**Product:** 

Inhalation : Symptoms: Respiratory disorder, Central nervous system

depression

Skin contact : Symptoms: tingling, Itching, Burn, Skin irritation

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance, Breathing difficulties

**Components:** 

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

#### 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

### **Components:**

1,2,4-Trimethylbenzene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7.72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.6 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 2.356 mg/l

Exposure time: 96 h

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.000062 mg/l Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0035 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic : 10,000

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

toxicity)

Persistence and degradability

**Components:** 

1,2,4-Trimethylbenzene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 60 % Exposure time: 28 d

Bioaccumulative potential

Components:

lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7.0 (20 °C)

Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environ-

mental compartments

: log Koc: 5.5

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

Class : 9

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Packing group : III Labels : 9 Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(lambda-cyhalothrin (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen- : 964

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(lambda-cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

## Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **16. OTHER INFORMATION**

Revision Date : 30.09.2023

**Further information** 

according to the Globally Harmonized System



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 01.10.2022 5.8 30.09.2023 1135012-00016 Date of first issue: 02.12.2016

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN