

# **Lambda-Cyhalothrin Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Lambda-Cyhalothrin Liquid Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : Kumagaya, Saitama Prefecture , Xicheng 810 MSD Co., Ltd.

Menuma factory

Telephone : 048-588-8411

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2B

Specific target organ toxicity - :

single exposure

Category 2 (Nervous system)

Specific target organ toxicity - :

single exposure

Category 3

Aspiration hazard : Category 1

Short-term (acute) aquatic

hazard

Category 1

Long-term (chronic) aquatic

hazard

Category 1

#### **GHS** label elements



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Hazard pictograms :







Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

H315 + H320 Causes skin and eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H371 May cause damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

#### Prevention:

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves.

#### Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ atten-

tion

P337 + P313 If eye irritation persists: Get medical advice/ at-

tention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

## Storage:

P405 Store locked up.

# Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

# Other hazards which do not result in classification

None known.



# Lambda-Cyhalothrin Liquid Formulation

SDS Number: Date of last issue: 2024/04/06 Version Revision Date: 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
1,2,4-Trimethylbenzene	95-63-6	90.3	3-7, 3-3427
lambda-cyhalothrin (ISO)	91465-08-6	9.7	-

#### 4. FIRST AID MEASURES

General advice In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed If swallowed, DO NOT induce vomiting.

If vomiting occurs have person lean forward.

Call a physician or poison control centre immediately.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person. May be fatal if swallowed and enters airways.

Most important symptoms

delayed

and effects, both acute and

Causes skin and eye irritation.

Harmful if inhaled.

May cause respiratory irritation. May cause damage to organs.

Protection of first-aiders First Aid responders should pay attention to self-protection.

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media Water spray

Alcohol-resistant foam Carbon dioxide (CO2)



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.



# **Lambda-Cyhalothrin Liquid Formulation**

SDS Number: Date of last issue: 2024/04/06 Version Revision Date: 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

#### 7. HANDLING AND STORAGE

Handling

Technical measures See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

If sufficient ventilation is unavailable, use with local exhaust Local/Total ventilation

ventilation.

Do not get on skin or clothing. Advice on safe handling

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Already sensitised individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respira-

tory irritants or sensitisers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Avoidance of contact

Hygiene measures

Oxidizing agents

If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

Storage

Conditions for safe storage Keep in properly labelled containers.

> Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

> Oxidizing solids Oxidizing liquids

Packaging material : Unsuitable material: None known.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
1,2,4-Trimethylbenzene	95-63-6	OEL-M	25 ppm 120 mg/m3	JP OEL JSOH
		TWA	10 ppm	ACGIH
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist,

handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material

ina protection

: Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : off-white

Odour : solvent-like



# Lambda-Cyhalothrin Liquid Formulation

Date of last issue: 2024/04/06 Version **Revision Date:** SDS Number: 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Odour Threshold No data available

Melting point/freezing point No data available

Boiling point, initial boiling

point and boiling range

> 100 °C

Flammability (solid, gas) Not applicable

Flammability (liquids) No data available

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Up- : No data available

per flammability limit

Lower explosion limit / Lower flammability limit No data available

> 100 °C Flash point

Decomposition temperature No data available

No data available pΗ

Evaporation rate No data available

Auto-ignition temperature No data available

Viscosity

Viscosity, kinematic No data available

Solubility(ies)

Water solubility dispersible

Partition coefficient: n-

octanol/water

No data available

Vapour pressure No data available

Density and / or relative density

Relative density No data available

Density 1.036 g/cm3

Relative vapour density No data available

Explosive properties Not explosive

Oxidizing properties The substance or mixture is not classified as oxidizing.



# Lambda-Cyhalothrin Liquid Formulation

SDS Number: Date of last issue: 2024/04/06 Version **Revision Date:** 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Molecular weight Not applicable

Particle characteristics

Particle size Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity Not classified as a reactivity hazard. Chemical stability Stable under normal conditions. Can react with strong oxidizing agents.

Possibility of hazardous reac-

tions

Conditions to avoid None known. Oxidizing agents Incompatible materials

Hazardous decomposition No hazardous decomposition products are known.

products

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact Ingestion

Eye contact

**Acute toxicity** 

Harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LC50 (Rat): > 4.62 mg/l Acute inhalation toxicity

Exposure time: 4 h

LD50 (Rat): > 2,000 mg/kg Acute dermal toxicity

**Components:** 

1,2,4-Trimethylbenzene:

Acute oral toxicity : LD50 (Rat): 3,280 mg/kg

: LC50 (Rat): > 10.2 mg/l Acute inhalation toxicity

Exposure time: 4 h Test atmosphere: vapour

Remarks: Based on data from similar materials

Acute dermal toxicity LD50 (Rat): > 3,160 mg/kg

lambda-cyhalothrin (ISO):

Acute oral toxicity LD50 (Rat): 56 - 79 mg/kg



# **Lambda-Cyhalothrin Liquid Formulation**

SDS Number: Date of last issue: 2024/04/06 Version **Revision Date:** 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

administration)

Acute toxicity (other routes of : LD50 (Rat): 250 - 750 mg/kg

Application Route: Intraperitoneal

#### Skin corrosion/irritation

Causes skin irritation.

**Product:** 

**Species** Rabbit Result irritating

#### **Components:**

# 1,2,4-Trimethylbenzene:

Species Rabbit Result Skin irritation

Remarks Based on data from similar materials

## lambda-cyhalothrin (ISO):

Species Rabbit

Result No skin irritation

# Serious eye damage/eye irritation

Causes eye irritation.

**Product:** 

**Species** Rabbit

Result Mild eye irritation

#### **Components:**

# 1,2,4-Trimethylbenzene:

Species Rabbit

Result No eye irritation

Remarks Based on data from similar materials

lambda-cyhalothrin (ISO):

Species Rabbit

Result Mild eye irritation



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

## Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

**Product:** 

Species : Rabbit

Result : Weak sensitizer

## **Components:**

#### 1,2,4-Trimethylbenzene:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

# lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

## Germ cell mutagenicity

Not classified based on available information.

# **Components:**

## 1,2,4-Trimethylbenzene:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Remarks: Based on data from similar materials

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

#### Carcinogenicity

Not classified based on available information.

# **Components:**

## lambda-cyhalothrin (ISO):

Species: MouseApplication Route: oral (feed)Exposure time: 2 YearsResult: negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

#### Reproductive toxicity

Not classified based on available information.

# **Components:**

## 1,2,4-Trimethylbenzene:

Effects on fertility : Test Type: Three-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 414

Result: negative

# lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

#### STOT - single exposure

May cause respiratory irritation.

May cause damage to organs (Nervous system).

# **Components:**

# 1,2,4-Trimethylbenzene:

Assessment : May cause respiratory irritation.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.



# **Lambda-Cyhalothrin Liquid Formulation**

SDS Number: Date of last issue: 2024/04/06 Version Revision Date: 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

# **Components:**

#### 1,2,4-Trimethylbenzene:

: Rat
: 600 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : OECD Test Guideline 408
Remarks : Based on data from similar

Remarks : Based on data from similar materials

Species: RatNOAEL: 1230 mg/m3Application Route: inhalation (vapour)Exposure time: 90 Days

Exposure time

# lambda-cyhalothrin (ISO):

**Species** : Dog : 2.5 mg/kg NOAEL . 12.5 mg/kg : oral (feed) : 90 d LOAEL : 12.5 mg/kg Application Route Exposure time

Symptoms : reduced body weight gain, reduced food consumption

Species: RatNOAEL: 10 mg/kLOAEL: 50 mg/kApplication Route: DermalExposure time: 21 dTarget Organs: Nervous 10 mg/kg : 50 mg/kg

Target Organs Nervous system

Species :
NOAEL :
LOAEL :
Application Route :
Exposure time :
Target Organs : Rat 0.08 mg/kg 0.9 mg/kg Inhalation

: 21 d Target Organs : Nervous system

: Dog Species NOAEL : 0.1 mg/kg : 0.5 mg/kg Application Route : U.5 mg/kg

Exposure time : 1 yr

Target Organs : Nervous system LOAEL

: Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Symptoms

Liver effects



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

## **Aspiration toxicity**

May be fatal if swallowed and enters airways.

## **Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Components:

# 1,2,4-Trimethylbenzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

# Experience with human exposure

**Product:** 

Inhalation : Symptoms: Respiratory disorder, Central nervous system

depression

Skin contact : Symptoms: tingling, Itching, Burn, Skin irritation

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance, Breathing difficulties

# **Components:**

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

ngestion : Symptoms: Gastrointestinal disturbance

#### 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

## **Components:**

# 1,2,4-Trimethylbenzene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 7.72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3.6 mg/l

Exposure time: 48 h



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 2.356 mg/l

Exposure time: 96 h

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

city

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): 0.000062

mg/I

Exposure time: 32 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 0.0035 µg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10,000

#### Persistence and degradability

# **Components:**

1,2,4-Trimethylbenzene:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 60 % Exposure time: 28 d



# **Lambda-Cyhalothrin Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

## Bioaccumulative potential

# **Components:**

# lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7.0 (20 °C)

# Mobility in soil

# **Components:**

#### lambda-cyhalothrin (ISO):

Distribution among environ-

mental compartments

log Koc: 5.5

# Hazardous to the ozone layer

Not applicable

## Other adverse effects

No data available

## 13. DISPOSAL CONSIDERATIONS

# **Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

## 14. TRANSPORT INFORMATION

# **International Regulations**

**UNRTDG** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(lambda-cyhalothrin (ISO))

Class : 9



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

964

964

(lambda-cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

Refer to section 15 for specific national regulation.

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

## 15. REGULATORY INFORMATION

## **Related Regulations**

#### **Fire Service Law**

Group 4, Type 3 petroleums, Water insoluble liquid, (2000 litre), Hazardous rank III

## **Chemical Substance Control Law**

**Priority Assessment Chemical Substance** 

Chemical name	Number
1,2,4-Trimethylbenzene	49

#### Industrial Safety and Health Law

# **Harmful Substances Prohibited from Manufacture**

Not applicable

## **Harmful Substances Required Permission for Manufacture**

Not applicable



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

## **Substances Prevented From Impairment of Health**

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

# **Substances Subject to be Notified Names**

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
Trimethylbenzene	>=90 - <=100	-
rel-(R)-Cyano(3-phenoxyphenyl)methyl	>=1 - <10	From April 1st, 2025
(1S,3S)-3-[(Z)-2-chloro-3,3,3-		
trifluoroprop-1-en-1-yl]-2,2-		
dimethylcyclopropanecarboxylate		

# **Substances Subject to be Indicated Names**

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
Trimethylbenzene	-
rel-(R)-Cyano(3-phenoxyphenyl)methyl (1S,3S)-3-[(Z)-2-chloro-3,3,3-	From April 1st, 2025
trifluoroprop-1-en-1-yl]-2,2-dimethylcyclopropanecarboxylate	-

## Skin and Eye Damage Substances for PPE Requirements (ISHL MO Art. 594-2)

Not applicable

# Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

## Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

#### Ordinance on Prevention of Lead Poisoning

Not applicable

# Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

## **Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

# Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

## **Poisonous and Deleterious Substances Control Law**

Deleterious substance

Chemical name	Cabinet Order Number
Organic cyanide compounds and preparations	32



# **Lambda-Cyhalothrin Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

# **Class I Designated Chemical Substances**

Chemical name	Administration number	Concentration (%)
Trimethylbenzene	691	90

## **High Pressure Gas Safety Act**

Not applicable

# **Explosive Control Law**

Not applicable

#### **Vessel Safety Law**

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

#### **Aviation Law**

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

## Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category X)

Pack transportation : Classified as marine pollutant

# **Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

# Waste Disposal and Public Cleansing Law

Industrial waste

## The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

# **16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

#### **Further information**

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/



# Lambda-Cyhalothrin Liquid Formulation

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

JP OEL JSOH : Japan Society for Occupational Health. Recom-

mendation of Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average
JP OEL JSOH / OEL-M : Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NOM - Official Mexican Norm: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.



# **Lambda-Cyhalothrin Liquid Formulation**

Version Revision Date: SDS Number: Date of last issue: 2024/04/06 12.0 2024/09/28 1133936-00020 Date of first issue: 2016/12/02

JP / EN