

## Lambda-Cyhalothrin Liquid Formulation

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.12.2016

---

### Section 1: Identification

Product name : Lambda-Cyhalothrin Liquid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

### GHS label elements

Hazard pictograms :



Signal word :

Danger

Hazard statements :

H304 May be fatal if swallowed and enters airways.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H371 May cause damage to organs (Nervous system).  
 H373 May cause damage to organs through prolonged or repeated exposure.  
 H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**

P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ eye protection/ face protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
 P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
 P331 Do NOT induce vomiting.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

## Lambda-Cyhalothrin Liquid Formulation

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
 Date of first issue: 02.12.2016

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
1,2,4-Trimethylbenzene	95-63-6	$\geq 90$ - $\leq 100$
lambda-cyhalothrin (ISO)	91465-08-6	$\geq 2.5$ - $< 10$

### Section 4: First-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.  
Causes skin irritation.  
Causes serious eye irritation.  
Harmful if inhaled.  
May cause respiratory irritation.  
May cause damage to organs.  
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

Notes to physician : when the potential for exposure exists (see section 8).  
: Treat symptomatically and supportively.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Fluorine compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 3Z

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding

## Lambda-Cyhalothrin Liquid Formulation

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
 Date of first issue: 02.12.2016

certain local or national requirements.

### Section 7: Handling and storage

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
 Do not breathe mist or vapours.  
 Do not swallow.  
 Do not get in eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Keep in a cool, well-ventilated place.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2,4-Trimethylbenzene	95-63-6	WES-TWA	25 ppm 123 mg/m <sup>3</sup>	NZ OEL

## Lambda-Cyhalothrin Liquid Formulation

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
 Date of first issue: 02.12.2016

		TWA	10 ppm	ACGIH
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

### Section 9: Physical and chemical properties

**Appearance** : liquid

**Colour** : off-white

**Odour** : solvent-like

**Odour Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Lambda-Cyhalothrin Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

Initial boiling point and boiling range : > 100 °C

Flash point : > 100 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.036 g/cm<sup>3</sup>

Solubility(ies)  
Water solubility : dispersible

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : Not applicable

---

**Section 10: Stability and reactivity**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

Possibility of hazardous reactions : Can react with strong oxidizing agents.  
 Conditions to avoid : None known.  
 Incompatible materials : Oxidizing agents  
 Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Exposure routes : Inhalation  
 Skin contact  
 Ingestion  
 Eye contact

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.62 mg/l  
 Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

#### Components:

##### **1,2,4-Trimethylbenzene:**

Acute oral toxicity : LD50 (Rat): 3,280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10.2 mg/l  
 Exposure time: 4 h  
 Test atmosphere: vapour  
 Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 3,160 mg/kg

##### **lambda-cyhalothrin (ISO):**

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l  
 Exposure time: 4 h  
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 250 - 750 mg/kg  
 Application Route: Intraperitoneal



**Lambda-Cyhalothrin Liquid Formulation**

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.12.2016

---

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Species : Rabbit  
Result : irritating

**Components:****1,2,4-Trimethylbenzene:**

Species : Rabbit  
Result : Skin irritation  
Remarks : Based on data from similar materials

**lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

Species : Rabbit  
Result : Mild eye irritation

**Components:****1,2,4-Trimethylbenzene:**

Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.

**lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Species : Rabbit  
Result : Weak sensitizer

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

### Components:

#### **1,2,4-Trimethylbenzene:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

#### **lambda-cyhalothrin (ISO):**

Test Type	:	Magnusson-Kligman-Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **1,2,4-Trimethylbenzene:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
--	---	---

	:	Test Type: Mutagenicity (in vitro mammalian cytogenetic test) Result: negative Remarks: Based on data from similar materials
--	---	--

Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative Remarks: Based on data from similar materials
----------------------	---	---

#### **lambda-cyhalothrin (ISO):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

	:	Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
--	---	---

**Lambda-Cyhalothrin Liquid Formulation**

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.12.2016

---

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****lambda-cyhalothrin (ISO):**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

Species : Rat  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

**Reproductive toxicity**

Not classified based on available information.

**Components:****1,2,4-Trimethylbenzene:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 414  
Result: negative

**lambda-cyhalothrin (ISO):**

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

Effects on fertility : Test Type: Three-generation study  
 Species: Rat  
 Application Route: oral (feed)  
 General Toxicity - Parent: NOAEL: 2 mg/kg body weight  
 General Toxicity F1: LOAEL: 6.7 mg/kg body weight  
 Symptoms: Reduced offspring weight gain  
 Result: No effects on fertility  
 Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
 Developmental Toxicity: LOAEL: 15 mg/kg body weight  
 Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight  
 Remarks: Based on data from similar materials

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
 Developmental Toxicity: NOAEL: 30 mg/kg body weight  
 Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight  
 Remarks: Based on data from similar materials

### STOT - single exposure

May cause respiratory irritation.  
 May cause damage to organs (Nervous system).

#### Components:

##### 1,2,4-Trimethylbenzene:

Assessment : May cause respiratory irritation.

##### lambda-cyhalothrin (ISO):

Target Organs : Nervous system  
 Assessment : Causes damage to organs.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### 1,2,4-Trimethylbenzene:

Assessment : May cause damage to organs through prolonged or repeated exposure.  
 Remarks : Based on national or regional regulation.

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

### Repeated dose toxicity

#### Components:

##### **1,2,4-Trimethylbenzene:**

Species	:	Rat
NOAEL	:	600 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408
Remarks	:	Based on data from similar materials

Species	:	Rat
NOAEL	:	1230 mg/m3
Application Route	:	inhalation (vapour)
Exposure time	:	90 Days

##### **lambda-cyhalothrin (ISO):**

Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	12.5 mg/kg
Application Route	:	oral (feed)
Exposure time	:	90 d
Symptoms	:	reduced body weight gain, reduced food consumption

Species	:	Rat
NOAEL	:	10 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Dermal
Exposure time	:	21 d
Target Organs	:	Nervous system

Species	:	Rat
NOAEL	:	0.08 mg/kg
LOAEL	:	0.9 mg/kg
Application Route	:	Inhalation
Exposure time	:	21 d
Target Organs	:	Nervous system

Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Target Organs	:	Nervous system
Symptoms	:	Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

### Aspiration toxicity

May be fatal if swallowed and enters airways.

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

### **Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **Components:**

#### **1,2,4-Trimethylbenzene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### **Experience with human exposure**

#### **Product:**

Inhalation	:	Symptoms: Respiratory disorder, Central nervous system depression
Skin contact	:	Symptoms: tingling, Itching, Burn, Skin irritation
Eye contact	:	Symptoms: Eye irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance, Breathing difficulties

#### **Components:**

#### **lambda-cyhalothrin (ISO):**

Inhalation	:	Symptoms: Cough, Local irritation, sneezing
Skin contact	:	Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation Remarks: Can be absorbed through skin.
Eye contact	:	Symptoms: Eye irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance

---

## Section 12: Ecological information

### **Ecotoxicity**

#### **Components:**

#### **1,2,4-Trimethylbenzene:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 7.72 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 2.356 mg/l Exposure time: 96 h

#### **Ecotoxicology Assessment**

Chronic aquatic toxicity	:	Toxic to aquatic life with long lasting effects.
--------------------------	---	--

#### **lambda-cyhalothrin (ISO):**

## Lambda-Cyhalothrin Liquid Formulation

Version 9.1      Revision Date: 30.09.2023      SDS Number: 1133940-00016      Date of last issue: 04.04.2023  
Date of first issue: 02.12.2016

---

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00004 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials
- M-Factor (Acute aquatic toxicity) : 10,000
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000062 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0035 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials
- M-Factor (Chronic aquatic toxicity) : 10,000

**Persistence and degradability****Components:****1,2,4-Trimethylbenzene:**

- Biodegradability : Result: Readily biodegradable.  
Biodegradation: 60 %  
Exposure time: 28 d

**Bioaccumulative potential****Components:****lambda-cyhalothrin (ISO):**

- Bioaccumulation : Bioconcentration factor (BCF): 2,240  
Method: OECD Test Guideline 305
- Partition coefficient: n-octanol/water : log Pow: 7.0 (20 °C)

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

### Mobility in soil

#### Components:

#### lambda-cyhalothrin (ISO):

Distribution among environmental compartments : log Koc: 5.5

#### Other adverse effects

No data available

---

### Section 13: Disposal considerations

#### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

### Section 14: Transport information

#### International Regulations

##### UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(lambda-cyhalothrin (ISO))

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(lambda-cyhalothrin (ISO))

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(lambda-cyhalothrin (ISO))

Class : 9



**Lambda-Cyhalothrin Liquid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(lambda-cyhalothrin (ISO))  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 3Z  
Marine pollutant : no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

**Section 16: Other information**

Revision Date : 30.09.2023

---

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average  
NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text.

## Lambda-Cyhalothrin Liquid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
9.1	30.09.2023	1133940-00016	Date of first issue: 02.12.2016

---

Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN