according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formula-

tion

Manufacturer or supplier's details

Company

Address Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### 2. HAZARDS IDENTIFICATION

### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

#### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

**GHS Classification** 

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) Category 4

Serious eye damage/eye irri-

Category 2B

tation

Specific target organ toxicity - :

Category 2 (Nervous system)

single exposure

Short-term (acute) aquatic Category 1

hazard

Long-term (chronic) aquatic Category 1

hazard

## **GHS** label elements

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

Hazard pictograms :







Signal word : Warning

Hazard statements : H312 + H332 Harmful in contact with skin or if inhaled.

H320 Causes eye irritation.

H371 May cause damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

Response:

P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.

Get medical help.

P304 + P340 + P317 IF INHALED: Remove person to fresh air

and keep comfortable for breathing. Get medical help.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (%	
		w/w)	
Decamethylcyclopentasiloxane	541-02-6	>= 5 - < 10	

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Harmful in contact with skin or if inhaled.

Never give anything by mouth to an unconscious person.

Most important symptoms

and effects, both acute and

delayed

Protection of first-aiders

Causes eye irritation.

May cause damage to organs.

: First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds Silicon oxides

Formaldehyde

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.10
 30.09.2023
 1078838-00018
 Date of first issue: 18.11.2016

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

Take care to prevent spills, waste and minimize release to the

environment.

Do not breathe decomposition products.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up. Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal	
	Further information: Skin				
		Wipe limit	50 μg/100 cm <sup>2</sup>	Internal	

## Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	STEL	2 ppm 3 mg/m3	IN OEL
	Further information: Suspected human carcinogens			
		TWA	1 ppm	IN OEL
			1.5 mg/m3	
	Further information: Suspected human carcinogens			
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

**Engineering measures** 

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist,

handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection.

Filter type : Combined particulates, inorganic gas/vapour and organic

vapour type

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : gold

Odour : oily

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : > 93.3 °C

Method: Tag closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.10
 30.09.2023
 1078838-00018
 Date of first issue: 18.11.2016

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0.924 - 0.974 g/cm³ (20 °C)

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 61.69 - 73.9 mm2/s

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle size : Not applicable

#### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed at elevated

temperatures.

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

**Hazardous decomposition products** 

Thermal decomposition : Formaldehyde

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of:

exposure

Inhalation Skin contact

> Ingestion Eye contact

**Acute toxicity** 

Harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50(Rat): > 9,500 mg/kg

Acute inhalation toxicity : LC50(Rat): > 4.1 mg/l

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50(Rabbit): > 1,900 mg/kg

**Components:** 

Decamethylcyclopentasiloxane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 8.67 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of :

administration)

LD50 (Rat): 250 - 750 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Species : Rabbit

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

Result : Mild skin irritation

### **Components:**

### Decamethylcyclopentasiloxane:

Species : Rabbit

Result : No skin irritation

### lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

#### Serious eye damage/eye irritation

Causes eye irritation.

## **Product:**

Species : Rabbit

Result : Mild eye irritation

## **Components:**

### Decamethylcyclopentasiloxane:

Species : Rabbit

Result : No eye irritation

### lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

#### **Product:**

Species : Guinea pig

Result : Not a skin sensitizer.

## **Components:**

### Decamethylcyclopentasiloxane:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse : negative

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Decamethylcyclopentasiloxane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 474

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Inhalation Method: OECD Test Guideline 486

Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

#### Carcinogenicity

Not classified based on available information.

#### **Components:**

## lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

#### Reproductive toxicity

Not classified based on available information.

#### **Components:**

### Decamethylcyclopentasiloxane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.3800

Result: negative

Effects on foetal develop-

ment

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.3800

Result: negative

### lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.10
 30.09.2023
 1078838-00018
 Date of first issue: 18.11.2016

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

**Application Route: Oral** 

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight

Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

#### STOT - single exposure

May cause damage to organs (Nervous system).

#### **Components:**

#### lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

### **Components:**

# Decamethylcyclopentasiloxane:

Species : Rat

NOAEL : 1,000 mg/kg
LOAEL : > 1,000 mg/kg

Application Bouts

Application Route : Ingestion

Method : OECD Test Guideline 408

# lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg
Application Route : oral (feed)
Exposure time : 90 d

Symptoms : reduced body weight gain, reduced food consumption

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.10
 30.09.2023
 1078838-00018
 Date of first issue: 18.11.2016

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 50 mg/kg

Application Route : Dermal

Exposure time : 21 d

Target Organs : Nervous system

Species : Rat

NOAEL : 0.08 mg/kg
LOAEL : 0.9 mg/kg
Application Route : Inhalation
Exposure time : 21 d

Target Organs : Nervous system

Species : Dog
NOAEL : 0.1 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral

Exposure time : 1 yr

Target Organs : Nervous system

Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

## **Aspiration toxicity**

Not classified based on available information.

#### **Experience with human exposure**

**Product:** 

Skin contact : Symptoms: May cause, Local irritation

Eye contact : Symptoms: irritating

**Components:** 

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

#### 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

#### Components:

## Decamethylcyclopentasiloxane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 16 μg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.10
 30.09.2023
 1078838-00018
 Date of first issue: 18.11.2016

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 2.9 μg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 12

μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

EC10 (Pseudokirchneriella subcapitata (green algae)): > 12

μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 2,000 mg/l

Exposure time: 3 h Method: 88/302/EC

Toxicity to fish (Chronic tox-

icity)

NOEC: 14 µg/l

Exposure time: 90 d

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 15 µg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

10,000

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.000062 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

ic toxicity)

NOEC: 0.0035 µg/l Exposure time: 21 d

aquatic invertebrates (Chron-Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10.000

### Persistence and degradability

## **Components:**

### Decamethylcyclopentasiloxane:

Biodegradability Result: Not readily biodegradable.

> Biodegradation: 0.14 % Exposure time: 28 d

Method: OECD Test Guideline 310

## **Bioaccumulative potential**

#### **Components:**

### Decamethylcyclopentasiloxane:

Bioaccumulation Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF): 7,060 - 13,300

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 8.023

## lambda-cyhalothrin (ISO):

Bioaccumulation Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7.0 (20 °C)

## Mobility in soil

#### **Components:**

### lambda-cyhalothrin (ISO):

Distribution among environlog Koc: 5.5

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 4.10 30.09.2023 1078838-00018 Date of first issue: 18.11.2016

mental compartments

#### Other adverse effects

No data available

#### 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste han-Contaminated packaging

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

## International Regulations

**UNRTDG** 

**UN** number UN 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

Class 9 Ш Packing group Labels 9 Environmentally hazardous yes

IATA-DGR

UN/ID No. UN 3082

Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

(lambda-cyhalothrin (ISO))

9 Class Ш Packing group

Miscellaneous Labels

Packing instruction (cargo

aircraft)

Packing instruction (passen-

ger aircraft)

964

Environmentally hazardous yes

**IMDG-Code** 

UN 3082 **UN** number

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

964

(lambda-cyhalothrin (ISO))

Class Packing group Ш Labels 9 F-A, S-F **EmS Code** Marine pollutant yes

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04.04.2023 30.09.2023 Date of first issue: 18.11.2016 4.10 1078838-00018

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

**AICS** not determined

DSL not determined

**IECSC** not determined

### 16. OTHER INFORMATION

**Revision Date** 30.09.2023

**Further information** 

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Date format dd.mm.yyyy

Full text of other abbreviations

**ACGIH** USA. ACGIH Threshold Limit Values (TLV)

IN OEL India. Permissible levels of certain chemical substances in

work environment.

ACGIH / TWA 8-hour, time-weighted average ACGIH / STEL Short-term exposure limit

IN OEL / TWA Time-Weighted Average Concentration (TWA) (8 hrs.)

Short-term exposure Limit STEL (15 min) IN OEL / STEL

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

according to the Globally Harmonized System



# Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 04.04.2023

 4.10
 30.09.2023
 1078838-00018
 Date of first issue: 18.11.2016

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN