according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 28.09.2024 1078841-00021 Date of first issue: 18.11.2016 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formu-

lation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Veterinary product

stance/Mixture

Recommended restrictions

on use

Not applicable

1.3 Details of the supplier of the safety data sheet

Company MSD

Kilsheelan

Clonmel Tipperary, IE

Telephone 353-51-601000

E-mail address of person

responsible for the SDS

: EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H332: Harmful if inhaled.

Acute toxicity, Category 4 H312: Harmful in contact with skin. Eye irritation, Category 2 H319: Causes serious eve irritation. Specific target organ toxicity - single ex-H371: May cause damage to organs.

posure, Category 2

Short-term (acute) aquatic hazard, Cate-

Long-term (chronic) aquatic hazard, Cat-

egory 1

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Hazard pictograms







Signal word : Warning

Hazard statements : H312 + H332 Harmful in contact with skin or if inhaled.

H319 Causes serious eye irritation.H371 May cause damage to organs.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection.

Response:

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON

CENTER/ doctor.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P391 Collect spillage.

Hazardous components which must be listed on the label:

lambda-cyhalothrin (ISO)

2.3 Other hazards

This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| • | | | |
|---------------|-----------|----------------|---------------|
| Chemical name | CAS-No. | Classification | Concentration |
| | EC-No. | | (% w/w) |
| | Index-No. | | |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 1078841-00021
 Date of first issue: 18.11.2016

| | Registration number | | |
|------------------------------|---|---|--------------|
| lambda-cyhalothrin (ISO) | 91465-08-6 415-130-7 607-252-00-6 | Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Eye Irrit. 2; H319 STOT SE 1; H370 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 Acute toxicity estimate Acute inhalation toxicity (dust/mist): 0,06 mg/l | >= 1 - < 2,5 |
| PBT and vPvB substance : | 541-02-6 | | >= 1 - < 10 |
| Decamethylcyclopentasiloxane | 208-764-9 | | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful in contact with skin or if inhaled.

Causes serious eye irritation. May cause damage to organs.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

fighting

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

tire-

Vapours may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides

Nitrogen oxides (NOx) Chlorine compounds Fluorine compounds Silicon oxides

Silicon oxides Formaldehyde

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust

ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Keep container tightly closed.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Do not breathe decomposition products.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in

accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form | Control parameters | Basis |
|--------------------|------------|------------------|--------------------|----------|
| | | of exposure) | | |
| lambda-cyhalothrin | 91465-08-6 | TWA | 5 μg/m3 (OEB 4) | Internal |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 06.04.2024

 6.0
 28.09.2024
 1078841-00021
 Date of first issue: 18.11.2016

| (ISO) | | | | |
|-------|----------------|--------------|---------------------------|----------|
| | Further inform | nation: Skin | | |
| | | Wipe limit | 50 μg/100 cm ² | Internal |

Occupational exposure limits of decomposition products

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis |
|--------------|--|-------------------------------|---------------------------------|--------------|
| Formaldehyde | 50-00-0 | TWA | 0,3 ppm | FOR-2011- |
| - | | | 0,37 mg/m3 | 12-06-1358 |
| | Further information: Substances considered to be carcinogenic, Substances | | | , Substances |
| | | | n coming into touch with the | |
| | ways or evoki | ng allergies after cor | ming into contact with the skil | n |
| | | STEL | 0,6 ppm | FOR-2011- |
| | | | 0,74 mg/m3 | 12-06-1358 |
| | Further information: Substances considered to be carcinogenic, Substances | | | |
| | considered to evoke allergies when coming into touch with the eyes or air- | | | |
| | ways or evoking allergies after coming into contact with the skin | | | |
| | | TWA | 0,3 ppm | 2004/37/EC |
| | | | 0,37 mg/m3 | |
| | Further information: Dermal sensitisation, Carcinogens or mutagens | | | |
| | | STEL | 0,6 ppm | 2004/37/EC |
| | | | 0,74 mg/m3 | |
| | Further information: Dermal sensitisation, Carcinogens or mutagens | | | |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|-----------------------------------|-----------|-----------------|------------------------------|-------------------|
| Decamethylcyclopen- tasiloxane | Workers | Inhalation | Long-term systemic effects | 97,3 mg/m3 |
| | Workers | Inhalation | Acute systemic effects | 62 mg/m3 |
| | Workers | Inhalation | Long-term local ef- fects | 24,2 mg/m3 |
| | Consumers | Inhalation | Long-term systemic effects | 17,3 mg/m3 |
| | Consumers | Inhalation | Long-term local ef- fects | 4,3 mg/m3 |
| | Consumers | Ingestion | Long-term systemic effects | 5 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name | Environmental Compartment | Value |
|------------------------------|----------------------------|---------------|
| Decamethylcyclopentasiloxane | Sewage treatment plant | 10 mg/l |
| | Fresh water sediment | 11 mg/kg |
| | Marine sediment | 1,1 mg/kg |
| | Soil | 3,77 mg/kg |
| | Oral (Secondary Poisoning) | 13 mg/kg food |

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

8.2 Exposure controls

Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to NS EN 14387

Filter type : Combined particulates, inorganic gas/vapour and organic

vapour type (AB-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : gold

Odour : oily

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Flash point : > 93,3 °C

Method: Tag closed cup

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : 61,69 - 73,9 mm2/s

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

No data available

Vapour pressure : No data available

Relative density : No data available

Density : 0,924 - 0,974 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics

Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

Can react with strong oxidizing agents.

Hazardous decomposition products will be formed at elevated

temperatures.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition : Formaldehyde

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): > 9.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,1 mg/l

Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rabbit): > 1.900 mg/kg

Components:

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 28.09.2024 1078841-00021 Date of first issue: 18.11.2016 6.0

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity LC50 (Rat): 0,06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

: LD50 (Rat): 632 - 696 mg/kg Acute dermal toxicity

Acute toxicity (other routes of : LD50 (Rat): 250 - 750 mg/kg

administration)

Application Route: Intraperitoneal

Decamethylcyclopentasiloxane:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 8,67 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species Rabbit

Result Mild skin irritation

Components:

lambda-cyhalothrin (ISO):

Species Rabbit

Result No skin irritation

Decamethylcyclopentasiloxane:

Species Rabbit

Result No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species Rabbit

Result Mild eye irritation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Components:

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Decamethylcyclopentasiloxane:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species : Guinea pig

Result : Not a skin sensitizer.

Components:

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal Species : Guinea pig

Result : Not a skin sensitizer.

Decamethylcyclopentasiloxane:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact
Species : Mouse
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Decamethylcyclopentasiloxane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

Application Route: inhalation (vapour) Method: OECD Test Guideline 474

Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with

mammalian liver cells in vivo

Species: Rat

Application Route: Inhalation Method: OECD Test Guideline 486

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Species: RatApplication Route: oral (feed)Exposure time: 2 YearsResult: negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6,7 mg/kg body weight

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Decamethylcyclopentasiloxane:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.3800

Result: negative

Effects on foetal develop-

ment

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: inhalation (vapour)

Method: OPPTS 870.3800

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 28.09.2024 1078841-00021 Date of first issue: 18.11.2016 6.0

Result: negative

STOT - single exposure

May cause damage to organs.

Components:

lambda-cyhalothrin (ISO):

Target Organs Nervous system

Causes damage to organs. Assessment

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

lambda-cyhalothrin (ISO):

Species Dog 2,5 mg/kg NOAEL LOAEL 12,5 mg/kg : oral (feed) Application Route Exposure time 90 d

Symptoms reduced body weight gain, reduced food consumption

Species Rat NOAEL 10 mg/kg LOAEL 50 mg/kg Application Route Dermal Exposure time 21 d

: Nervous system Target Organs

Species Rat

NOAEL 0,08 mg/kg LOAEL 0,9 mg/kg Inhalation Application Route Exposure time 21 d

Target Organs Nervous system

Species Dog NOAEL 0,1 mg/kg LOAEL 0,5 mg/kg Application Route
Exposure time
Target Organs Oral 1 yr

Nervous system

Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

Decamethylcyclopentasiloxane:

Species : Rat

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

NOAEL : 1.000 mg/kg
LOAEL : > 1.000 mg/kg
Application Route : Ingestion

Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Experience with human exposure

Product:

Skin contact : Symptoms: May cause, Local irritation

Eye contact : Symptoms: irritating

Components:

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

SECTION 12: Ecological information

12.1 Toxicity

Components:

lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version **Revision Date:** SDS Number: Date of last issue: 06.04.2024 28.09.2024 1078841-00021 Date of first issue: 18.11.2016 6.0

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- : 10.000

icity)

Toxicity to fish (Chronic tox-

icity)

NOEC: 0,000062 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0035 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

10.000

Decamethylcyclopentasiloxane:

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): > 16 μg/l

Exposure time: 96 h

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 2,9 μg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 12

μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

EC10 (Pseudokirchneriella subcapitata (green algae)): > 12

μg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms EC50 : > 2.000 mg/l

> Exposure time: 3 h Method: 88/302/EC

Toxicity to fish (Chronic tox-

NOEC: 14 µg/l

Exposure time: 90 d

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 210

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 15 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

12.2 Persistence and degradability

Components:

Decamethylcyclopentasiloxane:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0,14 % Exposure time: 28 d

Method: OECD Test Guideline 310

12.3 Bioaccumulative potential

Components:

lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2.240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

log Pow: 7,0 (20 °C)

Decamethylcyclopentasiloxane:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

Bioconcentration factor (BCF): 7.060 - 13.300

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 8,023

12.4 Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environ-

: log Koc: 5,5

mental compartments

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains components considered to

be either persistent, bioaccumulative and toxic (PBT), or very

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

persistent and very bioaccumulative (vPvB).

Components:

Decamethylcyclopentasiloxane:

Assessment : Substance is persistent, bioaccumulative, and toxic (PBT).

Substance is very persistent and very bioaccumulative (vPvB).

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 3082
ADR : UN 3082
RID : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(lambda-cyhalothrin (ISO))

IATA : Environmentally hazardous substance, liquid, n.o.s.

(lambda-cyhalothrin (ISO))

14.3 Transport hazard class(es)

Class Subsidiary risks

ADN : 9
ADR : 9
RID : 9
IMDG : 9
IATA : 9

14.4 Packing group

ADN

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III Labels : 9

EmS Code : F-A, S-F

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

964

964

IATA (Cargo)

Packing instruction (cargo

aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passen:

ger aircraft)

Packing instruction (LQ) : Y964
Packing group : III

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, placing on

Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 70: Decamethylcyclopentasiloxane

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or

Decamethylcyclopentasiloxane

not.

Not applicable

Not applicable

Not applicable

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

REACH - List of substances subject to authorisation

(Annex XIV)

Regulation (EC) on substances that deplete the ozone

laver

E1

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Regulation (EU) No 649/2012 of the European Parlia-

ment and the Council concerning the export and import

of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of

major-accident hazards involving dangerous substances.

ENVIRONMENTAL

HAZARDS

Quantity 1

Quantity 2

100 t 200 t

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Full text of H-Statements

H301 : Toxic if swallowed.
H311 : Toxic in contact with skin.
H319 : Causes serious eye irritation.

H330 : Fatal if inhaled.

H370 : Causes damage to organs. H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation

STOT SE : Specific target organ toxicity - single exposure

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens or mutagens

at work

FOR-2011-12-06-1358 : Norway. Occupational Exposure limits

2004/37/EC / STEL : Short term exposure limit 2004/37/EC / TWA : Long term exposure limit FOR-2011-12-06-1358 / : Long term exposure limit

TWA

FOR-2011-12-06-1358 / : Short term exposure limit

STEL

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals: ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version Revision Date: SDS Number: Date of last issue: 06.04.2024 6.0 28.09.2024 1078841-00021 Date of first issue: 18.11.2016

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

cy, http://echa.europa.eu

Classification of the mixture: Classification procedure:

| H332 | Based on product data or assessment |
|------|-------------------------------------|
| H312 | Based on product data or assessment |
| H319 | Based on product data or assessment |
| H371 | Calculation method |
| H400 | Calculation method |
| H410 | Calculation method |
| | H312 H319 H371 H400 |

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN