

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

### Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive  
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - single exposure : Category 1 (Nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H302 Harmful if swallowed.  
H370 Causes damage to organs (Nervous system).  
H410 Very toxic to aquatic life with long lasting effects.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
 Date of first issue: 06.12.2016

Precautionary statements : **Prevention:**  
 P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P270 Do not eat, drink or smoke when using this product.  
 P273 Avoid release to the environment.

**Response:**  
 P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.  
 P391 Collect spillage.

**Storage:**  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyvinyl chloride	9002-86-2	>= 50 -< 70
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 10 -< 20
lambda-cyhalothrin (ISO)	91465-08-6	>= 10 -< 20
Titanium dioxide	13463-67-7	>= 0.1 -< 1

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
 Remove contaminated clothing and shoes.  
 Get medical attention.  
 Wash clothing before reuse.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.17	30.09.2023	1139525-00020	Date of first issue: 06.12.2016

---

In case of eye contact	:	Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.
If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Harmful if swallowed. Causes damage to organs.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

---

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Chlorine compounds Fluorine compounds
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

Methods and materials for containment and cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m <sup>3</sup> (OEB 1)	Internal

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
 Date of first issue: 06.12.2016

lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal
Titanium dioxide	13463-67-7	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA (Respirable particulate matter)	2.5 mg/m <sup>3</sup> (Titanium dioxide)	ACGIH

**Engineering measures** : Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
 Essentially no open handling permitted.  
 Use closed processing systems or containment technologies.

### Personal protective equipment

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Combined particulates and organic vapour type

**Hand protection**

**Material** : Chemical-resistant gloves

**Remarks** : Consider double gloving.

**Eye protection** : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.  
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
 Use appropriate degowning techniques to remove potentially contaminated clothing.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment,

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	violet
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful if swallowed.

### Product:

Acute oral toxicity : Acute toxicity estimate: 560 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**lambda-cyhalothrin (ISO):**

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg  
LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 250 - 750 mg/kg  
Application Route: Intraperitoneal

**Titanium dioxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

**lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Titanium dioxide:**



# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Result : No eye irritation

#### Components:

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

##### **lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : Mild eye irritation

##### **Titanium dioxide:**

Species : Rabbit  
Result : No eye irritation

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

#### Components:

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

##### **lambda-cyhalothrin (ISO):**

Test Type : Magnusson-Kligman-Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

**Titanium dioxide:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**lambda-cyhalothrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal  
Result: negative

**Titanium dioxide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Result: negative

**Carcinogenicity**

Not classified based on available information.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

## Components:

### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 107 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **lambda-cyhalothrin (ISO):**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

Species : Rat  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

### **Titanium dioxide:**

Species : Rat  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Method : OECD Test Guideline 453  
Result : positive  
Remarks : The mechanism or mode of action may not be relevant in humans.

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in inhalation studies with animals.

### **Reproductive toxicity**

Not classified based on available information.

## Components:

### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

**lambda-cyhalothrin (ISO):**

Effects on fertility : Test Type: Three-generation study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity - Parent: NOAEL: 2 mg/kg body weight  
General Toxicity F1: LOAEL: 6.7 mg/kg body weight  
Symptoms: Reduced offspring weight gain  
Result: No effects on fertility  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
Developmental Toxicity: LOAEL: 15 mg/kg body weight  
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight  
Remarks: Based on data from similar materials

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight  
Remarks: Based on data from similar materials

**STOT - single exposure**

Causes damage to organs (Nervous system).

**Components:****2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Assessment : May cause respiratory irritation.

**lambda-cyhalothrin (ISO):**

Target Organs : Nervous system  
Assessment : Causes damage to organs.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

Species : Rat  
NOAEL : 1,323 mg/kg  
Application Route : Ingestion  
Exposure time : 7 Weeks

**lambda-cyhalothrin (ISO):**

Species : Dog  
NOAEL : 2.5 mg/kg  
LOAEL : 12.5 mg/kg  
Application Route : oral (feed)  
Exposure time : 90 d  
Symptoms : reduced body weight gain, reduced food consumption

Species : Rat  
NOAEL : 10 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Dermal  
Exposure time : 21 d  
Target Organs : Nervous system

Species : Rat  
NOAEL : 0.08 mg/kg  
LOAEL : 0.9 mg/kg  
Application Route : Inhalation  
Exposure time : 21 d  
Target Organs : Nervous system

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Nervous system  
Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

**Titanium dioxide:**

Species : Rat  
NOAEL : 24,000 mg/kg  
Application Route : Ingestion  
Exposure time : 28 Days

Species : Rat  
NOAEL : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 yr

**Aspiration toxicity**

Not classified based on available information.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.17	30.09.2023	1139525-00020	Date of first issue: 06.12.2016

## Experience with human exposure

### Product:

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation  
Remarks: Can be absorbed through skin.

Eye contact : Remarks: May irritate eyes.

### Components:

#### lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation  
Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.51 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC (Daphnia magna (Water flea)): 0.03 mg/l  
Exposure time: 21 d

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.17	30.09.2023	1139525-00020	Date of first issue: 06.12.2016

---

ic toxicity)

M-Factor (Chronic aquatic : 1

toxicity)

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### lambda-cyhalothrin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.00004 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- : 10,000  
icity)

Toxicity to fish (Chronic tox- : NOEC (Pimephales promelas (fathead minnow)): 0.000062  
icity) : mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.0035 µg/l  
aquatic invertebrates (Chron- : Exposure time: 21 d  
ic toxicity) : Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic : 10,000  
toxicity)

### Titanium dioxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
aquatic invertebrates : Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
plants : Exposure time: 72 h

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 2.17      Revision Date: 30.09.2023      SDS Number: 1139525-00020      Date of last issue: 04.04.2023  
Date of first issue: 06.12.2016

---

Toxicity to microorganisms      :    EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

## Persistence and degradability

### Components:

#### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Biodegradability                      :    Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

## Bioaccumulative potential

### Components:

#### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Partition coefficient: n-                :    log Pow: 5  
octanol/water

#### **lambda-cyhalothrin (ISO):**

Bioaccumulation                        :    Bioconcentration factor (BCF): 2,240  
Method: OECD Test Guideline 305

Partition coefficient: n-                :    log Pow: 7.0 (20 °C)  
octanol/water

## Mobility in soil

### Components:

#### **lambda-cyhalothrin (ISO):**

Distribution among environ-            :    log Koc: 5.5  
mental compartments

## Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues                    :    Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging                :    Empty containers should be taken to an approved waste han-  
dling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.



# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.17	30.09.2023	1139525-00020	Date of first issue: 06.12.2016

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

#### IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

#### IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.17	30.09.2023	1139525-00020	Date of first issue: 06.12.2016

---

## 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.**

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable  
Regulations

**The components of this product are reported in the following inventories:**

AICS : not determined  
DSL : not determined  
IECSC : not determined

## 16. OTHER INFORMATION

Revision Date : 30.09.2023

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD  
compile the Safety Data eChem Portal search results and European Chemicals Agen-  
Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
SG OEL : Singapore. Workplace Safety and Health (General Provisions)  
Regulations - First Schedule Permissible Exposure Limits of  
Toxic Substances.

ACGIH / TWA : 8-hour, time-weighted average  
SG OEL / PEL (long term) : Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
2.17	30.09.2023	1139525-00020	Date of first issue: 06.12.2016

---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN