according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road

Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number: +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2B

Specific target organ toxicity - :

single exposure

Category 2 (Nervous system)

Short-term (acute) aquatic

hazard

: Category 1

Long-term (chronic) aquatic

hazard

Category 1

1/18

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

GHS label elements

Hazard pictograms







Signal word : Warning

Hazard statements : H302 Harmful if swallowed.

H313 + H333 May be harmful in contact with skin or if inhaled.

H315 + H320 Causes skin and eye irritation.

H371 May cause damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P260 Do not breathe mist or vapours.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves.

Response:

P301 + P317 + P330 IF SWALLOWED: Get medical help.

Rinse mouth.

P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.

Get medical help.

P304 + P317 IF INHALED: Get medical help.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P308 + P316 IF exposed or concerned: Get emergency medi-

cal help immediately.

P332 + P317 If skin irritation occurs: Get medical help. P337 + P317 If eye irritation persists: Get medical help.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Components

Chemical name	CAS-No.	Concentration (%	
		w/w)	
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 5 - < 10	
lambda-cyhalothrin (ISO)	91465-08-6	>= 1 - < 2.5	

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water

for at least 15 minutes while removing contaminated clothing

and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do

so by medical personnel. Get medical attention.

Rinse mouth thoroughly with water.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and

delayed

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

Causes skin and eye irritation. May cause damage to organs.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

, ,

Carbon oxides

Nitrogen oxides (NOx)

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Chlorine compounds Fluorine compounds

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers)

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

Advice on safe handling

Use only with adequate ventilation.

Do not get on skin or clothing.

Do not breathe mist or vapours.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1366774-00019
 Date of first issue: 01.03.2017

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
2-(2-butoxyethoxy)ethyl 6- propylpiperonyl ether	51-03-6	TWA	4 mg/m3 (OEB 1)	Internal	
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 μg/m3 (OEB 4)	Internal	
	Further information: Skin				
		Wipe limit	50 μg/100 cm ²	Internal	

Engineering measures : All engineering controls should be implemented by facility

design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist,

handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Combined particulates and organic vapour type

Filter type Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection : Work uniform or laboratory coat.

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

suits) to avoid exposed skin surfaces.

Use appropriate degowning techniques to remove potentially

contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working

place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : clear, light yellow

Odour : mild, oily

Odour Threshold : No data available

pH : 6.16

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flash point : 105.5 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 0.9326

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation

exposure Skin contact Ingestion

Eye contact

Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50(Rat): 2,000 mg/kg

TDLo(Rat): 300 mg/kg

Remarks: No mortality observed at this dose.

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Acute inhalation toxicity : Acute toxicity estimate: 6 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : LD50(Rat): > 2,000 mg/kg

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg

LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Rat): 250 - 750 mg/kg

Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit Result : irritating

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

П

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit

Result : Mild eye irritation

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit

Method : OECD Test Guideline 405

Result : Irritation to eyes, reversing within 21 days

lambda-cyhalothrin (ISO):

Species : Rabbit

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Dermal

Assessment : Does not cause skin sensitisation.

Result : negative

Test Type : Magnusson-Kligman-Test

Exposure routes : Dermal

Result : Not a skin sensitizer.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type : Maximisation Test Exposure routes : Skin contact Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 1366774-00019 Date of first issue: 01.03.2017 4.0

lambda-cyhalothrin (ISO):

: Magnusson-Kligman-Test

Exposure routes : Magnus
Species : Guinea : Guinea pig

Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

: Test Type: Bacterial reverse mutation assay (AMES) Genotoxicity in vitro

Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Test Type: Chromosomal aberration Test system: Human lymphocytes

Result: negative

Test Type: unscheduled DNA synthesis assay

Test system: rat hepatocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Genotoxicity in vivo Test Type: Micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks
Method

: OECD Test Guideline 451 Method

: negative Result

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative

Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study

Species: Rat

Application Route: oral (feed)

General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight

Symptoms: Reduced offspring weight gain

Result: No effects on fertility

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Development

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

Test Type: Development

Species: Rabbit

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Application Route: Oral

General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal

body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

STOT - single exposure

May cause damage to organs (Nervous system).

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system

Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat

NOAEL : 1,323 mg/kg
Application Route : Ingestion
Exposure time : 7 Weeks

lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg
Application Route : oral (feed)
Exposure time : 90 d

Symptoms : reduced body weight gain, reduced food consumption

Species : Rat

NOAEL : 10 mg/kg

LOAEL : 50 mg/kg

Application Route : Dermal

Exposure time : 21 d

Target Organs : Nervous system

Species : Rat

NOAEL : 0.08 mg/kg LOAEL : 0.9 mg/kg Application Route : Inhalation

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 1366774-00019 Date of first issue: 01.03.2017 4.0

Exposure time 21 d

Target Organs Nervous system

Species Dog NOAEL 0.1 mg/kg LOAEL 0.5 mg/kg Application Route Oral Exposure time 1 yr

Target Organs Nervous system

Symptoms Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,

Liver effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

lambda-cyhalothrin (ISO):

Inhalation Symptoms: Cough, Local irritation, sneezing

Skin contact Symptoms: Skin irritation, tingling, superficial burning sensa-

tion, Local irritation

Remarks: Can be absorbed through skin.

Symptoms: Eye irritation Eye contact

Symptoms: Gastrointestinal disturbance Ingestion

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94

mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.51 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide **Formulation**

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 28.09.2024 1366774-00019 Date of first issue: 01.03.2017 4.0

M-Factor (Acute aquatic tox- : 1

icity)

Toxicity to microorganisms

: EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Toxicity to fish (Chronic tox- : NOEC: 0.18 mg/l

icity)

Exposure time: 35 d

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : NOEC: 0.03 mg/l aguatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic

toxicity)

: 1

lambda-cyhalothrin (ISO):

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other:

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.00004 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- :

icity)

10,000

Toxicity to fish (Chronic tox-

icity)

NOEC: 0.000062 mg/l

Exposure time: 32 d

Species: Pimephales promelas (fathead minnow)

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other: aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0.0035 µg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

M-Factor (Chronic aquatic

toxicity)

: 10,000

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

Persistence and degradability

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-

octanol/water

: log Pow: 5

lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2,240

Method: OECD Test Guideline 305

Partition coefficient: n-

octanol/water

: log Pow: 7.0 (20 °C)

Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environ-

mental compartments

: log Koc: 5.5

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S

(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction (passen: 964

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-

cyhalothrin (ISO))

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version Revision Date: SDS Number: Date of last issue: 30.09.2023 4.0 28.09.2024 1366774-00019 Date of first issue: 01.03.2017

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 28.09.2024

Further information

Sources of key data used to compile the Safety Data

Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

according to the Globally Harmonized System



Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 30.09.2023

 4.0
 28.09.2024
 1366774-00019
 Date of first issue: 01.03.2017

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN