

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use



Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 5
Acute toxicity (Dermal) : Category 5
Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 2B
Specific target organ toxicity - single exposure : Category 1 (Nervous system)

GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.
H313 + H333 May be harmful in contact with skin or if inhaled.
H315 + H320 Causes skin and eye irritation.
H370 Causes damage to organs (Nervous system).

Precautionary Statements : **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 5 -< 10
lambda-cyhalothrin (ISO)	91465-08-6	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

- Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be harmful in contact with skin or if inhaled.
Causes skin and eye irritation.
Causes damage to organs.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

- Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m ³ (OEB 1)	Internal
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	50 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : clear, light yellow

**Lambda-Cyhalothrin / Piperonyl Butoxide
Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

Odor	:	mild, oily
Odor Threshold	:	No data available
pH	:	6.16
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	105.5 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.9326
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle size	:	Not applicable

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.
May be harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg
TDL0 (Rat): 300 mg/kg
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Acute toxicity estimate: 6 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

lambda-cyhalothrin (ISO):

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

Acute oral toxicity	:	LD50 (Rat): 56 - 79 mg/kg LD50 (Mouse): 20 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): 632 - 696 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

Product:

Species	:	Rabbit
Result	:	irritating

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Assessment	:	Repeated exposure may cause skin dryness or cracking.
------------	---	---

lambda-cyhalothrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species	:	Rabbit
Result	:	Mild eye irritation

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

lambda-cyhalothrin (ISO):

Species	:	Rabbit
Result	:	Mild eye irritation

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Dermal
Assessment : Does not cause skin sensitization.
Result : negative

Test Type : Magnusson-Kligman-Test
Routes of exposure : Dermal
Result : Not a skin sensitizer.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

lambda-cyhalothrin (ISO):

Test Type : Magnusson-Kligman-Test
Routes of exposure : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay
		Test system: rat hepatocytes
		Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test
		Test system: mouse lymphoma cells
		Result: negative
	:	Test Type: Micronucleus test
		Species: Mouse
		Cell type: Bone marrow
		Application Route: Intraperitoneal
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	107 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

lambda-cyhalothrin (ISO):

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study
		Species: Rat
		Application Route: Ingestion
		Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development
		Species: Rat

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

Application Route: Ingestion
Result: negative

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: oral (feed)
General Toxicity Parent: NOAEL: 2 mg/kg body weight
General Toxicity F1: LOAEL: 6.7 mg/kg body weight
Symptoms: Reduced offspring weight gain.
Result: No effects on fertility.
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: LOAEL: 15 mg/kg body weight
Result: No effects on fetal development., Reduced maternal body weight gain., Reduced fetal weight.
Remarks: Based on data from similar materials

Test Type: Development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Result: No effects on fetal development., Reduced maternal body weight gain., Reduced fetal weight.
Remarks: Based on data from similar materials

STOT-single exposure

Causes damage to organs (Nervous system).

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

NOAEL	: 1,323 mg/kg
Application Route	: Ingestion
Exposure time	: 7 Weeks

lambda-cyhalothrin (ISO):

Species	: Dog
NOAEL	: 2.5 mg/kg
LOAEL	: 12.5 mg/kg
Application Route	: oral (feed)
Exposure time	: 90 d
Symptoms	: reduced body weight gain, reduced food consumption

Species	: Rat
NOAEL	: 10 mg/kg
LOAEL	: 50 mg/kg
Application Route	: Dermal
Exposure time	: 21 d
Target Organs	: Nervous system

Species	: Rat
NOAEL	: 0.08 mg/kg
LOAEL	: 0.9 mg/kg
Application Route	: Inhalation
Exposure time	: 21 d
Target Organs	: Nervous system

Species	: Dog
NOAEL	: 0.1 mg/kg
LOAEL	: 0.5 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Nervous system
Symptoms	: Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

lambda-cyhalothrin (ISO):

Inhalation	: Symptoms: Cough, Local irritation, sneezing
Skin contact	: Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation Remarks: Can be absorbed through skin.
Eye contact	: Symptoms: Eye irritation
Ingestion	: Symptoms: Gastrointestinal disturbance

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish	:	LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.51 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.03 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

lambda-cyhalothrin (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00004 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 4.0 Revision Date: 04.04.2023 SDS Number: 1366469-00018 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000062 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0035 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Persistence and degradability

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-octanol/water : log Pow: 5

lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2,240
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 7.0 (20 °C)

Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environmental compartments : log Koc: 5.5

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	9

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (2-(2-Butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

NOM-165-SEMARNAT-2013, Norm establishing a list of substances subject to report for the Registry of Emissions and Pollutant Transfer

Components	CAS-No.	MPU (kg/year)	Transfer/Release (kg/year)
lambda-cyhalothrin (ISO)	91465-08-6	2500 kg/year	100 kg/year

MPU: Applicable reporting threshold when the substance, pure or in mixture in a composition of more than 1% by weight, is used for industrial activities at facilities that are subject to report or are produced by them

Federal Law for the control of chemical precursors, essential chemical products and machinery for producing capsules, tablets and pills. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 04.04.2023

Date format : dd.mm.yyyy

Full text of other abbreviations

AIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
4.0	04.04.2023	1366469-00018	Date of first issue: 01.03.2017

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8