

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use :
Not applicable

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2B

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

- Hazard statements** : H302 Harmful if swallowed.
H315 + H320 Causes skin and eye irritation.
H371 May cause damage to organs (Nervous system).
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements** : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves.
- Response:**
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
- Storage:**
P405 Store locked up.
- Disposal:**
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	>= 2.5 -< 10
lambda-cyhalothrin (ISO)	91465-08-6	>= 1 -< 2.5

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

- When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes skin and eye irritation.
May cause damage to organs.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- Notes to physician : Treat symptomatically and supportively.
-

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
-

6. ACCIDENTAL RELEASE MEASURES

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15	Revision Date: 04.04.2023	SDS Number: 1366472-00017	Date of last issue: 01.10.2022 Date of first issue: 01.03.2017
-----------------	------------------------------	------------------------------	---

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

		(Form of exposure)	ters / Permissible concentration	
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m ³ (OEB 1)	Internal
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	50 µg/100 cm ²	Internal

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

**Lambda-Cyhalothrin / Piperonyl Butoxide
Formulation**

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

Appearance	:	liquid
Colour	:	clear, light yellow
Odour	:	mild, oily
Odour Threshold	:	No data available
pH	:	6.16
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	105.5 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	0.9326
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

Molecular weight : Not applicable
Particle size : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Can react with strong oxidizing agents.
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): 2,000 mg/kg
TDLo (Rat): 300 mg/kg
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg
LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 250 - 750 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Result : irritating

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

lambda-cyhalothrin (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit
Result : Mild eye irritation

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

lambda-cyhalothrin (ISO):

Species : Rabbit

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Dermal
Assessment	: Does not cause skin sensitisation.
Result	: negative
	: Magnusson-Kligman-Test
	: Dermal
	: Not a skin sensitizer.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

lambda-cyhalothrin (ISO):

Test Type	: Magnusson-Kligman-Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

	Test Type: Chromosomal aberration
	Test system: Human lymphocytes
	Result: negative

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15 Revision Date: 04.04.2023 SDS Number: 1366472-00017 Date of last issue: 01.10.2022
Date of first issue: 01.03.2017

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks
Method : OECD Test Guideline 451
Result : negative

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative
Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version 2.15	Revision Date: 04.04.2023	SDS Number: 1366472-00017	Date of last issue: 01.10.2022 Date of first issue: 01.03.2017
-----------------	------------------------------	------------------------------	---

ment
Species: Rat
Application Route: Ingestion
Result: negative

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: oral (feed)
General Toxicity - Parent: NOAEL: 2 mg/kg body weight
General Toxicity F1: LOAEL: 6.7 mg/kg body weight
Symptoms: Reduced offspring weight gain
Result: No effects on fertility
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: LOAEL: 15 mg/kg body weight
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight
Remarks: Based on data from similar materials

Test Type: Development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight
Remarks: Based on data from similar materials

STOT - single exposure

May cause damage to organs (Nervous system).

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

Species : Rat
 NOAEL : 1,323 mg/kg
 Application Route : Ingestion
 Exposure time : 7 Weeks

lambda-cyhalothrin (ISO):

Species : Dog
 NOAEL : 2.5 mg/kg
 LOAEL : 12.5 mg/kg
 Application Route : oral (feed)
 Exposure time : 90 d
 Symptoms : reduced body weight gain, reduced food consumption

Species : Rat
 NOAEL : 10 mg/kg
 LOAEL : 50 mg/kg
 Application Route : Dermal
 Exposure time : 21 d
 Target Organs : Nervous system

Species : Rat
 NOAEL : 0.08 mg/kg
 LOAEL : 0.9 mg/kg
 Application Route : Inhalation
 Exposure time : 21 d
 Target Organs : Nervous system

Species : Dog
 NOAEL : 0.1 mg/kg
 LOAEL : 0.5 mg/kg
 Application Route : Oral
 Exposure time : 1 yr
 Target Organs : Nervous system
 Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia,
 Liver effects

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing
 Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation
 Remarks: Can be absorbed through skin.
 Eye contact : Symptoms: Eye irritation
 Ingestion : Symptoms: Gastrointestinal disturbance

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.51 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 0.18 mg/l
Exposure time: 35 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.03 mg/l
Exposure time: 21 d |
| M-Factor (Chronic aquatic toxicity) | : | 1 |
| Toxicity to microorganisms | : | EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209 |
| lambda-cyhalothrin (ISO): | | |
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other | : | EC50 (Daphnia magna (Water flea)): 0.00004 mg/l |

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))

Class : 9

Packing group : III

Labels : 9

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 04.04.2023

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

Lambda-Cyhalothrin / Piperonyl Butoxide Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2022
2.15	04.04.2023	1366472-00017	Date of first issue: 01.03.2017

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN